# The Gardening Catalogue 2024


# FISKARS





Over 375 years of history are proof of our commitment to quality. Fiskars products are ingeniously functional, uniquely user-friendly, impressively long-lasting and aesthetically iconic.

## The gardening catalogue






















#### New launches 2024

#### 10 Seasonal calendar

#### 12 Plant, grow, harvest

Tips for seasonal planting, growing and harvesting

#### 16 Outdoor cooking

Norden Outdoor cooking novelties

#### 22 Plant Care

**Pruners** X-series<sup>™</sup> · Plus · Solid<sup>™</sup> · Professional Pruners · Fingerloop · Solid<sup>™</sup> snips · Other

**Loppers** PowerGear™X · PowerGear · SmartFit ·SingleStep\*·Other

**Hedge Shears** PowerGear<sup>™</sup>X ·SmartFit<sup>\*\*</sup>·PowerLever<sup>\*\*</sup>·Other

**Tree pruners** PowerGear "X · Other Tree Pruners & Accessories Scissors Classic · ReNew

#### 60 Lawn Care

#### Rakes

Xact<sup>™</sup>·Ergonomic<sup>™</sup>·Classic 

#### **Grass Shears**

PowerLever<sup>™</sup> · Servo-System<sup>™</sup>  $\cdot \mathsf{SmartFit}^{\scriptscriptstyle{\mathbb{T}}} \cdot \mathsf{White} \cdot \mathsf{Solid}^{\scriptscriptstyle{\mathbb{T}}}$ 

Weed Pullers

#### $Xact^{\mathbb{T}} \cdot SmartFit^{\mathbb{T}} \cdot White \cdot Solid^{\mathbb{T}}$ Classic & Solid<sup>™</sup> Yard Tools Classic · Ergo<sup>™</sup> · Solid<sup>™</sup> Reel Mowers StaySharp

#### 78 Soil Care

**Growing & Planting** Xact<sup>™</sup>·Ergo<sup>™</sup>·Solid<sup>™</sup>

#### Harvesting

X-series<sup>™</sup>·Plus<sup>™</sup>·Solid<sup>™</sup> Shovels, Spades & Forks Xact<sup>™</sup> · Ergonomic<sup>™</sup> · White · Solid<sup>™</sup> QuikDrill"

#### Soil Care Tools

Classic · Xact<sup>™</sup> · Ergonomic<sup>™</sup> · White · Solid™

#### **Nursery Tools**

Xact<sup>™</sup> · Premium Planters<sup>™</sup> · Ergo<sup>™</sup> · White · Solid™

#### 122 Yard Cleaning

White · Solid™

#### 128 Kids Tools

#### 132 Fiskars QuikFit<sup>™</sup>

Click & Reach · Click & Clean · Click & Grow

#### 146 Wood Preparation

**Axes** · Norden Axes · X-series<sup>™</sup> Axes

#### WoodXpert<sup>™</sup> Wood handling

tools · Felling levers · Brush hooks ·Log hook & tongs · Sappies · Yard clearing tools

**Saws** · Plus saws · Xtract<sup>™</sup> saws · Fixed blade saws

Other tools · Splitting tools, Sledge Hammers & Wedges

#### 176 Watering

Knives

Waterwheels · Hoses · Sprinklers · Spray Nozzles · Connectors · Accessories · Sets

#### 213 Fiskars Car Tools

SnowXpert<sup>™</sup>·Solid<sup>™</sup>

#### 216 Fiskars Snow Tools

X-series<sup>™</sup> · SnowXpert<sup>™</sup> · Classic snow tools

#### 222 Accessories


#### 225 Hardware Tools

(see separate index on page 229)


#### 271 Maintenance & Spare Parts

Please note! All the measurements portrayed in the catalogue are products in packaging measurements.

# We believe that happiness is yours to grow.



Doing what we love brings us happiness. To really enjoy the activities we love, and make a positive impact beyond our homes, Fiskars takes action for the environment. Every product detail is designed for the best of the user and the environment, increasing sustainability and overall happiness.



# New gardening products 2024

Axes
Global stick tools
Indoor gardening
Norden
Watering



# **Yearly Calendar** for gardening products

## for every season **Tools for spring Tools for winter** While winter may be a time for rest in the garden, it can Spring is the time for big changes in the garden, also call for snow clearing and a need for firewood. when preparation is a must for the upcoming growing season. 76 Solid<sup>™</sup> Spreader 1051143 Norden Chopping Axe N10 020187 PowerGear X Bypass Lopper, MLX94 1057175 X-series" PowerGear Pruner bypass L P961 1057177 X-series<sup>™</sup> Snow shovel 1066729 Xact<sup>™</sup> Pointed Spade **Tools for summer** Tools for autumn Summer is the time for enjoying your Fall is the time to enjoy the fruits and garden and supporting growth with veggies of our labour and prepare for upcoming winter. care and watering. 1027036 Xact<sup>™</sup> Leaf Rake 1020126 Xact<sup>™</sup> Weed Puller 1062831 Plus Garden Harvesting Basket 1065482 Spray gun multi, Front control

Right tools

# Plant, grow, harvest Designed for happy planting & harvesting Nothing tastes better than freedom and independence. No wonder more and more people (especially, in urban areas) are growing their own vegetables and fruit - whether on the smallest balcony, in the seasonal garden or on their own expansive plot of land. We show how easy it is to supplement supermarket shopping with your own produce.

# The balcony: For the minimalist

From classic planter boxes to vertical gardening or a potato tower – the balcony offers more space for culinary self-fulfilment than one might initially think. Nevertheless, vegetables, fruit, and herbs on the balcony should be one thing above all: robust and high-yielding.



#### WHAT GROWS ON A SOUTH-FACING BALCONY?

Welcome to the sunny side of life with the best conditions for a small, self-catering existence. From spring to autumn everything that grows in full sun can be sown and harvested on a south-facing balcony.

However, it can even get too hot for them. Therefore, it is best to provide shade, a sunshade is usually sufficient. Large planters, pots and boxes store water well, so that you don't have to water all the time.

#### SOUTH



Tomatoes
Strawberries
Rosemary
Courgettes
Bell peppers
Chillis
Peppermint
Chives
Beans
Cucumbers

#### JORTH



Rocket Spinach Ramsons Chard Kohlrabi Radishes Mache

# WHAT GROWS ON A NORTH-FACING BALCONY?

Imagine you live on the Mediterranean. Then someone suddenly transports you to cold climates. You would die, just like plants and herbs from the Mediterranean. So with rosemary or oranges you don't even need to try it on the north balcony. Nevertheless, some things can grow there. It is best not to place the containers directly on the ground, but rather hang them on a railing or in a hanging basket. A bonus: here the plants are more likely to forgive you if you forget to water them

# The seasonal garden: For the part-time self-supporter



Among the top five favourite gardening activities, planting and cultivating fruit and vegetables sits far in the lead. Many people dream of having their own garden, however few can make it a reality. This is why more and more hobby gardeners are renting a seasonal garden.

Here, as the name suggests, it is usually possible to rake, weed and harvest from March to November. Most plots are available in different sizes (from approx. 25 m² to 80 m²). Depending on space and taste, any fruit and vegetables can be planted.



Onions Potatoes Lettuce Carrots

Sweetcorn Broccoli Parsley Gooseberries

## Create a dance of colour with bulbs

The last day of winter easily becomes the first day of spring if you have planted early spring bulbs like snowdrops or galanthus in the autumn months. As spring progresses to summer you can enjoy gently nodding daffodils, vibrant tulips or majestic alliums that impress every year. With these planting tips, next spring is sure to be vibrant and colourful.

#### **PLANTING TIPS FOR TULIP BULBS**

- 1. Fill the planter to about three quarters with soil. Dig a small hole for the bulb.
- 2. Place the bulb in the soil. Rule of thumb: flower bulbs must be planted three times as deep as the bulb is tall.
- 3. Cover the bulb loosely with soil. Only water a little, as the bulb won't develop well if too much liquid is added, or even rots.
- 4. All you need now is a little patience, and in no time you'll be able to enjoy the flowerage.

Planting time: September to December Blooming period: March to June





# The XXL garden: For the all-rounder


No space problems, enough distance and sufficient light – we pay tribute to large gardens. Here you can let off steam and plant what you like all year round. Those who also try their hand at winter vegetables will not only save themselves a trip to the supermarket in the colder season, they'll also do something for their good conscience, as exotic, imported fruit and vegetables often have been transported long distances.

WHAT ARE TYPICAL WINTER VEGETABLES? Root vegetables: beetroot, parsnips, swede. Leafy vegetables: mache, endive, chicory. Cabbage: Curly kale, white cabbage, red cabbage.

### WILL MY VEGETABLES FREEZE TO **DEATH IN WINTER?**While some of us take out our winter

socks at temperatures below 20 degrees, most winter-proof vegetables don't even mind a light blanket of snow. Lettuce leaves freeze in frost, but they also thaw quickly. Wait to harvest them, as they could

become mushy.







#### NORDEN Norden outdoor cooking tools features & benefits 3 Grill utensils Solid, premium wood Wood for non-stick Oak and heat-treated birch cookware wood are sourced from All wooden grilling utensils responsibly managed forests. are suitable for non-stick cookware surfaces. 2 Premium stainless steel for ultimate performance Perfectly balanced Premium stainless steel for Perfect balance for comfort durability and high and control in use. temperature use. Grill cookware 1 Durable cast iron Premium stainless steel 6 Norden Grill Chef system Durable cast iron pot and plate are ideal for a Premium stainless steel lid for lasting durability. Use it with the Norden Grill Chef Pot for 1- or wide variety of cooking styles. 2-layer steaming on your barbeque grill or 5 Stainless steel steaming basket indoor kitchen. Easy to clean Multi-function cooking: use it as a grill basket Stackability THERMIUM™ mineral treatment makes inner for preparing delicate ingredients, as a Part of the stackable Norden Grill Chef system. surface very easy to clean and care for. steamer or as a colander. **8** High temperatures Heatproof up to 270°C, not recommended for use with metal utensils. Cooking basket Cooking plate Grill pot

# Norden outdoor cooking tools

 Grill Chef pot
 Art.no. 1066430


 Height: 13,1cm
 Length: 33,2cm
 Width: 34cm
 Weight: 5,86kg
 Retailbox: 1
 Oldart.no. 6
 4 2 4 0 0 2 0 1 6 3 1 1





- Durable cast iron pot is ideal for a wide variety of cooking styles on the grill and indoors and for easy mixing
- Thermium "mineral treatment makes inner surface very easy to clean and care for
- Premium stainless steel lid
- · Part of the stackable Norden Grill Chef system
- Suitable for induction, ceramic, gas and traditional hobs. Also for open fire and different grills

irill Chef St	Il Chef Steel basket/steamer  ht: 8,1cm			Art.no.	1066431	z	6 4 2 4 0 0 2 0 1 6 3 2 8	
eight: <b>8,1cm</b>	Length: 32cm	Width: 32,2cm	Weight: 1,05 kg	Retailbox: 1	Oldart.no.	-	Ä	6 424002 016328





- · For multi-function cooking: use it as a grill basket for preparing
- delicate ingredients, as a steamer or as a colander
- Premium stainless steel for lasting durability
- Use it with the Norden Grill Chef Pot for 1- or 2-layer steaming on your barbeque grill or indoor kitchen
- ·Part of the stackable Norden Grill Chef system

Grill Chef co	oking plate				Art.no.	1066432	z	6 4 2 4 0
Height: 4,3 cm	Length: 32,2 cm	Width: 32,2cm	Weight: 2,64 kg	Retailbox: 1	Oldart.no.	-	EA	6 4240





- Durable cast iron plate is ideal for cooking pancakes, fish or vegetables on the grill or over open flame
- $\cdot \mathsf{Two}\,\mathsf{layers}\,\mathsf{of}\,\mathsf{enamel}\,\mathsf{and}\,\mathsf{unique}\,\mathsf{Thermium}^{\texttt{``}}\mathsf{mineral}\,\mathsf{treatment}$
- makes cooking surface very easy to clean and care for
- · Bottom legs provide stability while cooking and serving
- Part of the stackable Norden Grill Chef system
   Suitable for open fire and different grills

Grill Chef spatula						1066425
Height: 3cm	Length: 44,4 cm	Width: 8,6cm	Weight: 0,39 kg	Retailbox: 1	Oldart.no.	-







- Solid, premium stainless steel head is thinly shaped to easily flip food
   Serrated edge cuts ingredients
- Convenient loop for hanging when not in use
- · Handle made of high-quality, heat-treated birch

Grill Chef to	ngs				Art.no.	1066426
Height: 3cm	Length: 44,4 cm	Width: 8,6cm	Weight: 0,38 kg	Retailbox: 1	Oldart.no.	-





- Solid, premium stainless steel tongs have a non-twisting joint for precision
- Serration enables good grip
- $\boldsymbol{\cdot} \textbf{Convenient loop for hanging when not in use}$
- · Handle made of high-quality, heat-treated birch

#### **Grill Chef fork** Art.no. 1066427 Height: 2,9 cm Length: 45,2cm Width: 8,7cm Weight: 0,31kg Retailbox: 1 Oldart.no. -



- · Convenient loop for hanging when not in use
- · Handle made of high-quality, heat-treated birch

Grill Chefs	poon woodei	n			Art.no.	1066428	3
Height: 2,5cm	Length: 43,2cm	Width: <b>7,7 cm</b>	Weight: 0,13 kg	Retailbox: 4	Oldart.no.	-	6 424002 016298
-		0			<ul> <li>Made of s</li> <li>Natural va unique</li> <li>Perfectly</li> </ul>	ul piece for grilling, co olid, high-quality oal uriation in wood colo balanced design se with non-stick co	k our and grain makes each product

Grill Chef spatula wooden						1066429	z	
Height: 2,5cm	Length: 43,2cm	Width: 7,7 cm	Weight: 0,13 kg	Retailbox: 4	Oldart.no.	-	EA	6 424002 016304
_	$\rightarrow$				<ul> <li>Made of se</li> <li>Natural valunique</li> <li>Perfectly leading</li> </ul>	al piece for grilling, colid, high-quality oa riation in wood colocalanced design	k our and	d grain makes each product

Grill Chef to	ools set 2pcs				Art.no.	1066552
Height: 3,3 cm	Length: 47,3cm	Width: 14,2cm	Weight: 0,78 kg	Retailbox: 1	Oldart.no.	-
			and the	GUADANTEE	·Spatula's	solid, premium s





- stainless steel head is thinly shaped to
- · Spatula's serrated edge cuts ingredients
- · Tongs are made of premium stainless steel and have a non-twisting joint for precision
- Tongs serration enables good grip
- · Convenient loop for hanging when not in use
- Handle made of high-quality, heat-treated birch



# Plant Care

Pruners p.26

Loppers p.41

Hedge Shears p.48

**Tree Pruners p.51** 

Scissors p.54





Founded in 1649, Fiskars' iconic heritage of creating highly aesthetic, intuitive tools makes us proud to be a world-renowned expert in two-blade cutting and manual hand tools for gardening enthusiasts all over the world.

### **Design philosophy**

We submerge ourselves in segmentation studies, immersive consumer interviews and usability research to find ingenious ways to continually improve our products. As a result, we've won many awards, including the prestigious RedDot Best of the Best Design Awards.

#### **Innovation**

We've developed hundreds of patents and technologies to-date, all designed to help our tools outperform the competition and feel like a natural extension of your body.

#### **Durability & quality**

In addition to using only the highest quality materials, all of our products must pass rigorous lab testing before they can be distributed.

#### Global leader

Already known as the world's #1 brand in scissors, our gardening tools are also top sellers in Europe, North America, Australia and the Middle East.

#### **Commitment**

If gardening is happiness, Fiskars is committed to providing tools to help you find 100% happiness in the garden.

# Fiskars Pruners

Offer your customers a balance of products from each of our three ranges to ensure quality options for each and every consumer – no matter what motivates them.

# X-series<sup>™</sup>

#### **Exceptional performance.**

Our top-of-the-line range of products combines the best of our technologies and ergonomics with the ultimate in durability, offering a best-in-class option that truly improves the perception – and experience – of the activity itself.

Model IDs: P900

# Plus™

#### Adds something more.

Our mid-range offers the opportunity to trade-up casual users to reliable tools that are better equipped for rugged, everyday use. Improved durability and thoughtful, additional features allow these tools to offer a more enhanced user experience. Model IDs: P500-700

# Solid™

#### The solid choice.


Our base range offers quality, no-frills tools that will entice and introduce casual or new users to the brand. Model IDs: P100-300



# X-series TM Pruners








are ideal for quick snips on thinner branches, as well as heavy cuts on thicker branches

#### 3 Blade coating

Silver PTFE coating for less friction

Improved SoftGrip™ with texture for comfort and better grip





## X-series<sup>™</sup> Pruners





#### Exceptional performance.

Combining best-in-class technologies, ergonomics and durability to provide an experience that exceeds expectations. Gardening will never be the same.

⁄-series <sup>™</sup> B <sub>y</sub>	/pass Prune	r, L (P961)			Art.no.	1057175	8 4 1 1 5 0 1 1 1 1 2 3 4
leight: 28,5 cm	Length: 4,4 cm	Width: 9,5 cm	Weight: 0,25 kg	Retailbox: 4	Oldart.no.	-	6 4 1 1 5 0 1 1 1 1 2 3 4
- 4	-		GUARANTEE 25	PowerGear 3	·For clean of	cuts on green, living	age for 3x more power. growth up to Ø 26 mm. und steel blade stays sharp longer.



secure, comfortable grip.




X-series<sup>™</sup> Anvil Pruner (P941)

Length: 4,4 cm

Height: 28,5 cm







Low-friction blade coating resists rust and improves performance.

• Ergonomic FiberComp "handle with full SoftGrip" details for

resulting in smoother cuts and less gumming

Optimised for both medium and large hand sizes.

· Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming

 $\bullet \textit{Ergonomic Fiber Comp} \texttt{``handle with full SoftGrip'' details for}$ secure, comfortable grip.

X-series <sup>™</sup> By	Art.no. <b>1057173</b>				
Height: 28,5 cm	Length: 4,4cm	Width: 9,5cm	Weight: 0,25 kg	Retailbox: 4	Oldart.no



Width: 9,5 cm







• Fully hardened, precision-ground steel blade stays sharp longer.

· Low-friction blade coating resists rust and improves performance,

resulting in smoother cuts and less gumming.
• Ergonomic FiberComp" handle with full SoftGrip" details for

secure, comfortable grip.
• Optimised for both small and medium hand sizes.



# Plus Pruners





## **Plus Pruners**



reddot winner 2021 best of the best

#### Adds something more.

Trusted performers with additional features that not only improve durability, but enhance the overall experience.

Better tools, equipped for rugged, everyday use.

Plus <sup>™</sup> Bypass Pruner, metal (P751)						1057172	z	6 4 1 1 5 0 1 1 1 1 1 1 9 7
Height: 28,5 cm	Length: 2,5cm	Width: 9,5cm	Weight: 0,28 kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 1 1 1 1 1 9 7





- · Power-Lever™ powers through tough stems and branches.
- Bypass blade for clean cuts on green, living growth up to Ø 22 mm.
- Fully hardened, precision-ground steel blade stays sharp longer.
- $\cdot Low-friction \, blade \, coating \, resists \, rust \, and \, improves \, performance, \, resulting \, in \, smoother \, cuts \, and \, less \, gumming.$
- $\hbox{-} Ergonomic \ cast-aluminium handle \ with \ Soft \ Grip ``details for secure, comfortable \ grip.$

Plus <sup>™</sup> Anvil F	Pruner (P741)				Art.no.	1057171	z	
Height: 28,5cm	Length: 2,5 cm	Width: 9,5 cm	Weight: 0,21kg	Retailbox: 4	Oldart.no.	-		6"411501"111180





- Power-Lever powers through tough stems and branches.
   Anvill-style blade for cleaner cuts while pruning dead growth up to
- Fully hardened, precision-ground steel blade stays sharp longer.
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- $\hbox{-} Ergonomic Fiber Comp \verb|"handle with SoftGrip"| reduces fatigue and adds durability and comfort.$

Plus <sup>™</sup> Bypas	s Pruner (P7	21)			Art.no.	1057170	Z	$\  \ $	
Height: 28,5 cm	Length: 2,5 cm	Width: 9,5 cm	Weight: 0,20 kg	Retailbox: 4	Oldart.no.	-	7	6 4	1111







- Power-Lever powers through tough stems and branches.
- Bypass blade for clean cuts on green, living growth up to Ø 24 mm.
   Fully hardened, precision-ground steel blade stays sharp longer.
- · Low-friction blade coating resists rust and improves performance,
- resulting in smoother cuts and less gumming.
- $\hbox{-} Ergonomic Fiber Comp \verb|"handle with full SoftGrip"| details for secure, comfortable grip.$



reddot winner 2021

#### Plus SmartFit Bypass Pruner (P541)

Height: 26,5 cm Length: 2cm


Width: 7,6 cm

Weight: 0,19 kg

Retailbox: 4







Art.no. 1057169

Oldart.no. -

Art.no.

- ·For clean cuts on green, living growth up to Ø 24 mm.
- $\bullet \ \, \text{Fully hardened, precision-ground steel blade stays sharp longer}.$
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
   Ergonomic Fiber Comp" handle with full Soft Grip" detail for a secure, comfortable grip.
- · Easy-open lock protects blade during transport and storage.

Plus <sup>™</sup> Bypass Pruner, metal (P531
--

Height: 27,1cm Length: 2,3cm

Width: 7,6cm

Weight: 0,27kg

Retailbox: 4 Oldart.no. -









- ·Bypass blade for clean cuts on green, living growth up to Ø 24 mm. · Low-friction blade coating resists rust and improves performance,
- resulting in smoother cuts and less gumming.
   Ergonomic cast aluminium handle with full SoftGrip" detail for a
- secure, comfortable grip.
- · Conveniently placed lock for quick, easy activation.

#### Plus<sup>™</sup> Bypass Pruner (P521)

Height: 26,5 cm

Length: 2cm

Width: 7,6 cm

Weight: 0,2kg


Retailbox: 4

Oldart.no. -

Art.no. 1057167







- · Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- Ergonomic FiberComp handle with full SoftGrip detail for a
- · Easy-open lock protects blade during transport and storage.

**Anvil or** bypass?



Both blade and counter blade press into the wood to make clean cuts with less compression damage. In other words, the cutting blade bypasses the counter blade in a scissors-like fashion. This makes it possible to cut close to the stem, making bypass pruners ideal for cutting fresh wood.



The upper blade is forced through the wood with greater pressure as the anvil blade supports the branch, spreading pressure until the cut is complete. Anvil blades are ideal for cutting dry or dead

# Solid™ Pruners

#### The "solid choice."

Simple, effective and affordable with the quality Fiskars is known for. In short, these tools get the job done.





## **Solid**<sup>™</sup> Pruners



reddot winner 2021

Height: 26,5cm Length: 2cm Width: 7,6cm Weight: 0,19 kg Retailbox: 4 Oldart.no	Solid <sup>™</sup> Anvil	Pruner (P36 <sup>-</sup>	1)			Art.no.	1057165	Z	
	Height: 26,5 cm	Length: 2cm	Width: 7,6cm	Weight: 0,19 kg	Retail box: 4	Oldart.no.	. <b>-</b>	EA	6 4 1 1 5 0 1 1 1 1 1 1 2 8





- · Fully hardened, precision-ground steel blade stays sharp longer. Anvil-style blade for cleaner cuts while pruning dead growth up to
- · Low-friction blade coating resists rust and improves performance resulting in smoother cuts and less gumming.
- · Light, yet sturdy, FiberComp" handle has full SoftGrip" detail for a
- · Easy-open lock protects blade during transport and storage.

Solid <sup>™</sup> Bypass Pruner (P	341)
-------------------------------------	------

Length: 2cm Height: 26.5 cm

Width: 7,6 cm

Weight: 0,19 kg

Oldart.no. -







- Bypass blade for clean cuts on green, living growth up to Ø 20 mm. · Low-friction blade coating resists rust and improves performance
- resulting in smoother cuts and less gumming.
- · Light, yet sturdy, FiberComp handle has full SoftGrip detail for a
- Easy-open lock protects blade during transport and storage

Height: 25.8 cm

Length: 2,3cm

Width: 7,6 cm

Art.no. 1057163

Art.no. 1057162

Oldart.no. -







- Fully hardened, precision-ground steel blade stays sharp longer. Bypass blade for clean cuts on green, living growth up to Ø 20 mm.
- Low-friction blade coating resists rust and improves performance.
- resulting in smoother cuts and less gumming.
- Strong steel handle with SoftGrip for added comfort.
- · Easy-open lock protects blade during transport and storage

Solid	Bypass	Pruner	(P321)
Oolid	Dypas	or runci	(1 02 1)

Height: 26cm

Width: 7,6 cm

Weight: 0,18 kg

Retailbox: 4







- Fully hardened, precision-ground steel blade stays sharp longer. Bypass blade for clean cuts on green, living growth up to Ø 20 mm.
- · Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming.
- Light, yet sturdy, FiberComp handle with SoftGrip for added
- · Easy-open lock protects blade during transport and storage

Solid <sup>™</sup> Bypa	ss Pruner (P	121)			Art.no.	1057160
Hoight: 25 5 am	Longth: 2 am	Width: 76 am	Woight: 0441cm	Potailbov: 4	Oldart no	





- Bypass blade for clean cuts on green, living growth up to Ø 18 mm.
- Low-friction blade coating resists rust and improves performance,
- resulting in smoother cuts and less gumming. Light, yet sturdy, FiberComp<sup>™</sup> handle.
- Easy-open lock protects blade during transport and storage

# FISKARS

Prune trees & shrubs every spring to promote flowering, fruit development and renewal



fiskars.com/pruning-guide



# Choose the right pruner



#### X-SERIES

- PowerGear "technology maximises leverage where you need it most, for 3x more cutting power
- Fully hardened, precision ground steel blades stay sharp longer
- Low-friction blade coating resists rust and improves performance, resulting in smoother cuts and less gumming
- Ergonomically designed FiberComp" handle fits the natural shape of your hand and has full SoftGrip" details for a secure, comfortable grip
- 25-year guarantee



#### PLUS"

- Power-Lever<sup>™</sup> technology powers through tough stems and branches
- SmartFit<sup>®</sup> lever adjusts how wide the pruner opens for easier cuts
- Fully hardened, precision-ground steel blades stay sharp longer
- Ergonomically designed, FiberComp" or cast-aluminium handle fits the natural shape of your hand and has full SoftGrip" details for a secure, comfortable grip



#### SOLID"

- Ideal for easy cuts through stems and branches
- Fully hardened, precision-ground steel blade stays sharp longer
- Light, yet sturdy, FiberComp handle has full SoftGrip detail for a secure, comfortable grip
- Easy-open lock protects the blade during transport and storage



#### POWERSTEP"

- Allows for easy cuts through both thin and thick branches, using the same tool - without compromising on performance
- Thin branches are cut in one easy snip thicker branches in 2 or 3 gradual steps to reduce the force needed per stroke
- Mechanism automatically sets the applicable amount of strokes



#### **FINGERLOOP**

- Lightweight and strong FiberComp handles with SoftGrip for added comfort and safety
- Fingers are protected by the loop in the lower handle
- · Corrosion-resistant, stainless steel blades



#### **PRO PRUNERS**

- Professional-quality CrMoV blades
- Easy to maintain, with all parts being replaceable
- Lightweight with SoftGrip<sup>™</sup> and shock absorber
- Handles and lock accommodate both left- and right-handed users

## **Professional Pruners**

These shears have been developed with professionals' needs in mind. Made of the best materials, all parts are replaceable for added convenience. The Pro Pruner features a traditional design and includes special features such as a wire cutter.



Weight: 0,27kg



Length: 2cm

Height: 23 cm

Width: 7cm



Retailbox: 4

- Blades have side support to ensure they stay in place when cutting thick branches up to Ø 26 mm.
- · Includes a wire cutter to spare the blades.

Oldart.no. 111960

• Nut locking ring allows for adjustable tightening to help ensure consistent, precise cuts.



PLANT CARE SOIL CARE

# Fingerloop Pruners

Our fingerloop range includes two pruners and a snip for a neat, ergonomic way to prune branches and perform basic cutting tasks without excessive hand strain. The signature loop handle engages the power of all fingers while SoftGrip™ detail provides an extra level of comfort for extended work in the garden.

Fingerloop	Pruner Bypa	ass (P44)			Art.no. 10015	34	
Height: 26,5cm	Length: 3cm	Width: 9cm	Weight: 0,18 kg	Retailbox: 4	Oldart.no. 111440		6 411501 964403
-4	E	5			in hand.	ts fingers while kee	m. eping the pruner comfortably Illows for easier cuts and
Fingerloop	Universal Sr	nip (SP45)			Art.no. 10015	33 <sub>Z</sub>	
Height: 26,5 cm	Length: 3cm	Width: 9cm	Weight: 0,20kg	Retailbox: 4	Oldart.no. 111450		6 411501 964502



 Designed to cut steel, plastic, tubes, rope or hoses up to Ø 20 mm.  $\cdot \, \text{Fingerloop protects fingers while keeping the pruner comfortably} \\$ 

NOTE! Not for cutting branches in garden.

# Solid<sup>™</sup> Snips

Solid <sup>™</sup> Prun	ing Micro-Tip	Snip (SP130	))		Art.no.	1051600	6 4 1 1 5 0 1 1 1 0 8 1 7
Height: 21,5 cm	Length: 2cm	Width: 8,4 cm	Weight: 0,08kg	Retailbox: 4	Oldart.no.	-	6 411501 110817
					• Ideal for e	ncouraging healthy o	growth on plants and flowers.



- $\cdot \text{Precision blades for shaping, repetitive trimming and intricate}$ snips in tight places.
- ${\boldsymbol{\cdot}} \, {\sf Stainless \, steel \, blades \, stay \, sharp \, \, even \, through \, heavy \, use.}$
- · SoftGrip touch-points on handle enhance comfort and control.
- · Easy-open lock protects the blade during transport and storage.


Height: 24cm Length: 2,2cm Width: 8cm Weight: 0,13kg Retailbox: 4 Oldart.no	Solid <sup>™</sup> Pruni	ng Floral Sni	p (SP141)			Art.no.	1051601	Z	6 4 1 1 5 0 1 1 1 0 8	
	leight: 24 cm	Length: 2,2cm	Width: 8cm	Weight: 0,13 kg	Retailbox: 4	Oldart.no.	-	/	6 4 1 1 5 0 1 1 1 0 8	3 2 4



- · Ideal for encouraging healthy growth and working with cut flowers.
- For cuts up to Ø 13 mm.
  Coated, hardened blades, for easy durable use SoftGrip" touch
- points add comfort and control

· Includes stem stripper and wire cutter

1051602 Art.no.



Solid Pruning Snips (SP151)

Height: 21,5 cm Length: 2 cm



Retailbox: 4

- Oldart.no. - $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{intricate} \, \mathsf{cuts} \, \mathsf{on} \, \mathsf{plants} \, \mathsf{and} \, \mathsf{flowers} \, \mathsf{while} \, \mathsf{trimming} \, \mathsf{and} \,$
- shapina. · Stainless steel blades stay sharp - even through heavy use.
- $\textbf{\cdot} SoftGrip \verb|"touch-points on handle enhance comfort and control.$
- $\bullet {\sf Extra-large\ handle\ loops\ leave\ plenty\ of\ room\ for\ gloves}.$
- · Handle design suits both left and right-handed users.

Solid <sup>™</sup> Herb	Snip (SP220	)			Art.no.	1063326	z	6 4 2 4 0 0 2 0 1
Height: 20,5 cm	Length: 2,5cm	Width: 8,2cm	Weight: 0,07kg	Retailbox: 4	Oldart.no.	-		6 424002 01



- · Ideal for quickly chopping and mincing herbs and vegetables directly into the bowl.
- · Stainless steel blades stay sharp longer.
- Forward hand position allows for quick cuts at any angle.
- ·Spring-action design opens after each cut to reduce hand strain.

Solid <sup>™</sup> Multi Task Snips (SP320)	Art.no.	1063328	

Weight: 0,1kg

Width: 8,4cm

Height: 29,5 cm Weight: 0,11kg Retailbox: 4 Length: 1,6 cm Width: 9cm Oldart.no. -





- · Ideal for easily cutting netting, landscape fabric or slicing open soil
- · Sharp, stainless steel blades.
- $\cdot \text{Use outer serrated edge to saw rope, straight edge to open boxes}$ and integrated wire cutter to cut wire.
- Spring-action design opens after each cut to reduce hand strain.
- Easy-open blade lock and sheath with belt loop for safe storage and portability.

PLANT CARE

## **Other Pruners**

# PowerStep<sup>™</sup> Anvil Pruner (P83) Length: 2,6cm Height: 28,5 cm Width: 9,3cm

Art.no. 1000575



Weight: 0,15 kg Retailbox: 4 Oldart.no. 111670 reddot design award best of the best 2009

 $\cdot$  Ideal for cutting twigs and branches up to Ø 24 mm with reduced

- FiberComp" handle and top SoftGrip" handle for increased
- · FiberComp" anvil blade for increased durability.
- Thin branches are cut in one easy snip thicker branches in 2 or 3 gradual steps to reduce the force needed per stroke
- Mechanism automatically sets the applicable amount of strokes.

Bypass Pru	ner, white (P	57)			Art.no.	1026916
Height: <b>24cm</b>	Length: 2,5cm	Width: 9,2cm	Weight: 0,14kg	Retailbox: 4	Oldart.no.	-



- ·Ideal for easy cuts on twigs and branches up to Ø 20 mm.
- White colour for improved visibility.
- ·Ultra lightweight operation due to FiberComp construction. Power-Lever "technology allows for added cutting power.
- · Ambidextrous locking mechanism.

# Choose the right lopper

Suitable for all kinds of garden cutting tasks with a capacity of up to  $\varnothing$  55 mm, Fiskars loppers are designed to be lightweight, efficient and comfortable to use.



# Different heads for different purposes

Bypass headFor frequent cuts on fresh wood

For cutting dry and/or hard/dead wood

3 Hook head

For heavy cuts on fresh wood

For precision cuts

PLANT CARE PLANT CARE

# **PowerGear**<sup>™</sup>**X Loppers**



PowerGea	ar <sup>™</sup> X Bypass l	Lopper, L (LX	Art.no. 1020188			
Height: <b>85cm</b>	Length: 3cm	Width: 25,5 cm	Oldart.no. <b>112490</b>	6"411501"124906		
7		-	GERMAN DESIGN AWARD SPECIAL 2016	QUARANTEE 25 YEARS	· Bypass blades easily	sh wood up to Ø 50 mm. reatch branches while providing clean cuts. minium shaft with comfortable SoftGrip"
PowerGea	ar <sup>™</sup> X Anvil Lo <sub>l</sub>	pper, L (LX99	)		Art.no. <b>1020189</b>	AA
Height: 85cm	Length: 3cm	Width: 25,5 cm	Weight: 1,36 kg	Retailbox: 4	Oldart.no. <b>112440</b>	6 4 1 1 5 0 1 1 2 4 4 0 1

		_
-	GUARANTEE 25 YEARS	<ul> <li>For heavy cuts of hard and dry wood up to Ø 55 mm.</li> <li>Anvil blade configuration for added durability and efficiency.</li> <li>Durable, light aluminium shaft with comfortable SoftGrip" handles.</li> </ul>
	VPA Geprifite Sicherheit	

PowerGear	Art.no.	1020187				
Height: 69 cm	Length: 3cm	Width: 20,3cm	Weight: 1,19 kg	Retailbox: 4	Oldart.no.	112390





- For frequent cuts on fresh wood up to Ø 50 mm.
   Bypass blades easily catch branches while providing clean cuts.
- Durable and light aluminium shaft with comfortable SoftGrip"

PowerGear	Art.no.	1020186				
leight: <b>62cm</b>	Length: 2,5cm	Width: 23cm	Weight: 0,83 kg	Retailbox: 4	Oldart.no.	112260
	-				• For freque	ent cuts on fresh







- Bypass blades easily catch branches while providing clean cuts. · Durable and light aluminium shaft with comfortable SoftGrip"

# **PowerGear**<sup>™</sup>**Loppers**

PowerGear <sup>™</sup> Hook Head Bypass Lopper, L (L78)						1000584	z
Height: <b>75 cm</b>	Length: 3,4cm	Width: 22,5 cm	Weight: 0,94kg	Retailbox: 4	Oldart.no.	112590	6"411501"125903"
_		7	~		<ul> <li>Very light</li> </ul>	cutting of fresh wood weight due to FiberC ades for easy catchin	

PowerGear <sup>™</sup> Anvil Lopper, L (L77)						1000583	z
Height: 74,5 cm	Length: 3,5 cm	Width: 24,5 cm	Weight: 1,12 kg	Retailbox: 4	Oldart.no.	112580	6 4 1 1 5 0 1 1 2 5 8 0 4
-	-	-			<ul> <li>Very light</li> </ul>	weight due to Fiber (	dry wood up to Ø 50 mm. Comp <sup>®</sup> construction. dded durability and effective cuts.





- •For cutting of fresh wood up to Ø 40 mm.
   Very light weight due to Fiber Comp" construction.
- · Scissor head blades optimised for precision cutting.

PowerGear	<sup>™</sup> Hook Head	Art.no.	1000582	NA 1			
Height: 60,7cm	Length: 3cm	Width: 18,3cm	Weight: 0,50 kg	Retailbox: 4	Old art. no.	112290	6 4 1





- For cutting of fresh wood up to Ø 38 mm.
- Very light weight due to FiberComp<sup>™</sup> construction.
- · Bypass blades for easy catching of branches and a clean cuts.

owerGear <sup>™</sup> Scissors Head Bypass Lopper, S (L72)						1001555	Z	6 4 1 1 5 0 1 1 2 2 0 0
leight: <b>51cm</b>	Length: 2,5cm	Width: 15,7 cm	Weight: 0,27kg	Retailbox: 4	Old art. no.	112200	<u> </u>	6 411501 12200



- •For frequent cutting of fresh wood up to Ø30 mm.
- · Very light weight due to FiberComp construction.
- ${\boldsymbol{\cdot}} \, {\sf Scissor} \, {\sf head} \, {\sf blades} \, {\sf optimised} \, {\sf for} \, {\sf precision} \, {\sf cutting}.$

PLANT CARE

# PowerGear™ Anvil Lopper, S (L71) Art.no. 1001556 Height: 51cm Length: 3cm Width: 17cm Weight: 0,52kg Retailbox: 4 Oldart.no. 112180



For cutting of hard, dry wood up to Ø 40 mm.
 Very light weight due to FiberComp construction.

PowerGear Hook Head Bypass Lopper, S (L70)

Art.no. 1002104

Height: 50,5 cm Length: 2,4 cm Width: 15,4 cm Weight: 0,43 kg Retailbox: 4 Oldart.no. 112190





- For frequent cutting of fresh wood up to Ø38 mm.
- Very light weight due to FiberComp" construction.
- · Hooked bypass blades for easy catching of branches and a clean cuts

PowerGear	Art.no.	1000581				
Height: 43,2cm	Length: 2,4cm	Width: 18 cm	Weight: 0,40 kg	Retail box: 4	Oldart.no.	112170



- For cutting of hard, dry wood up to Ø35 mm.
- · Very light weight due to FiberComp™ construction.

# **SmartFit**<sup>™</sup>**Lopper**



# SingleStep<sup>™</sup> Loppers







- For heavy cutting of fresh wood.
- ·Cut capacity: Ø 40 mm.
- Hardened steel blades with non-stick coating.

SingleStep <sup>™</sup> Hook Head Anvil Lopper, L (L39)						1001430	Z	6 4 1 1 5 0 1 1 2 4 5 0
Height: 88,6 cm	Length: 2,5cm	Width: 34,6 cm	Weight: 1,20 kg	Retailbox: 4	Old art. no.	112450	4	6 4 1 1 5 0 1 1 2 4 5 0





- $\cdot \textit{For heavy cutting of dry and hard wood}.$
- · Cut capacity: Ø 40 mm.
- Upper blade features hardened steel with non-stick coating; aluminium anvil blade.

SingleStep <sup>™</sup> Hook Head Bypass Lopper, S (L28)					Art.no.	1001432	Z	
Height: 57 cm	Length: 2,5cm	Width: 17,5cm	Weight: 0,96 kg	Retailbox: 4	Old art.no.	112160		6"411501" 121608





- ${\boldsymbol{\cdot}} \text{For cutting fresh wood.}$
- Cut capacity: Ø 35 mm.
  Hardened steel blades with non-stick coating.

44 45

# **Other Loppers**

Lopper, white (L32)						1026930	Z	6 411501 150196
Height: 43,2cm	Length: 2,4cm	Width: 18cm	Weight: 0,37kg	Retailbox: 4	Oldart.no.	-	Ä	6 411501 150196
					•For cuts or	n hard, dry wood up to	oØ3	35 mm.

- · White colour for added visibility.
- · Lightweight FlberComp "construction.





the wood to make clean cuts with less the cutting blade bypasses the counter blade in a scissors-like fashion. This makes it possible to cut close to the stem, making bypass pruners ideal for cutting



The upper blade is forced through the wood with greater pressure as the anvil blade supports the branch, spreading pressure until the cut is complete. Anvil blades are ideal for cutting dry or dead



# Hedge Shears

Whether you're interested in topiary, controlling annual growth or keeping a nice straight line in your hedge, Fiskars has a full range of hedge shears for your needs. From robust SingleStep action hedge shears to adjustable telescopic shears, to shears featuring our unique PowerGear<sup>™</sup> technology, for 3x more cutting power, right to the tip.



# PowerGear<sup>™</sup> Hedge Shears





- easier vs standard mechanisms.
- · Lightweight and durable with PTFE-coated, precision-ground
- ·SoftGrip™handles for optimum comfort and balance.



PowerGea	r <sup>™</sup> Hedge She	ears (HS72)			Art.no.	1000596	
Height: 61,2cm	Length: 4,5cm	Width: 17cm	Weight: 0,72 kg	Retailbox: 4	Oldart.no.	114790	Ä
-						rimming of hedges a ar™technology redu	

- effort with up to 3x more cutting
- Lightweight, FiberComp<sup>™</sup> shaft.


# SmartFit<sup>™</sup> Hedge Shears



# **PowerLever**<sup>™</sup> **Hedge Shears**


# PowerLever™ Hedge Shears (HS52) Height: 58,8cm Length: 7,2cm Width: 14,8cm Weight: 0,61kg Retail box: 4 Oldart.no. 114750 For easy trimming of hedges and bushes. PowerLever™ technology reduces effort with up to 2x more cutting power. Lightweight, FiberComp™ shaft.

## Other Hedge Shears






# PowerGear™X Tree Pruners




PLANT CARE PLANT CARE

## **PowerGear™X Tree Pruners**

Fiskars tree pruners are multi-use tools that allow access to tree crowns and dense bushes, allowing gardeners to trim high branches without the use of a ladder - or at ground level without bending or kneeling.





## Other Tree Pruners & Accessories

Reach snip, black (UP69)					Art.no.	1073082	N A	
Height: 175,5cm	Length: 7,1cm	Width: 11,2 cm	Weight: 0,9 kg	Retailbox: 4	Oldart.no.	1023626	6 4 1	1501 600875
New	-				<ul> <li>Cutting re</li> </ul>	ning branches high each approx 3,5 m le handle 270° for	1.	m.
_				_	· .			

Long Bypas	s Tree Prune	er (UP84)			Art.no.	1001557	z	6"411501"963901
Height: 221cm	Length: 7,4 cm	Width: 11,3cm	Weight: 1,26 kg	Retailbox: 2	Oldart.no.	115390		6 4 1 1 5 0 1 9 6 3 9 0 1





- Bypass cutting action for up to Ø32 mm thick branches.
- $\hbox{$\,\cdot$ Cutting reach of approximately 4,5 meters.}\\$
- · Adjustable cutting angle up to 230°.
- · Can be used with extension pole (art No 1001560) and fruit picker

Anvil Tree Pruner (UP53)						1000597	z	6411501 963505
Height: 165 cm	Length: 7,4 cm	Width: 13,8cm	Weight: 0,85 kg	Retailbox: 4	Oldart.no.	115350		6 4 1 1 5 0 1 9 6 3 5 0 5

- · Anvil cutting action is especially ideal for dry and hard wood up to Ø 32 mm.
- · Cutting reach vertically about 3,5 meters.
- · Adjustable cutting angle up to 260°. · Can be used with fruit picker (art No 1001562).
- Extension Pole (UP80), plus part Art.no. 1001560 Weight: 0,53 kg Retailbox: 4 Height: 150,3 cm Length: 5,6 cm Width: 11cm Oldart.no. 110460
- · Can be used with Bypass Tree Pruner (UP84) (art No 1001557). · Can extend cutting heights with 1,5 meters.

Fruit Picker	(UP80), plus	part			Art.no.	1001562
Height: 33,4 cm	Length: 7,5 cm	Width: 16cm	Weight: 0,25 kg	Retailbox: 4	Old art. no.	110970

- NEW Product design updated in 2022. · Can be used with article No 1001557, 1000598, 1023624 and
- $\hbox{\bf \cdot} \hbox{\sf FiberComp}\, \hbox{\tt `frame and tabs gently pull fruit from tree}.$
- · Machine-washable, mesh bag catches the harvest, allowing you

# The icon

The iconic Classic scissors are a symbol of Fiskars and our Finnish design heritage



Specially developed blade grind ensures blades stay sharp longer while providing high-precision

Handles are injection-molded onto the blades, ensuring easy, hygenic cleaning.

#### 3 Supreme ergonomics

Handles are designed with strong consideration of the natural movement of the hand, resulting in enhanced comfort and cutting control.

Made of the best quality materials, Classic scissors offer outstanding comfort, performance and durability.


Each product is manually tested before leaving the factory, ensuring you get only the best scissors.

> Tested by



## **Classic Scissors**





Garden Sc	issors, 18 cm	(S92)			Art.no.	1000555	z	6 411501 110305
Height: 28cm	Length: 2,1cm	Width: 8,6cm	Weight: 0,07kg	Retailbox: 5	Oldart.no.	111030	Ë	6 411501 110305
					0 1 1111			







- · Serrated blades ensure good grip and are ideal for cutting flowers and herbs.
  - · Superior comfort and performance.
  - · Handles made from impact-resistant PBT.
  - Adjustable blade tension
  - · Made in Finland with premium and durable materials, tested by
  - ·For right-handed.

# ReNew scissors

# **Recycled materials**

These Fiskars scissors are skillfully crafted from recycled and renewable materials at our factory in Billnäs, Finland. The scissors handles are made from an innovative biocomposite material consisting of 66% recycled post-consumer plastic and 34% renewable cellulose fiber, a sustainable alternative to fossil-based materials. The blades themselves are also made of recycled stainless steel.


In addition to being made of recycled and renewable materials, these scissors, like all Fiskars products, are designed to be of highest quality and to offer long-lasting performance.



# ReNew

- a concious choice for all cutting needs in creating, cooking and gardening





## Features & benefits

Total scissors are made of 80% recycled materials and 13% renewable materials. Scissors are 100% recyclable. Scissors packaging is made of 100% recycled and recyclable paper fiber.

Durable stainless steel blades are made of 85-95% recycled stainless steel.

#### 3 Ergonomic design

Comfortable handles are made of 66% recycled plastic (post consumer package waste) and 34% natural cellulose fiber.

#### Made in Finland

These scissors are made using an eco-friendly process in our environment-, quality- and safety -certified scissors factory in Billnäs, Finland.

Scissors are tested by hand at the factory. Only our very best scissors are ever cleared to leave the

> Tested by



## **ReNew Scissors**

ReNew Universa	l scissors 21cm
11011011 011110100	

Height: 27,5 cm

Length: 1,5 cm

Width: 8,5 cm

Weight: 0,09 kg

Retailbox: 5

Oldart.no. -

Art.no.









- · Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance.
- · Universal scissors are ideal for a wide variety of uses in and around
- · Durable, recycled (85-95%) stainless steel blades are precision ground for long-lasting sharpness.
- Ergonomically designed handles are made of recycled plastic
- (66%) and renewable cellulose fibre (34%).
- · Made sustainably in Finland and tested by hand. · For right-handed.

1058094

Art.no.

#### ReNew Universal scissors large 25 cm

Height: 32cm

Length: 2,5cm

Width: 9cm

Weight: 0,14 kg

Retailbox: 6





1062542

comfort and cutting performance.

- · Large universal scissors are ideal for a wide variety of uses in and · Long, durable, recycled (85-95%) stainless steel blades are preci-
- sion ground for long-lasting sharpness.
- Large, ergonomically designed handles are made of recycled plastic (66%) and renewable cellulose fibre (34%).
- Made sustainably in Finland and tested by hand.

Oldart.no. -

Art.no.

#### ReNew Garden scissors 21 cm

Height: 27,5 cm Length: 1,5 cm

Width: 8,5 cm

Weight: 0,09 kg

Retailbox: 6











- · Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance. · Serrated blades grip stems for clean, healthy cuts on flowers and
- · Durable, recycled (85-95%) stainless steel blades offer long-last-
- ing sharpness.
- · Ergonomically designed handles are made of recycled plastic (66%) and renewable cellulose fibre (34%).
- Made sustainably in Finland and tested by hand.
- · For right-handed.

Art.no.

Height: 22,5cm Length: 1,5cm

Width: 8,5 cm

Weight: 0,05 kg

Retailbox: 10 Oldart.no. -









- · Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance.
- ·Small universal scissors are ideal for a wide variety of day-to-day uses in and around the home. · Durable, recycled (85-95%) stainless steel blades are preci-
- sion-ground for long-lasting sharpness.
- · Ergonomically designed handles are made of recycled plastic (66%) and renewable cellulose fibre (34%).
- · Made sustainably in Finland and tested by hand.
- · For right-handed.

1062546

1062545

ReNew Hol	oby scissors	13 cm	

Height: 20,4cm Length: 1,3cm Width: 8,5cm

Weight: 0,02 kg

Oldart.no. -









Art.no.

- · Made of recycled (80%) and renewable (13%) materials for unique comfort and cutting performance.
- · Hobby scissors feature a safe blade edge for children, and can be safely stored in pockets and around the home
- · Recycled (85-95%) stainless steel blades feature a blunt-tip for added safety. Ergonomically designed handles are made of recycled plastic
- (66%) and renewable cellulose fibre (34%). Made sustainably in Finland and tested by hand.
- · For right-and left-handed.

# Lawn Care



Rakes p.62
Grass Shears p.68
Weed Pullers p.72
Stay Sharp p.76

# Rakes

Fiskars rakes are designed for comfortable raking, cleaning and gathering. Our four ranges offer a wide selection of rakes including leaf and soil rakes.

#### XACT™


Premium quality materials and ergonomic, aluminium shafts for ultimate performance

Special teardrop-shaped shaft with wide head for effective raking

Beautiful, white rakes are the perfect addition to your garden

A versatile selection of rakes ranging from lawn to soil care

## Xact<sup>™</sup> Rakes







- · Ideal for preparing planting beds, leveling soil, cleaning and spreading.
- · Hardened aluminium shaft with unique profile reduces weight without sacrificing strength for effortless strokes.
- · SoftGrip handle allows for multiple hand positions, while excep-
- tional handle end shape provides good support during use.
- · Convenient hang hole for easy storage.

LAWN CARE LAWN CARE

# **Ergonomic**<sup>™</sup> Rakes

Ergonomic<sup>™</sup> Lawn/Leaf Rake Art.no. 1000660 Height: 184 cm Length: 4,5 cm Weight: 0,77kg Retailbox: 4 Oldart.no. 135570





 Wide rake for working on large lawn areas.
 Sturdy, flexible tines with specific geometry helps prevent twigs and leaves from getting caught.

## **Classic Rakes**

Classic Lea	Classic Leaf Rake, XL					1001584	Z	3 1 5 7 3 3 1 3
Height: <b>173,5 cm</b>	Length: 4,2cm	Width: 64,6cm	Weight: 0,90 kg	Retailbox: 5	Oldart.no.	135591		3 157331 3



- •Extra wide head (65 cm) and wooden shaft.
- $\bullet \textit{Flat}, \textit{rigid} \ and \ \textit{curved} \ \textit{plastic} \ \textit{tines} \ \textit{reduce} \ \textit{leaves} \ \textit{from} \ \textit{sliding} \ \textit{up}$ and blocking the head.
- Rounded edges make it suitable for all types of terrain.

Classic Lea	f Rake				Art.no.	1003708
Height: 198 cm	Length: 9cm	Width: 47cm	Weight: 1,33 kg	Retailbox: 4	Oldart.no.	135820





· For all raking tasks in the garden, including raking leaves to removing grass cuttings from the lawn.
•FSC° certified wood.

Classic Soil	Art.no.	1003705				
Height: 168cm	Length: 6,5 cm	Width: 36 cm	Weight: 1,03 kg	Retailbox: 4	Oldart.no.	135760





 $\boldsymbol{\cdot} \, \mathsf{Optimal} \, \mathsf{for} \, \mathsf{loosening} \, \mathsf{up} \, \mathsf{soil} \, \mathsf{in} \, \mathsf{planting} \, \mathsf{beds} \, \mathsf{and} \, \mathsf{other} \, \mathsf{general}$ gardening tasks like raking branches or spreading mulch.
•FSC° certified wood.

## **White Rakes**

Leaf Rake,	white		Art.no. 1019606  Oldart.no. 135563		
Height: 172cm	Length: 5,2cm	Width: 52cm	Weight: 0,55 kg	Retailbox: 4	Oldart.no. 135563
9	_	-			Light leaf and lawn rake for cleaning the lawn and yard. Sturdy and flexible tines help prevent twigs and leaves from getting caught.

Soil Rake, w	hite				Art.no.	1019608	EAN	6"411501" 355232"
Height: 158 cm	Length: 6,5 cm	Width: 36 cm	Weight: 0,64 kg	Retailbox: 4	Oldart.no.	135523	6 4 1 1 5 0 1 3 5 5 2 3 2	

- $\cdot \text{Light soil rake for preparing planting beds, leveling soil, cleaning}$ and spreading.

  Durable hardened head with 14 prongs for raking in larger areas.

Rose Rake,	white				Art.no.	1019607	Z	6"411501" 355034
Height: 158 cm	Length: 6,5 cm	Width: 24,5cm	Weight: 0,52 kg	Retailbox: 4	Oldart.no.	135503	É	6 4 1 1 5 0 1 3 5 5 0 3 4

- $\cdot \text{Light rose rake for cleaning and spreading soil in small spaces}$ around trees and under plants. · Hardened steel form for raking between and under plants.
- **KEY BENEFITS** √ Hole for easy storage ✓ SoftGrip<sup>™</sup> handle for optimal grip ✓ Round-shaped, lightweight aluminium shaft ✓ Plastic sleeve maximises the grip while insulating from cold

LAWN CARE LAWN CARE

## **Solid**<sup>™</sup>Rakes

Solid<sup>™</sup> Leaf Rake, XL Art.no. 1015645 Height: 176cm Weight: 0,83kg Retailbox: 5 Oldart.no. 135090 Length: 4,2cm Width: 62cm



- $\cdot \text{Extra-wide head (62 cm)} \, \text{makes it easy to quickly rake large areas}.$
- · Durable, aluminium lightweight shaft.
- •27 flat, rigid and curved plastic tines prevent leaves from sliding up and blocking the head.

Solid <sup>™</sup> Leaf Rake, Lassembled	

ideal for raking and moving

large quantities of leaves

and lawn debris

1003465 Art.no. Height: 175 cm Length: 5cm Width: 52cm Weight: 0,50 kg Retailbox: 5 Oldart.no. 135016







- · Wide rake for working on large lawn areas.
- $\cdot \text{Sturdy and flexible times with specific geometry help prevent twigs} \\$ and leaves from getting caught.
- · Lightweight, yet durable aluminium shaft.

Solid <sup>™</sup> Leaf F	Art.no.	1063090				
Height: 172cm	Length: 3,5cm	Width: 44 cm	Weight: 0,52 kg	Retailbox: 5	Oldart.no.	-

with specific geometry

help prevent twigs and

leaves from getting caught



· Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes.

ing beds

Lightweight, durable

aluminium handle

- $\cdot \, \text{Sturdy tines work well on rooty and uneven surfaces}.$
- · Lightweight but durable aluminium shaft.

#### Solid<sup>™</sup> Rakes $Solid ``leaf and lawn \ rakes feature \ an impressively \ light weight \ design \ that \ makes \ every \ stroke \ effortless.$ Durable, plastic tines are great for raking and general clearing - season after season. SOLID UNIVERSAL **SOLID XL** Features durable tines and Wide rake for working on Medium-sized all-purpose For raking loose grass and large lawn areas rake for working around a strong, yet lightweight albranches Sturdy and flexible tines trees or under bushes Great for preparing plantuminium handle, making it

Sturdy tines work well on

rooty and uneven surfaces

#### Solid<sup>™</sup> Universal Garden Rake Art.no. 1003466 Height: 167cm Length: 11 cm Width: 41cm Weight: 0,44 kg Retailbox: 5 Oldart.no. 135066

- · For raking long, loose grass or branches, as well as preparing planting beds.
- Leveling function for evening soil beds.
  Lightweight, yet durable, aluminium shaft.

Solid <sup>™</sup> Shaft					Art.no.	1014913	Z	
Height: <b>157,5 cm</b>	Length: 3cm	Width: 2,8cm	Weight: 0,31kg	Retailbox: 10	Oldart.no.	135001	Ε¢	6 4 1 1 5 0 1

- · Lightweight and durable aluminium construction.
- $\hbox{-} {\sf Compatible} \ {\sf with} \ {\sf Solid}^{^{\bowtie}} \ {\sf rake} \ {\sf heads} \ ({\sf article} \ {\sf No} \ {\sf 1063089}, {\sf 1014915}$
- Spare part for rakes (article No 1003465, 1063090 & 1003466).

Solid <sup>™</sup> Leaf F	Art.no.	1014915	Z				
Height: 22,8cm	Length: 5,4cm	Width: 51,1cm	Weight: 0,23kg	Retailbox: 10	Oldart.no.	135014	E/A



- · Wide rake for working on large lawn areas.
- Sturdy and flexible tines with specific geometry prevent twigs and leaves from getting caught.
- · Complementary to Solid" Shaft (article No 1014913).
- · Spare part for rake (article No 1003465).

Solid <sup>™</sup> Leaf I	Art.no. 1063089				
Height: 21,2cm	Length: 6,4cm	Width: 41,5 cm	Weight: 0,15 kg	Retailbox: 10	Oldart.no





- · Medium-sized all-purpose rake for working in smaller areas like around trees or under bushes.
- · Sturdy tines work well on rooty and uneven surfaces.
- · Complementary to Solid "Shaft (article No 1014913).
- ·Spare part for rake (article No 1063090).

Solid <sup>™</sup> Universal Garden Rake						1014917	Z	
Height: 41cm	Length: 11,4 cm	Width: 15,2 cm	Weight: 0,25 kg	Retailbox: 10	Old art. no	135064	7	6 4 1 1 5 0 1 3 5 0 6 4 0






- For raking long, loose grass or branches and for preparing planting
- · Leveling function to even the soil bed.
- Complementary to Solid Shaft (article No 1014913).
- Spare part for rake (article No 1003466).

# **Grass Shears**





POWERLEVER<sup>™</sup> Cutting head adjusts up to 270°

## SERVO-SYSTEM<sup>™</sup>

Cutting head adjusts up to 360°

SERVO-SYSTEM® Cutting head adjusts up to 360°

## **Grass Shears**

PowerLever <sup>™</sup> Grass and Hedge Shears (GS53)						1001565	z	6 4 1 1 5 0 2 9 6 7 1 0 6		
Height: 90 cm	Length: 15,5cm	Width: 20,5cm	Weight: 1,31kg	Retailbox: 4	Oldart.no.	113710	6 411502 9671			









- · For cutting grass, hedges and small bushes.
- Cuts up to 10 mm at the base of the blade and reaches up to 2,5 m.
- Cutting head adjusts up to 270°.

1000590



## Servo-System Grass Shears, Long (GS46)

Height: 105cm Length: 8cm Width: 25cm


Weight: 0,74 kg

Retailbox: 4

Oldart.no. 113690

Art.no.







- · For trimming lawn edges standing up.  $\cdot$  Cutting angle adjustable to 360°.
  - · Ergonomic handle with finger protection
  - Servo-System" technology prevents the blades from jamming.

Servo-System <sup>™</sup> Grass Shears (GS42)					Art.no.	1000589	Z	6'41501'966803'
Height: 34,4cm	Length: 4,5cm	Width: 12 cm	Weight: 0,31kg	Retailbox: 4	Oldart.no.	113680	Ш	6 411501 966803







- $\cdot \text{For trimming lawn edges and hedges}.$  $\cdot$  Cutting angle adjustable to 360°.
  - Ergonomic handle with finger protection.
  - · Servo-System" technology prevents the blades from jamming.

SmartFit <sup>™</sup> G	Art.no.	1023632				
Height: 38cm	Length: 3cm	Width: 13cm	Weight: 0,35kg	Retailbox: 5	Oldart.no.	-



- · Cutting angle adjustable to 180°.

  - Ergonomic handle with finger protection.

Grass Shea	Art.no.	1026917				
Height: 43cm	Length: 3,2cm	Width: 13 cm	Weight: 0,28kg	Retailbox: 5	Oldart.no.	-






- · For trimming lawn edges and hedges.
- · White colour for added visibility.
- · Cutting angle adjustable to 180°.
- · Ergonomic handle with finger protection.

Solid <sup>™</sup> Grass Shears (GS21)					Art.no.	1026826	z	6 4 1 1 5 0 1 1 5 0 2 6 4		
Height: 31,5 cm	Length: 4,5cm	Width: 8,5 cm	Weight: 0,32 kg	Retailbox: 4	Oldart.no.	-		6 411501 150264		







- For trimming lawn edges and hedges.
  SoftGrip" cover in upper handle for increased comfort.
  Precise and easy cutting thanks to adjustable blade tension and power-saving spring mechanism.



# Weed Pullers

Our sturdy range of weed pullers offer a range of features including an ergonomic handle design, an adjustable shaft with SmartFit<sup>™</sup> technology that adapts to different size users, and beautifully designed white and Solid<sup>™</sup> weed pullers with light, aluminium construction for ease of use.



## **Weed Pullers**









Push weed puller blades into the

ground, surrounding the weed.




· Light for ergonomic, effortless removal of root weeds.

· Large, D-shaped handle fits all hand sizes



For effortless removal of root weeds.



Press the pedal with your foot to the ground. Then remove your foot and



Pull weeder up and eject weed.

LAWN CARE LAWN CARE

# Classic & Solid<sup>™</sup> Lawn Care Tools

#### Classic Lawn Edger 1003707 Art.no. Weight: 1,00 kg Height: 104,2 cm Length: 4 cm Width: 23,7 cm Retailbox: 4 Oldart.no. 136860





· Optimal for cutting straight edges on planting beds and lawns. · After cutting a straight line with the lawn edger, remove weeds or soil blocks with the help of a spade, fork or cultiweeder. ·FSC® certified wood.

Solid <sup>™</sup> Lawr	Solid <sup>™</sup> Lawn Edger						z	
Height: 110 cm	Length: 3cm	Width: 30,5cm	Weight: 1,85 kg	Retailbox: 3	Oldart.no.	5371	E	7 3 1 7
4						steel constructions straig		n lawns an

and planting beds.







74

- $\bullet \textit{Ergonomic}, \textit{standing position makes it easy to collect debris from}$
- •Rubber pads grip easily on to paper, leaves, sticks and other debris.
- ·Steel shaft.

# Pop-Up Bags

Ergo <sup>™</sup> Pop-u	ıp Bag, S, 73L	-			Art.no.	1028371	z	
Height: 45cm	Length: 4cm	Width: 45cm	Weight: 0,71kg	Retailbox: 10	Oldart.no.	-	6 4	11501 600189





- · Ideal for collecting wet yard and garden waste like damp leaves, weeds or grass clippings.
- ·Folds to 3 cm for space-saving storage.
- Internal spring pops it up for use.

  Tear- and mildew-resistant construction provides durability and
- easy cleaning.
   Height closed: 30 mm, Height open: 460 mm.

Ergo <sup>™</sup> Pop-up Bag, M, 175L						1028372	z	
Height: <b>53cm</b>	Length: 4cm	Width: 53cm	Weight: 1,21kg	Retailbox: 8	Oldart.no.	-	Ш	6 411501 600196





- · Ideal for collecting wet yard and garden waste like damp leaves,
- weeds or grass clippings.
- Folds to 3 cm for space-saving storage.
- Internal spring pops it up for use.
   Tear- and mildew-resistant construction provides durability and easy cleaning.
- · Height closed: 30 mm, Height open: 700 mm.

Ergo" Pop-up Bag, L, 219L						1028373	Z	
Height: <b>59 cm</b>	Length: 4cm	Width: 59cm	Weight: 1,63 kg	Retailbox: 6	Oldart.no.			6"411501"600202"





- $\cdot \text{Ideal for collecting wet yard and garden was te like damp leaves,} \\$
- weeds or grass clippings.
   Folds to 3 cm for space-saving storage.
- ·Internal spring pops it up for use.
- · Tear- and mildew-resistant construction provides durability and easy cleaning.
- · Height closed: 30 mm, Height open: 700 mm.

olid <sup>™</sup> Pop-	up Garden Ba	ag, 56 I			Art.no.	1015646	EAN	
eight: 40 cm	Length: 3cm	Width: 40cm	Weight: 0,60 kg	Retailbox: 6	Old art. no.		E/	6 4 1 1 5 0 1 3 5 0 4 1 1



- $\cdot \mathsf{Ideal}\,\mathsf{for}\,\mathsf{collecting}\,\mathsf{weeds},\mathsf{grass}\,\mathsf{clippings},\mathsf{other}\,\mathsf{types}\,\mathsf{of}\,\mathsf{yard}$
- Folds to 3 cm for space-saving storage.
- ·Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.
  • Height closed: 30 mm, Height open: 460 mm.

Solid <sup>™</sup> Pop-up Garden Bag, 172 I						1015647	Z	
Height: 56cm	Length: 3cm	Width: 56cm	Weight: 1,25 kg	Retailbox: 6	Old art. no.	135042	<b> </b>	6"411501" 350428



- · Ideal for collecting weeds, grass clippings or other types of yard
- Folds to 4 cm for space-saving storage.
- •Internal spring pops it up for use.
- Tear- and mildew-resistant construction provides durability and easy cleaning.

75

· Height closed: 40 mm, Height open: 700 mm.

# StaySharp

Fiskars StaySharp™ Max Reel Mower promotes greener, healthier lawns by cleanly cutting each blade of grass with a scissors-like action. This minimises the lawn's moisture loss, while reducing exposure to disease.



# StaySharp<sup>™</sup> Reel Mowers

StaySharp Max Reel Mower						1000591	z	6"411501" 138804
Height: 60 cm	Length: 61cm	Width: 37cm	Weight: 23,5 kg	Retailbox: 1	Oldart.no.	113880	121	6411501 138804








- · 2x more cutting power compared to standard reel mowers.
- 60% easier to push than other reel mowers.
- · Cut height adjustable between 2,5-10 cm.
- · Compatible with grass catcher.

StaySharp <sup>™</sup> Plus Reel Mower						1015649	6 411501 138729
Height: 60 cm	Length: 34,5 cm	Width: <b>45,5 cm</b>	Weight: 18kg	Retailbox: 1	Oldart.no.	113872	6 4 1 1 5 0 1 1 3 8 7 2 9







StaySharp <sup>™</sup>	Grass Catch		Art.no.	1000592	8 A 1		
leight: <b>54,5 cm</b>	Length: 55cm	Width: 6cm	Weight: 1,59 kg	Retailbox: 1	Oldart.no.	113883	6 4 1
11.5	-07					ol-free assembly wit	

- StaySharp™Max Mower.
- Effective capacity of approximately 18 litres.
- ·UV- and mildew-resistant polyester screen with heavy-duty steel frame for long-lasting performance.

# Soil Care

Growing & Planting p.80
Indoor Gardening p.82
Harvesting p.88
Spades, Shovels & Forks p.91
QuikDrill<sup>™</sup> p.103
Classic Spades & Forks p.104

Cultivating Tools p.110

**Nursery Tools p.116** 




# Planting and growing

The right tools for every planting task:





## How to use




Press blade tip into ground by pressing the pedal.




Pull handle toward your self to open up hole until you hear a click.



Drop your bulb or sapling through the top of the planter. Size up to 50 mm.



Pull planter from the ground, cover your bulb and tap down with your foot.



#### Solid<sup>™</sup> Hand bulb planter Durable, FiberComp<sup>™</sup> reinforced plastic body

# **Comfortable handle**For loosening the soil

#### Easy depth scale

Measurements in centimeters and inches

# **Circular motion and sharp teeth**Help to pass through tight ground

Help to pass through tight ground



# Solid<sup>™</sup> Seed planting trowel

Offers four seed-planting essentials in one lightweight, durable tool



### **Solid**<sup>™</sup> Hand spreader

Use to spread seeds, salt, sand, fertilizer and more



## **Solid**<sup>™</sup> Planting stick

Creates divots and holes for planting seeds at the correct depth



# Urban **Plant care**

Fiskars Plant Care tools help transform your home, patio, balcony into a lush, green oasis

## Features & benefits

#### New hand tools

#### Medium Soil Scoop:

SOIL CARE

- · Deeper edges to move larger quantities of soil
- · Fits ergonomically in your hand

#### 2-in-1 Soil Scoop & Brush:

- · Larger side & smaller side for ease of pouring and mixing soil
- · Flexible material gives additional control over a regular scoop
- · Small easy to handle brush to easy clean some of the mess out
- · Double-sided scoop can also be used as a shovel

#### Watering can

#### **Benefits:**

- · Holds 1,2L
- · Perfect for smaller spaces but not too small to have to run back and forth too many times to fill
- · Drip resistant pour spout

#### **Tool box**

- · Easy storage for all the items
- · Can fit plant mat, tool set, mister and watering can.





## **Indoor Plant care**

Watering can						1071307	z	6 411501 705693
Height: 30,6 cm	Length: 13,7cm	Width: 13,3 cm	Weight: 0,3 kg	Retailbox: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 7 0 5 6 9 3





- ·Ideal for gently and precisely waters plants on city balconies, patios
- ·Long, slim spout reaches high and low plants, and waters at the plant base for healthier growth.
- Easy-fill top allows you fill watering can without removing cap.
- Durable, lightweight, resin body is made of 30% post-consumer


Mister					Art.no.	1071306	z	6 4 1 1 5 0 1 7 0 5 7 0 9
Height: 22,9 cm	Length: 7,9 cm	Width: 10,6 cm	Weight: 0,1kg	Retailbox: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 7 0 5 7 0 9





- · Ideal for hydrating delicate plants and for cleaning debris from
- broad leaves.
  Delivers a fine, even mist to indoor and outdoor plants and succu-
- · Nozzle locks for storage and transport.
- ·Durable, lightweight, resin body is made of 30% post-consumer recycled plastic.

Toolbox						1071305	z	6"411501"705716
Height: 17,5 cm	Length: 34,9cm	Width: 31,4cm	Weight: 1kg	Retailbox: 4	Oldart.no.	-	EA	6 4 1 1 5 0 1 7 0 5 7 1 6







- ·Stores tools and supplies for easy access and transportation from indoors to out.
- · Spacious design includes a removable bin with holes for
- wall-mounting perfect for snips, pruners and more.
- · Handle locks in place for one-handed carrying, or use side handles for two-handed carrying.
- ·Body is made of durable, lightweight, resin with 20% post-consumer recycled plastic
- Dimensions: 35,3 cm x 31,1 cm x 17,3 cm.

Planting mat						1071304
Height: 28,9 cm	Length: 3,5 cm	Width: 29,5 cm	Weight: 0,8kg	Retailbox: 4	Oldart.no.	-







- ·Ideal for protecting work surfaces and making cleanup fast and
- ·Inner panels fold in multiple ways, allowing you to pour loose mate rials back into bag, minimising waste
- ·Outer layer is made of durable, water-resistant nylon that easily
- •Mat unfolds to 82,5cm x 44,5cm for a generously sized working

Soilscoop						1071303
Height: 34,9cm	Length: 6cm	Width: 8,6cm	Weight: 0,1kg	Retailbox: 4	Oldart.no.	-







- · Perfectly sized for transferring soil from bags into medium-sized planters when potting and transplanting patio gardens and house-
- ·Flat bottom keeps scoop from tipping when set on a flat surface. · Deep sides maximize capacity and prevent spills.
- · Made of durable, lightweight resin with 20% post-consumer

#### 2-in-1soil scoop and brush

Height: 27 cm Length: 4,8cm

Width: 9,5 cm

Weight: 0,1kg

Retailbox: 4

Oldart.no. -







- · Ideal for digging, re-potting, transplanting and cleaning up loose
- ·Soft, long brush bristles sweep dirt and debris onto wide side of scoop for fast, easy cleanup.
- $\cdot \mathsf{Two}\text{-}\mathsf{sided}\,\mathsf{scoop}\,\mathsf{has}\,\mathsf{narrow}\,\mathsf{rigid}\,\mathsf{end}\,\mathsf{for}\,\mathsf{precisely}\,\mathsf{placing},$ tapping down and digging into soil. ·Scoop's wide, flexible end functions as a dustpan and for pouring
- Brush handle is made of durable resin with 20% post-consumer recycled plastic.

# Bulb planters

# Features & benefits

#### **Standing** bulb planter

Perfect for planting bulbs and small saplings without bending


- Release button
- 2 Aluminium shaft & FiberComp<sup>™</sup> handle
- 3 Planting depth 150 mm
- 4 Max. bulb size 55 mm


## **Bulb planter**


- Comfortable handle for loosening
- · Circular motion and sharp teeth allow it to pass easily through dense soil
- Stainless steel shaft & FiberComp™ handle

## Hand bulb planter

- Durable, glass fiber reinforced plastic body
- · Comfortable handle for loosening the soil
- · Circular motion and sharp teeth help to pass through tight ground
- · Easy-to-clean surface














# **Planting Tools**

# Xact<sup>™</sup> Standing Bulb Planter Width: 30cm Height: 105,3cm Length: 31cm Weight: 2kg Height: 99,5 cm Length: 10,5 cm Width: 27,5 cm Weight: 1,93 kg

1057077 Art.no.





- ping pedal for effortless hole creation. · A locking mechanism on the stepping pedal holds the blade open, allowing you to drop your bulb through the top of the planter for
- perfect placement. • Pull planter from the ground, cover your bulb, and tap down with
- vour foot. Planting depth up to 150 mm.

rgo <sup>™</sup> Standing Bulb Planter						Art.no.	1057078
eight:	99,5 cm	Length: 10,5cm	Width: <b>27,5 cm</b>	Weight: 1,93kg	Retailbox: 4	Oldart.no.	_







Retailbox: 4

- Digs and fills holes for less time kneeling and bending.
  Non-slip standing board allows you to easily push the tool into the
- ·Cone features sharp teeth for powering through even tough soil.
- $\cdot \, \text{Handle trigger releases soil over the bulb and hole for quick,} \\$ efficient planting.
- •Shaft is made of durable steel for years of reliable use.
- Planting depth up to 150 mm.

Solid <sup>™</sup> Hand Bulb Planter						1057079	Z	6 4 1 1 5 0 1
Height: 24,3 cm	Length: 10,3 cm	Width: <b>11,7 cm</b>	Weight: 0,25 kg	Retailbox: 12	Oldart.no.	-	Ĭ M	6 4 1 1 5 0 1





- · Ideal for quick and precise planting of bulbs and seedlings. · Blade has teeth for fast and efficient digging using a circular
- $\bullet \textit{Planter features measuring guide on side for accurate depth.}$
- $\, \cdot \, A$  simple trigger opens the blade to release soil over the hole and
- · Suited for bulbs up to 65 mm wide and planting depth of up to 125
- · Made of durable, weather-resistant FiberComp".

# **Solid**<sup>™</sup> **Planting Tools**

Solid <sup>™</sup> Seed	Solid <sup>™</sup> Seed Planting Trowel					1057641	EAN	6"411501" 311276"
Height: 33cm	Length: 6,4cm	Width: 2,2cm	Weight: 0,06 kg	Retailbox: 16	Oldart.no.	-	Ę,	6 4 1 1 5 0 1 3 1 1 2 7 6





• Offers four seed-planting essentials in one lightweight, durable

- · Unique tool features a trowel, stylus, widger and measuring tool, all integrated into one 2-piece tool.
- $\hbox{-} {\tt Debossed}, {\tt easy} \, {\tt to} \, {\tt read}, {\tt English} \, {\tt and} \, {\tt metric} \, {\tt measurements} \, {\tt on}$
- trowel and widger won't fade or erode.

   Made of lightweight, rust-proof Fiber Comp® for superior durability.

Solid <sup>™</sup> Planting Stick					Art.no.	1057080	Z	6 4 1 1 5 0 1 3 1 1 3 5 1
leight: 26,2 cm	Length: 3cm	Width: 13cm	Weight: 0,08 kg	Retailbox: 16	Oldart.no.	-	E,	6 4 1 1 5 0 1 3 1 1 3 5 1



- · Creates divots and holes for planting seeds at the correct depth.
- Measuring scale on tip of tool allows for depth of up to 150 mm.  $\cdot \text{Unique L-shaped handle provides maximum torque and comfort}.$
- weather-resistant and easy to clean.



· Ideal for accurate spreading of sand, salt, fertilizer and more. • Easy-to-turn adjustment knob controls dosing while deploying your material. Choose from pour, fast flow or slower flow options. • Easy-lock system allows for quick refilling with spreading mate-

# Harvesting tools

Intuitive tools made with durable &

lightweight materials for easy,


quick harvesting

### X-series<sup>™</sup> Harvesting knife

Ideal for harvesting produce with thick stalks. It has a stainless steel blade with a flat tip for quick push cuts and a serrated section for slicing through fibrous stems.


Fixed-blade knife includes sheath and belt loop for storage, safety & convenience.






## Plus<sup>™</sup> Harvesting basket

Perfect for collecting, transporting and washing your harvest and tools.



## X-series Folding produce knife

Ideal for clean and precise cuts on smaller stalks and stems. It folds for convenience and compact storage.



# **Harvesting Tools**

#### X-series<sup>™</sup> Folding produce knife K80 Height: 18,42 cm Length: 1,83 cm Width: 10,8cm Weight: 0,07kg Retailbox: 8





- Fiskars® X-series™ Folding Produce Knife is ideal for harvesting from smaller stalks and stems.
- $\boldsymbol{\cdot} \text{Precision-ground, stainless steel blade is curved at the tip, for}$  $easy\,access\,through\,dense\,growth\,without\,damaging\,surrounding$
- Foldable, ergonomic design offers comfort and compact storage.

Art.no. 1062819

Oldart.no. -

·25-year warranty.

X-series <sup>™</sup> Harvesting knife K82						1062830
Height: 34,62cm	Length: 3,81cm	Width: 6,99cm	Weight: 0,25kg	Retailbox: 8	Oldart.no.	-





- $\bullet \textit{Fiskars} ^{\circ} \textit{X-series} ^{``} \textit{Harvesting Knife is ideal for harvesting thick}$ stalks and stems
- Precision-ground, stainless steel blade has a flat tip for guick push cuts and a serrated section for saw cuts through fibrous plants.
- Extended tang for durability and ergonomic handle for comfort
- · Includes hard plastic sheath with belt loop.
- ·Blade length: 15 cm.
- 25-vear warrantv.

Plus <sup>™</sup> Garden Harvest Basket						1062831
Height: 60,96cm	Length: 13,67cm	Width: <b>38,84cm</b>	Weight: 1,13 kg	Retailbox: 6	Oldart.no.	-






- •Fiskars® Plus® Garden Harvest Basket is perfect for collecting, transporting and washing your harvest and food gardening tools.
- · Colander side has drain holes for washing freshly harvested produce, while enclosed side can be used for soaking or carrying
- · Ergonomic side handles are ideal for two-handed carrying, while
- folding handles interlock for comfortable, one-handed use. ·Dimensions: 61 cm x 39 cm x 13 cm.

Solid <sup>™</sup> Kneeling pad						1062832
Height: 1,91cm	Length: 45,72 cm	Width: <b>27,94 cm</b>	Weight: 0,08kg	Retailbox: 6	Oldart.no.	-





- •Fiskars® Solid™ Kneeling Pad prevents sore knees when working in the garden.
- · Dual-layer construction provides lasting durability.
- · Moisture-proof outer shell protects you from rough terrain.
- $\cdot \text{Soft foam inner cushion provides generous padding.} \\$ · Convenient handle makes carrying easy.
- · Sized to offer plenty of room while working.
- Dimensions: 45,7 cm x 27,9 cm x 1,9 cm.

# Digging

To make digging as easy as possible, you need a reliable spade suitable for the task. That's why we've developed a variety of spades and shovels including spades for digging in hard soil, edging and planting, as well as light spades for soft soil. We also have shovels designed to move sand, soil and snow.



XACT

durability.



Gardening is a demanding Beautifully designed and pastime. Fiskars Xact™ digging realised, Fiskars Ergonomic<sup>™</sup>is a tools will give you that extra push perfect selection of tools for digto take your gardening to a whole ging and composting - all for the new level and make digging a most discerning gardener. The spades, shovels and forks have truly pleasurable experience. Fiskars Xact digging tools fit angled shafts and handles for you - combining the right length reduced strain on backs, hands with lightweight material and and wrists. A powder coating on the shafts also maximise grip and




Offering simple, affordable quality and expertise for every garden, Fiskars Solid<sup>™</sup> range includes a wide variety of shovels, spades and forks designed to get the job done. With metal or FSC® certified wooden shafts, and straight or D-shaped handles, every Solid tool features the quality Fiskars is known for.



The new beautiful White range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks. Fiskars versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows for planting seeds and bulbs and even harvesting root crops.



# Xact<sup>™</sup>Spades, Shovels & Forks



Art.no. 1066734

Height: max 140 cm Length: 15,9 cm Width: 22,3 cm Weight: 2,19 kg Retail box: 4 Oldart.no. - Ideal for moving soil, sand, gravel and other bulk materials. Wide, angled head allows you to shift materials quickly and with less strain on your back.

· Telescopic shaft extends from 120,8 cm to 140 cm.

• D-shaped handle with SoftGrip" ensures digging comfort control. • Ergonomic angled shaft that ensures ideal working position.





· Boron steel head is welded to a composite and steel shaft for

·D-shaped handle with SoftGrip" ensures digging comfort control.

Measurement scale on blade for precise digging.
 Telescopic shaft extends from 110.8 cm to 130 cm

ultimate durability.

# Ergonomic<sup>™</sup> Spades, Shovels & Forks

Weight: 2,3kg

Ergonomic<sup>™</sup> Pro Pointed XL Spade Black Height: 130,5 cm | Length: 13,5 cm | Width: 20,5 cm

Art.no.







Retailbox: 4

- Ergonomic™ Pro Pointed XL spade is designed for demanding, specialised tasks and heavy lifting.
- · Ideal for driving into stone, clay and hard soils.

1066709

Oldart.no. -

Art.no.

Oldart.no. -

1066707

- · Stepping board helps drive into tough soil.
- · D-shaped handle is sized for working with or without gloves.
- · Angled shaft with non-slip grip offers added strength and improved ergonomics.

$\textbf{Ergonomic}^{^{\!$	
--	--

Height: 130,7cm Length: 9,3cm Width: 15,8cm

Weight: 2,14 kg

Retailbox: 4





- · Ergonomic Pro Drain spade is designed for demanding, specialised tasks and heavy lifting.
- · Ideal for trenching and digging up bulbs in tough soil, as well as splittle roots.
- · Stepping board helps drive into tough soil.
- •D-shaped handle is sized for working with or without gloves
- · Angled shaft with non-slip grip offers added strength and improved ergonomics.

Ergonomic <sup>™</sup> Pro Shovel Black						1066711
Height: 131,7cm	Length: 17,3cm	Width: 23cm	Weight: 2,26 kg	Retail box: 4	Oldart.no.	-





- · Ergonomic "Pro Shovel is designed for demanding, specialised tasks and heavy lifting.
- Ideal for transferring heavy construction and garden materials like gravel, mulch, soil and sand.
- D-shaped handle is sized for working with or without gloves.
- · Angled shaft with non-slip grip offers added strength and improved ergonomics.

Ergonomic <sup>™</sup> Pro Concrete Shovel Black						1066713
Height: <b>123,9 cm</b>	Length: 14 cm	Width: 27,4 cm	Weight: 2,4 kg	Retail box: 4	Oldart.no.	-





- $\hbox{\bf \cdot} Ergonomic \hbox{\tt `Pro Concrete shovel is designed for demanding,}$ specialised tasks and heavy lifting.
- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{transferring} \, \mathsf{and} \, \mathsf{mixing} \, \mathsf{and} \, \mathsf{spreading} \, \mathsf{heavy-duty} \, \mathsf{and} \,$ wet materials.
- · D-shaped handle is sized for working with or without gloves.
- · Angled shaft with non-slip grip offers added strength and improved ergonomics.

Ergonomic <sup>™</sup> Small Spade Grey						1066714
Height: 123 cm	Length: 8,3 cm	Width: 15,3cm	Weight: 2,1kg	Retailbox: 4	Oldart.no.	-





- $\bullet Saw\text{-toothed edge} \, \text{is ideal for cutting through roots} \, \text{and digging in} \,$
- ·D-shaped handle ensures a comfortable and firm grip.
- · Tear-drop shaped steel shaft with a plastic coating makes it ex-
- tremely durable, maximises grip and insulates from the cold.
- · Sturdy welded connection between the blade and the shaft ensures rigid durability.

Ergonomic<sup>™</sup> Pointed Spade

Height: 124,9 cm Length: 12 cm

Width: 19,3cm

Weight: 2,06 kg

Retailbox: 4

Oldart.no. 1001568

1066708

Art.no.



• Ergonomic Pointed spade is optimised for comfort — working with your body.

- · Sharp cutting edge is ideal for aerating, stirring and turning soil,
- cutting through roots, and digging in stone, clay and hard soil.
- $\cdot \text{D-shaped handle} \ \text{is sized for working with or without gloves}.$  $\bullet \textit{Ergonomically shaped shaft with non-slip grip that insulates from}$
- the cold. • Stepping board adds extra strength and makes driving into tough
- soil easier
- •Perfected lifting angle for improved comfort and optimal digging

Ergonomic <sup>™</sup> Rounded Spade					Art.no.	1066710	6 4 1 1 5 0 1 3 1 1 7 4
Height: 125 cm	Length: 13,5 cm	Width: 19,3cm	Weight: 2,07kg	Retailbox: 4	Oldart.no.	1001411	6 4 1 1 5 0 1 3 1 1 7 4





- Ergonomic Rounded spade is optimised for comfort working with your body.
- · Sharp cutting edge is ideal for digging, edging and planting in standard, grassy topsoil.
- $\bullet \textit{Ergonomically shaped shaft with non-slip grip that insulates from}$ the cold.
- $\boldsymbol{\cdot} \textbf{Stepping board adds extra strength and makes driving into tough}$ soil easier
- •Perfected lifting angle for improved comfort and optimal digging performance.

Ergonomic <sup>™</sup> Shovel					Art.no.	1066712	Z U
Height: <b>131,7 cm</b>	Length: 17,3 cm	Width: 23cm	Weight: 2,26 kg	Retailbox: 4	Oldart.no.	1001579	6 411501 311764





- $\hbox{\bf \cdot} Ergonomic \hbox{\' shovel is optimised for comfort} -\hbox{\it working with your}$
- · Wide scoop head is ideal for moving bulky materials, including gravel, sand and soil.
- Ergonomically shaped shaft with non-slip grip that insulates from the cold.
- Perfected lifting angle for improved comfort and optimal digging

Ergonomic <sup>™</sup> Compost Fork Grey						1070678	z	6 4 1 1 5 0 1 7
Height: 136 cm	Length: 10,7cm	Width: 22 cm	Weight: 1,8 kg	Retailbox: 4	Old art. no	)	ΕF	6 4 1 1 5 0 1 7



- ·Thin, forged tines are ideal for moving bulky materials like leaves  $mulch, hay \, and \, cut \, grass.$
- $\cdot \text{The shaft has an ergonomic lifting angle to minimise strain on back} \\$ and shoulders.
- · Angled handle keeps hands and wrists in a neutral position.
- ·Boron steel shaft has SoftGrip coating for cold insulation and firm
- ·Forks are forged for increased strength and durability.

Ergonomic Garden Fork Grey						1070679	Z	
Height: <b>132,2 cm</b>	Length: 10,8 cm	Width: 20,5 cm	Weight: 2,2kg	Retailbox: 4	Old art. no.	-		6 411501 705570



- · Forged tines are ideal for breaking up soil.
- $\cdot \text{The shaft has an ergonomic lifting angle to minimise strain on back} \\$ and shoulders.
- · Angled handle keeps hands and wrists in a neutral position.
- ·Boron steel shaft has SoftGrip coating for cold insulation and firm
- ·Forks are forged for increased strength and durability.

# White Spades & Fork





**Pointed Spade** 



- Art.no. 1067519 Oldart.no. -
- · Pointed blade edge is ideal for digging, edging and planting in standard, grassy topsoil.
- Conveniently sized for gardening in small or tight spaces.
- · D-shaped handle with comfortable grip insulates from the cold.
- · Stepping board helps you break through soil.

Garden For	k				Art.no.	1070715	z	
Height: 105,1cm	Length: 8,7cm	Width: 18,5 cm	Weight: 1,7kg	Retailbox: 4	Oldart.no.	-	EA	6





- · Ideal for loosening and turning over soil, harvesting and compost-
- ing in tight spaces and small vegetable gardens.
- Durable steel construction.
- · Shaft features SoftGrip for a non-slip hold while working and
- · D-shaped handle for comfort for hands of all sizes, with or without gloves.
  • Handle provides easy hanging storage.





# Solid<sup>™</sup> + & Solid<sup>™</sup> Spades, Shovels & Forks







- · Solid"+ Spade, XL blade offers affordable quality for every garden. · Ideal for digging in hard ground like stone and clay.
- · Stepping board helps drive into tough soil.
- · D-shaped handle is perfect for hands of all sizes, with or without

olid <sup>™</sup> +Spa	de XL Blade l	ong shaft			Art.no.	1067517	z	
ight: <b>126,5cm</b>	Length: 13,4cm	Width: 20,5 cm	Weight: 2,20 kg	Retailbox: 4	Oldart.no.	-	EA	6 4 1 1 5 0 1 3 1 1 5 6 6





- · Solid"+ Spade, XL blade long shaft offers affordable quality for every garden.
- · Ideal for digging in hard ground like stone and clay.
- · Long, angled shaft provides ergonomic use for tallers users.
- Stepping board helps drive into tough soil.
- · D-shaped handle is perfect for hands of all sizes, with or without gloves.

Solid <sup>™</sup> +Con	crete Shove	Art.no. 1067518	N N N N N N N N N N N N N N N N N N N					
Height: <b>122,7cm</b>	Length: 14,1cm	Width: 27,5 cm	Weight: 2,45 kg	Retailbox: 4	Oldart.no 6 41150			
-			-		Solid*+ Concrete Shovel offers at Ideal for working with sand, grave			

- ers affordable quality for every garden.
- heavy-duty materials.
- · Boron steel construction increases strength.
- · D-shaped handle is perfect for hands of all sizes, with or without

Solid <sup>™</sup> +Compo	OSTFORK				Art.no.	1071936
Height: 129 cm Len	ngth: 9cm	Width: 26cm	Weight: 2,10 kg	Retailbox: 4	Oldart.no.	-





- · Fiskars Solid+ Compost fork offers affordable quality for every garden.
- ·Ideal for aerating tough soil and turning compost.
- · Boron steel head increases strength.
- · D-shaped handle provides comfort and fits all hand sizes with or

Solid <sup>™</sup> Wood Pointed Spade FSC					Art.no.	1066721	z
Height: 108,5 cm	Length: 7,8 cm	Width: 18cm	Weight: 1,7 kg	Retailbox: 4	Oldart.no.	1014816	6"411501"311771





- · Solid "Pointed spade with wood offers affordable quality for every
- ·Sharp, pointed blade edge is ideal for general digging tasks and for cutting turf or roots.
- Head is welded to metal shaft for optimal durability.
- Authentic wood shaft is FSC<sup>®</sup> certified.
- · Stepping board helps drive into tough soil.
- · D-shaped handle is perfect for hands of all sizes, with or without



Height: 108,5cm Length: 8,4cm

Width: 18 cm

Retailbox: 4 Weight: 1,8 kg

Oldart.no. 1014817

Art.no.



- · Solid" Rounded spade with wood offers affordable quality for · Rounded blade edge is ideal for digging, edging and planting in
- standard, grassy topsoil.

  Head is welded to metal shaft for optimal durability.
- · Authentic wood shaft is FSC® certified.
- · Stepping board helps drive into tough soil.

1066722

- $\bullet \text{D-shaped handle} \ is \ perfect for hands of all sizes, with or without$

Solid <sup>™</sup>	Wood Shovel D Handle FSC
--------------------	--------------------------

Height: 123 cm

Length: 18cm

Solid Wood Shovel I Handle FSC

Width: 23 cm

Weight: 2,1kg

Retailbox: 4

Art.no.

Oldart.no. 1014818

1066723



- · Solid "Shovel with wood offers affordable quality for every garden.  $\bullet \, {\hbox{Durable}}, {\hbox{wide scoop}} \, {\hbox{is ideal for efficiently moving dirt, sand, gravel} \\$ and other bulky garden materials.
  - · Head is welded to metal shaft for optimal durability.
  - Authentic wood shaft is FSC\* certified.
- $\bullet \text{D-shaped handle} \ is \ perfect for hands of all sizes, with or without$







Oldart.no. -Solid<sup>™</sup> Shovel with wood offers affordable quality for every garden.

· Durable, wide scoop is ideal for efficiently moving dirt, sand, gravel

- and other bulky garden materials.
- · Authentic wood shaft is FSC® certified. · Straight handle offers a traditional, seamless grip.



Solid<sup>™</sup> Wood Garden Fork FSC Art.no. **1070676** Height: 112,6cm Length: 9,9cm Width: 18,5 cm Weight: 1,5 kg Retailbox: 4 Oldart.no. -





- · Forged steel tines are ideal for aerating and loosening soil and working the compost heap.
- Authentic wood shaft is FSC<sup>®</sup> certified.



### Solid<sup>™</sup> Metal Car Spade

Height: 80 cm Length: 10,5 cm

Width: **18,2 cm** 

Weight: 1,42 kg

Art.no. **1066715** Oldart.no. 1014809





Retailbox: 4



· Easy-to-see orange D-shaped handle is perfect for hands of all sizes, with or without gloves.

O - I: -I™	N / - + - I	Pointed	0
Solid	IVIETAL	Pointed	Spage

Height: 116,6cm Length: 12,1cm

Width: 18 cm

Weight: 1,85 kg

Retailbox: 4

Art.no. 1066716 Oldart.no. 1003455







- cutting turf or roots.
- $\cdot \, \text{Head is welded to a strong metal shaft for optimal durability}.$
- Stepping board helps drive into tough soil.
   D-shaped handle is perfect for hands of all sizes, with or without
- aloves.

#### Solid<sup>™</sup> Metal Rounded Spade

Height: 116,6cm Length: 12,4cm Width: 18cm

Weight: 1,90 kg

Retailbox: 4

Art.no. 1066717 Oldart.no. 1003456







- Head is welded to a strong metal shaft for optimal durability.
   Stepping board helps drive into tough soil.
- ·D-shaped handle is perfect for hands of all sizes, with or without

#### Solid<sup>™</sup> Metal Shovel D Handle

Height: 126,7cm Length: 17,6cm Width: 23cm

Weight: 2,13 kg

Art.no. 1066718 Oldart.no. 1003457

Oldart.no. -







Retailbox: 4

- ${\boldsymbol{\cdot}} {\sf Solid} {\tilde{\;\;}} {\sf Shovel} \, {\sf offers} \, {\sf affordable} \, {\sf quality} \, {\sf for} \, {\sf every} \, {\sf garden}.$  ${\boldsymbol{\cdot}} \text{Durable, wide scoop is ideal for efficiently moving dirt, sand, gravel}$ and other bulky garden materials.
- · Head is welded to a strong metal shaft for optimal durability. ·D-shaped handle is perfect for hands of all sizes, with or without

Solid <sup>™</sup> Metal Shovel I Han	dle		Art.no.	1066720





- $\bullet \, \mathsf{Solid}^{\scriptscriptstyle{\mathsf{T}}} \mathsf{Shovel} \, \mathsf{offers} \, \mathsf{affordable} \, \mathsf{quality} \, \mathsf{for} \, \mathsf{every} \, \mathsf{garden}.$  $\cdot \text{Durable, wide scoop is ideal for efficiently moving dirt, sand, gravel} \\$ and other bulky garden materials.
- · Head is welded to a strong metal shaft for optimal durability. · Straight handle offers a traditional, seamless grip.

Solid<sup>™</sup> Metal Garden Fork

Height: 120,4 cm Length: 7,5 cm

Width: 18,5 cm

Weight: 1,7 kg

Retailbox: 4 Oldart.no. -



- $\cdot \text{Ideal for aerating tough soil and turning compost.} \\$
- ·Boron steel head increases strength.

Art.no. 1070673

· D-shaped handle provides comfort and fits all hand sizes with or

Solid<sup>™</sup> Metal Compost Fork

Height: 126,2 cm Length: 10,1 cm

Weight: 1,6 kg


Retailbox: 4

Oldart.no. -

Art.no. 1070674




- · Ideal for aerating soil and turning and spreading loose materials like
- grass, hay, weeds, leaves and other garden waste.
- · Forged tines enhance strength in tough soil.
- · D-shaped handle provides comfort.



## QuikDrill™

Fiskars QuikDrill™ makes many garden tasks simpler, easier and more precise. It is a handy tool for planting flowers or bushes, or aerating and fertilizing the ground.



# Classic Spades & Forks


Fiskars Classic tools are originals featuring timeless design and attention to detail. Better with time, after a few years, you start wondering how long you've had them because it feels like they have always been there.





Weight: 2kg





Width: 19cm

Length: 9cm

Height: 112 cm



Retailbox: 4

- Features a sharpened steel blade for edging and planting.
- Spade head is made of boron steel for added strength.
- Head features depth measurements for precision and accuracy

Head features depth measurements for precision and accuracy.

Authentic wood shaft is FSC<sup>®</sup> certified.

· Authentic wood shaft is FSC® certified.

· Authentic wood shaft is FSC® certified.


· Comfortable D-shaped handle.

· Comfortable D-shaped handle.

Oldart.no. -

Classic Pe	rennial Spac	de FSC	Art.no. <b>1071930</b>	EAN		
Height: 104cm	Length: 8cm	Width: 15 cm	Weight: 2kg	Retail box: 4	Oldart.no	6 411501 600530
New	-		<b>-</b> <	FSC WWW.ddu.cu	for planting and dividing • Spade head is made of	steel blade with a unique saw-blade edge perennials. boron steel for added strength. leasurements for precision and accuracy.













- Features a wide scoop with a stepping board for digging into soft topsoil.
- Shovel head is made of boron steel for added strength.
   Authentic wood shaft is FSC\* certified and lacquered for long-last-
- ing value.

lassic Shovel Lacquered FSC					Art.no.	1071922	EAN	
eight: <b>126cm</b>	Length: 14 cm	Width: 23cm	Weight: 2,1kg	Retailbox: 4	Old art. no.	-	<b>/</b>	6 4 1 1 5 0 1 6 0 0 6 1 5





- Features a wide scoop that efficiently moves bulky materials like mulch and soil.
- Shovel head is made of boron steel for added strength.
- Authentic wood shaft is FSC® certified and lacquered for long-lasting value
- Comfortable T-shaped handle.

Comfortable 1-snaped handle.

· Comfortable T-shaped handle.

#### Classic Drainage Spade FSC Art.no. **1071921** Length: 9cm Weight: 1,8 kg Height: 112 cm Width: 16 cm Retailbox: 4 Oldart.no. -






- · Features a sharpened blade for precise trenching.
- · Shovel head is made of boron steel for added strength.
- Authentic wood shaft is FSC<sup>®</sup> certified.
- $\boldsymbol{\cdot} \text{Comfortable D-shaped handle that fits hands of all sizes, with or}$ without gloves.

Classic Pro	Drainage S	pade Long B	Art.no. <b>1071920</b>	6"411501"600639"		
Height: 138 cm	Length: 10 cm	Width: 20cm	Weight: 3,9 kg	Retailbox: 2	Oldart.no	6 411501 600639
New	-	_	_	FSC FSC FSC Rich Classes	Features a sharpened blac     Shovel head is made of bor     Authentic wood shaft is FS     Comfortable D-shaped ha	C° certified.

Classic Pro	Drainage SI	hovel FSC	Art.no. <b>1071919</b>	E P N		
Height: 129cm	Length: 14cm	Width: 14cm	Weight: 1,7 kg	Retailbox: 4	Oldart.no	6 411501 600646
New	-	_	-	FSC WORKERS ROTO GIGHTS	trenches.	that clears debris from drains and pron steel for added strength. SC® certified.



Weight: 2,1kg



Length: 14 cm

Width: 23cm

Height: 127cm



Retailbox: 4

- · Features a wide scoop with a stepping board for digging into bulky materials like mulch, rock and soil.
- · Shovel head is made of boron steel for added strength.
- $\hbox{\bf \cdot} \, \text{Authentic wood shaft is FSC}^{\circ} \, \text{certified}.$

Oldart.no. -







- Features a wide scoop perfect for moving piles of bulky materials
- Shovel head is made of boron steel for added strength. · Authentic wood shaft is FSC° certified.

Classic Pro Digging Spade Grey FSC						1071915	z	6 4 1 1 5 0 1 0 6 0 0 6 8 4
eight: 112 cm	Length: 9cm	Width: 36cm	Weight: 2kg	Retailbox: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 6 0 0 6 8 4





- $\cdot \, {\rm Spade} \, {\rm head} \, {\rm is} \, {\rm made} \, {\rm of} \, {\rm boron} \, {\rm steel} \, {\rm for} \, {\rm added} \, {\rm strength}.$
- Authentic wood shaft is FSC® certified.
  Comfortable D-shaped handle.

Classic Digging Fork FSC						1071914	Z	6"411501"600691
Height: 116 cm	Length: 9cm	Width: 18cm	Weight: 1,9 kg	Retailbox: 4	Oldart.no.	-	4	6 4 1 1 5 0 1 6 0 0 6 9 1





- · Ideal for digging, turning and loosening soil.
- $\bullet \, Strong, narrow \, fork \, tines \, are \, made \, of \, boron \, steel \, for \, increased \,$ strength.

  • Authentic wood shaft is FSC® certified.

  • Comfortable D-shaped handle.

Classic Manure Fork FSC						1071912	Z	6"411501"600714
Height: 125 cm	Length: 11cm	Width: 26cm	Weight: 2kg	Retailbox: 4	Old art.no.	-	<b>/</b>	6 4 1 1 5 0 1 6 0 0 7 1 4





- Ideal for moving and clearing manure and hay.
   Strong, narrow fork tines are made of boron steel for increased strength.
- · Authentic wood shaft is FSC° certified.
- Classic Pro Lifting Fork FSC Art.no. 1071911 Height: 138cm Length: 14cm Weight: 1,3 kg Width: 32cm Retailbox: 4 Oldart.no. -







- · Shovel head is made of boron steel for added strength.
- · Authentic wood shaft is FSC® certified.
- · Comfortable T-shaped handle.



Art.no. **1071889** 

6 411501 600745

Height: 126 cm Length

Length: 17 cm V

Width: 33 cm Weig

Weight: 2,8 kg Retail box: 2



Ideal for harvesting

Oldart.no. -

- · Curved tines pick up and gently hold potatoes and other tubers.
- Fork head is made of boron steel for increased strength.
- · Authentic wood shaft is FSC° certified.
- · Comfortable D-shaped handle.



Height: 169 cm Len

Length: 17 cm Width: 12

Width: 12,5cm

Weight: 0,93kg

.

Art.no. **1003695**Oldart.no. **136700** 







- $\mbox{Dual tool}$  for cultivating, breaking up soil deep down and removing weeds before planting.
- ·FSC® certified wood.

Classic Hoe								
	Height: 140 cm	Length: 9cm	Width: 16,5 cm	Weight: 1,23 cn				

Art.no. **1014794**Oldart.no. **136770** 





- Optimal for removing weeds between rows of plants or breaking up the soil surface
- •FSC° certified wood.



Classic Potato Hoe

eight: 124cm Length: 3,5cm Width: 20cm

Weight: **1,23 kg** Re

Art.no. **1003709**Retailbox: **4** Oldart.no. **136750** 






- $\bullet \, \text{Dig} \, \text{up potatoes and other vegetables without harming them}.$
- •FSC® certified wood.




# **Cultivating Tools**

Fiskars cultivating tools are designed for comfortable planting, cultivating, weeding and seeding. The three different ranges offer a wide selection of tools from weeders to rose rakes



## Xact<sup>™</sup> Soil Care Tools







- · Precisely finished stainless steel blades provide ultimate perfor-
- mance and control. · Hardened aluminium shaft with unique profile reduces weight
- without sacrificing strength for effortless strokes.
- · SoftGrip" handle allows for multiple hand positions, while its excep-
- tional shape provides good support during use.
- · Convenient hanging hole on handle for easy storage.

# **Ergonomic**<sup>™</sup> **Soil Care Tools**



· Soil rake for preparing planting beds, smoothing down soil and other general gardening tasks like raking branches or spreading mulch.

 Ergonomic™ Cultivator
 Art.no. 1001301

 Height: 167 cm
 Length: 12,5 cm
 Width: 12 cm
 Weight: 0,79 kg
 Retailbox: 4
 Oldart.no. 136510

· Cultivator for loosening and tiling soil before planting.

# Ergonomic™ Hoe Art.no. 1000675 Height: 155 cm Length: 9 cm Width: 20 cm Weight: 0,53 kg Retailbox: 4 Oldart.no. 136500

· Hoe for removing weeds between rows of plants or breaking up



# White Soil Care Tools

 Weeding Knife, white
 Art.no.
 1019604

 Height: 161cm
 Length: 3cm
 Width: 7,5cm
 Weight: 0,41kg
 Retailbox: 4
 Oldart.no.
 136543

- Light weeding knife for removing weeds from patios or tight spaces in vegetable or flower beds.
- Steel head is shaped to fit easily into tight places.

Weeder, white						1019610	Z	
Height: 164,5 cm	Length: 4,5 cm	Width: 14,5cm	Weight: 0,65 kg	Retailbox: 4	Oldart.no.	136563	EAI	6 4 1 1 5 0 1 3 6 5 6 3 7



- · Light weeder for removing weeds from vegetable beds and larger
- Sharp steel blade to remove weeds.

Cultivator, w	/hite	Art.no.	1019611	е 4 1 1 5 0 1 3 6 5			
Height: 164 cm	Length: 11cm	Width: 9,5cm	Weight: 0,55 kg	Retailbox: 4	Oldart.no.	136573	6 411501 365

- · Light cultivator for loosening compacted soil.
- Sharp, hardened steel prongs penetrate soil easily when cultivating.

Hoe, white	Art.no.	1019609	EAN					
Height: 158cm	Length: 9cm	Width: <b>19,5 cm</b>	Weight: 0,48kg	Retailbox: 4	Old art. no.		<u> </u>	6

- 6"411501" 365538"
- $\, \cdot \, \text{Light}$  hoe for removing weeds and loosening soil in vegetable beds and under plants.
- $\bullet \textit{Steel blade with sharp edges for reaching under plants}.$

# Solid<sup>™</sup> Soil Care Tools

Solid <sup>™</sup> Cultiv	Solid <sup>™</sup> Cultivator						Z W W W W W W W W W W W W W W W W W W W
Height: 167cm	Length: 12 cm	Width: 13cm	Weight: 0,59 kg	Retail box: 4	Oldart.no.	135714	6 411501 357144
					•Fasv-to-u	se tool for loosening	and tilling soil before planting.

- Easy-to-use tool for loosening and tilling soil before planting.
- ·Boron steel blade
- Aluminium shaft

Height: 164 cm	Length: 14 cm	Width: 16 cm	Weight: 0,52 kg	Retailb



- $\bullet \textit{Efficient tool for removing weeds between rows of plants or breaking up the soil for cultivation. } \\$
- · Hardened carbon steel blade.

Art.no. 1016035

Oldart.no. 135713






- All-purpose soil rake for preparing planting beds, smoothing down soil and other general gardening tasks like raking branches or spreading mulch.
- ·Hardened carbon steel blade.
- · Aluminium shaft.

Art.no. 1016036

Oldart.no. 135715



# **Nursery Tools**

Fiskars nursery tools are ergonomically designed with rounded edges to minimise soil and root damage while planting, cultivating, weeding and seeding.







Perfect tools covering all nursing tasks with ultimate performance

#### PREMIUM **PLANTERS**

Ergonomically designed for comfortable planting

Robust nursery tools for demanding cultivating tasks

# WHITE

Lightweight and nursery tools

#### SOLID<sup>™</sup> **PLANTERS**

Lightweight and rust-free nursery tools

## **Xact**<sup>™</sup> Hand Tools

Xact<sup>™</sup> Trowel 1027043 Art.no. Height: 37,5 cm Width: 8,3cm Weight: 0,28 kg Retailbox: 4 Oldart.no. -Length: 5cm






























· Perfectly finished stainless steel head with 7 prongs provide ultimate precision and control.

• Comfortable SoftGrip" handle allows for multiple handle positions, while its longer length brings balance and extra power when

· Convenient hanging hole on handle for easy storage.

Xact <sup>™</sup> Small Weeding Knife					Art.no.	1027045	Z	6"411501" 351029
Height: 33,8 cm	Length: 3cm	Width: 9,4cm	Weight: 0,27 kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 3 5 1 0 2 9







· Dual blade weeding knife for removing weeds and moss between paving stones and patios.

• Precisely finished stainless steel blades provide ultimate performance and control.


· Comfortable SoftGrip™ handle allows for multiple handle positions, while its longer length brings balance and extra power when

· Convenient hanging hole on handle for easy storage.

Xact <sup>™</sup> Extractor						1027046
Height: 39,6 cm	Length: 3,6cm	Width: 4,3cm	Weight: 0,26kg	Retailbox: 4	Oldart.no.	-













· Comfortable SoftGrip™ handle allows for multiple handle positions, while its longer length brings balance and extra power when

· Convenient hanging hole on handle for easy storage.

Xact <sup>™</sup> Cultivator						1027047
Height: 32.3cm	Length: 6.2 cm	Width: 9.2cm	Weight: 0,26kg	Retailbox: 4	Oldart.no.	_











- Durable and functional cultivator for loosening soil, removing weeds and aerating soil.
- · Large and sharp stainless steel tines provide maximum soil contact
- $\bullet {\sf Comfortable\,SoftGrip} ``handle\,allows\,for\,multiple\,handle\,positions,$ while its longer length brings balance and extra power when
- $\boldsymbol{\cdot} \textbf{Convenient hanging hole on handle for easy storage.}$

# **Premium Planters<sup>™</sup> Nursery Tools**

Fiskars Premium Planters™ tools are constructed with added durability for repetitive tasks and heavy use in tough, hard ground.



Premium F	Planters <sup>™</sup> Tra	nsplanter	Art.no. 1000727	z		
Height: 27,5 cm	Length: 4cm	Width: 7cm	Weight: 0,11kg	Retailbox: 4	Oldart.no. <b>137210</b>	6 411501 372109
		-		reddot design award winner 2011	For planting and weeding i     Perfect for use in narrow b     Stainless steel blade.	n hard ground. ed layouts and on balconies.

Premium Planters <sup>™</sup> Cultivator					Art.no. <b>1000728</b>	Z Z
Height: 25cm	Length: 5cm	Width: 8cm	Retailbox: 4	Oldart.no. <b>137220</b>	6 4 1 1 5 0 1 3 7 2 2 0 8	
3	-	-		reddot design award winner 2011	For aerating and loosening     Stainles steel blade.	g soil in hard ground.

# **Ergo**<sup>™</sup> Hand Tools

Ergo <sup>™</sup> Trow	rel		Art.no. <b>1027017</b>	z		
Height: 30cm	Length: 2,5cm	Width: 7,5cm	Weight: 0,17 kg	Retailbox: 4	Oldart.no	6 411501 350718
	-			VPA Copyrille Schanner		ille digging in dense soil.

Ergo <sup>™</sup> Transplanter						1027018	EAN	6"411501" 350725"
Height: 30 cm	Length: 2,5cm	Oldart.no			6 4 1 1 5 0 1 3 5 0 7 2 5			
	_	3		VPA S	<ul> <li>Lightweig</li> </ul>	ansplanting small pla ht, ergonomically sha elps reduce fatigue.		nd flowers. handle feels natural in your







- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{digging} \, \mathsf{in} \, \mathsf{tough} \, \mathsf{soil} \, \mathsf{and} \, \mathsf{breaking} \, \mathsf{up} \, \mathsf{hardened} \, \mathsf{dirt} \, \mathsf{clods}.$  $\cdot \text{Lightweight, ergonomically shaped handle feels natural in your}$
- hand and helps reduce fatigue.

• Steel head won't break while digging in dense soil.

perfect transplants.

• Gradation marks on the blade make it easy to measure depth for

• Steel head won't break while digging in dense soil. · Large tines provide maximum soil contact to speed up work.

Ergo <sup>™</sup> Cultiv	ator Hoe	Art.no.	1027030	24 6 4 1 1 5 0 1			
Height: 30,5 cm	Length: 7,5 cm	Width: 18cm	Weight: 0,25 kg	Retailbox: 4	Old art. no.	-	6 41150
				VPA (	· Ideal for lo	osenina. aeratina ar	nd shaping tough soil.





- Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- · Sharpened hoe blade breaks up hard soil easily.
- · Large cultivator tines provide maximum soil contact to speed
- · Handle hang hole offers easy storage.

Ergo <sup>™</sup> Weeding Knife						1027031	Z	
Height: 31cm	Length: 2,5cm	Width: 2,5cm	Weight: 0,13 kg	Retailbox: 4	Old art. no.	-	<b>1</b>	6 4 1 1 5 0 1 3 5 0 7 5 6



- · Ideal for removing dandelions, thistles and other invasive plants. · Lightweight, ergonomically shaped handle feels natural in your hand and helps reduce fatigue.
- Steel head won't break while digging in dense soil.
- ${\boldsymbol{\cdot}}\, {\text{Sharpened forked tip helps you remove weeds by the roots}.$



# **White Nursery Tools**

Trowel, white Art.no. **1027032** Length: 4,7cm Height: 29,1cm Width: 8,3cm Weight: 0,08 kg Retailbox: 16 Oldart.no. -





- · Ideal for planting and transplanting.
- Rustproof.
- Hang hole for easy storage.Can lift up to 35 kg.
- Transplanter, white Art.no. 1027033 Height: 29,1cm Length: 4,2 cm Width: 5,8cm Weight: 0,07kg Oldart.no. -





- · Ideal for planting and weeding.
  - Perfect for use in narrow bed layouts and on balconies.
    Lightweight, durable FiberComp" material.

  - ·Rustproof.
  - · Hang hole for easy storage.
- ·Can lift up to 35 kg.

Fork, white	Art.no.	1027034				
Height: 26,3 cm	Length: 4cm	Width: 7,8cm	Weight: 0,09 kg	Retailbox: 16	Oldart.no.	-





- Ideal for planting and weeding whilst protecting roots.
   Lightweight, durable FiberComp" material.
- · Rustproof.
- Hang hole for easy storage.
- ·Can lift up to 35 kg.

<b>Cultivator</b> H	Art.no.	1027035				
Height: 27,6 cm	Length: 5cm	Width: 7,6cm	Weight: 0,09 kg	Retailbox: 16	Oldart.no.	-





- · Ideal for multiple planting and weeding tasks.
- · Lightweight, durable FiberComp™ material.
- · Hang hole for easy storage.
- · Can lift up to 35 kg.

# **Solid**<sup>™</sup> Nursery Tools

Solid <sup>™</sup> Plante	ers Trowel				Art.no.	1071899	Z
Height: 28,2 cm	Length: 4,9cm	Width: 8cm	Weight: 0,08 kg	Retailbox: 16	Oldart.no.	1000694	6 411501 705754





- $\,\cdot\,^*\,\text{Made}$  from 65% recycled plastic with fibreglass for durability.
- $\cdot \text{Ideal for breaking up soil and digging small holes in planters and}$ garden beds.
- ·UV resistant.
- · Convenient hang hole offers easy storage options.

Solid <sup>™</sup> Plant	ers Transpla	nter			Art.no.	1072101	6"411501"705778"
Height: 28,2 cm	Length: 4,5 cm	Width: 6cm	Weight: 0,07kg	Retailbox: 16	Oldart.no.	1000695	6 4 1 1 5 0 1 7 0 5 7 7 8





- ${\boldsymbol{\cdot}}^{\star} \mathsf{Madefrom\,65\%} \, \mathsf{recycled\,plastic\,with\,fibreglass\,for\,durability}.$
- $\cdot \ \, \text{Ideal for transplanting small plants in tight spaces}.$
- ·UV resistant.
- · Convenient hang hole offers easy storage options.

Solid <sup>™</sup> Plant	ers Cultivato	r			Art.no.	1072102	E A N
Height: 27,4 cm	Length: 8,1cm	Width: 8,2cm	Weight: 0,08 kg	Retailbox: 16	Oldart.no.		6 411501 705785





- \* Made from 65% recycled plastic with fibreglass for durability.
   Wide tines are angled to loosen compact soil and remove weeds
- in garden beds.
- ${\color{red} \bullet} \textbf{ Convenient hang hole offers easy storage options.}$

Solid <sup>™</sup> Plant	rk	Art.no.	1072103	z	6'411501'705792			
Height: 27,7 cm	Length: 4,5cm	Width: 8,2cm	Weight: 0,07kg	Retailbox: 16	Old art. no.	1000696		6 4 1 1 5 0 1 7 0 5 7 9 2





- ·\* Made from 65% recycled plastic with fibreglass for durability. · Narrow, curved tines aerate soil, remove rocks and weeds and spread compost over small areas.
- •UV resistant.
- · Convenient hang hole offers easy storage options.

Solid <sup>™</sup> Plant	ers Hoe		Art.no.	1072100	Z		
Height: 28,2 cm	Length: 18,9 cm	Width: 7,4 cm	Weight: 0,12 kg	Retail box: 12	Old art. no.	1001601	6"411501" 705761"





- \* Made from 65% recycled plastic with fibreglass for durability. · Wide, flat edge for digging seed furrows or chopping up tough
- $\bullet \textit{Forked edge for aerating soil and removing weeds and rocks}.$
- · Convenient hang hole offers easy storage options.



# Yard Cleaning



# Patio & Yard Brooms

Fiskars offers a range of brooms that make light work of outdoor yard and garden clearing, including front doors, sidewalks, driveways garages, stairs, wooden decks and more.

Our brooms' ingeniously-designed heads combine attractive design with functionality and durability.

# Features & benefits

Functional grip knob offers a comfortable grip & easy storage solution

#### 2 Durable materials & construction

Perfect selection of durable, weather tolerant materials suitable for outdoor use

#### 3 Efficient & effortless to use

Optimal combination of bristles for efficient sweeping of different surfaces. The light weight aluminium handles ensures that sweeping can be undertaken without fatigue or back ache.

#### Modern functional design

Purposefully designed broom heads that reach & sweep even the tightest spots. The brooms have an aesthetic design that is pleasant to have by your front door.

# **Light Broom**



# Solid<sup>™</sup> All Purpose Yard Brooms



Solid <sup>™</sup> All Pu	Art.no.	1025926				
Height: 172 cm	Length: 12,5 cm	Width: 48 cm	Weight: 0,87kg	Retailbox: 2	Oldart.no.	-





- · All-purpose yard broom for clearing pavements, patios and other large areas like driveways and garages.
  - Cleanly sweeps garden leaves and debris, while featuring a scrap ping edge for stubborn dirt.
  - PowerClean™ combines soft and hard bristles for efficient sweep
  - $\label{eq:continuous} \textbf{.} \\ \textbf{.} \\ \textbf{Modern, functional, lightweight design for better ergonomics.} \\$



- · Offers a clean sweep of all garden leaves and debris.
- The ends of the broom curve inwards, making it ideal for cleanly gathering and sweeping garden leaves and debris.
- PowerClean combines soft and hard bristles for efficient sweep-
- · Modern, functional, lightweight design for better ergonomics.
- Use with Solid Shaft (1014913)
- Spare part for Solid All purpose broom, M (1025921).






- · All-purpose yard broom for clearing pavements, patios and other large areas like driveways and garages.
- · Cleanly sweeps garden leaves and debris, while featuring a scrap-
- ping edge for stubborn dirt.

   Power Clean" combines soft and hard bristles for efficient sweep $ing. \\ \bullet \textit{Modern}, \textit{functional}, \textit{lightweight} \, \textit{design} \, \textit{for} \, \textit{better} \, \textit{ergonomics}.$
- · Use with Solid Shaft (1014913).
- ·Spare part to Solid "All purpose yard broom, L (1025926).


Solid <sup>™</sup> Shaft	t				Art.no.	1014913	z	
Height: 157,5 cm	Length: 3cm	Width: 2,8cm	Weight: 0,31kg	Retailbox: 10	Oldart.no.	135001	E N	6 4 1 1 5 0 1 3 5 0

- Lightweight, durable aluminium construction.
   Compatible with Solid "Broom heads (article No 1025930 & 1025931).





# MyFirst Fiskars Kids Tools







· Thick, but soft plastic bristles for maximum comfort, functionality and long-term durability.

#### MyFirst Fiskars Trowel + Cultivator Set

Weight: 0,22kg Length: 3,4 cm Width: 7cm

1062471 Art.no.

Oldart.no. -





Retailbox: 24

 Long handles allow for multiple grips. Made of fibre-reinforced materials for durability.

#### MyFirst Fiskars 4pc Short-handled Set

Height: 33,3 cm Length: 5,7 cm

Width: 22,86cm Weight: 1kg

Oldart.no. -

Art.no. 1062472







Retailbox: 4

· Quality, lightweight tools are right-sized for kids' hands.

#### MyFirst Fiskars Essentials Set

Height: 88,1cm | Length: 10,7cm | Width: 19cm

Weight: 0,39 kg

Art.no.

Art.no. 1062474

Oldart.no. -





· Lightweight, yet strong, aluminium handles resist rust. Durable, fibre-reinforced plastic heads.



Height: 86,3cm Length: 6,8cm

Width: 19,8cm

Weight: 0,48kg

Retailbox: 4





- · Lightweight, yet strong, aluminium handles resist rust.
- Durable, fibre-reinforced plastic heads.
- ·Broom features strong, flexible bristles for effective sweeping.



# Fiskars QuikFit<sup>™</sup>



Click & Reach p.135
Click & Clean p.137
Click & Grow p.140

# Smart and safe











#### Click & Reach

Within the Click & Reach range, QuikFit™ offers easy solutions for those hard-toreach tasks, paying special attention to safety. Forget the ladder when sawing high branches or cleaning gutters - let QuikFit™ do the job from the ground up.

#### Click & Clean

Within the Click & Clean range, QuickFit™ offers easy solutions for cleaning your lawn and yard, with special attention paid to functionality and storage efficiency. With their unique and smart design, QuikFit™ rakes and brooms allow you to tidy up your garden with minimal effort, all while keeping your shed neat and clutter-free.

#### Click & Grow

Within the Click & Grow range, QuikFit<sup>™</sup> offers easy and mobile solutions for cultivating vegetables and flowers in your garden, summer cottage or city allotment. The unique space-saving system, where one shaft can be used with several tool heads, makes transportation and storage easy.


## QuikFit<sup>™</sup> Click & Reach



reddot design award winner 2010

ee Cutter		Art.no. 1001410						
Length: 7,5 cm	Width: 12,5cm	Weight: 0,57kg	Retailbox: 6	Oldart.no.	136525	6 411501 365255		
•	E			<ul><li>No externa any branch.</li><li>Anvil cuttin</li><li>Cut capaci</li></ul>	al ropes on the cu ng action for dry a ty: Ø 32 mm.	12) with PowerReel* mechanism. Itting head allows you to easily reach and hard wood.  copic Shaft L and Telescopic Shaft M.		
urved Saw				Art.no.	1000691	EAN		
Length: 6cm	Width: 14 cm	Weight: 0,32 kg	Retailbox: 6	Oldart.no.	136527	5 905568 365279		
	Length: 7,5 cm	Length: 7,5 cm Width: 12,5 cm	Length: 7,5 cm Width: 12,5 cm Weight: 0,57 kg	Length: 7,5 cm Width: 12,5 cm Weight: 0,57 kg Retail box: 6	Length: 7,5 cm Width: 12,5 cm Weight: 0,57 kg Retailbox: 6 Oldart.no.  - Enhanced - No externa any branch Anvil cuttin - Cut capaci - Recommen	Length: 7,5 cm  Width: 12,5 cm  Weight: 0,57 kg  Retailbox: 6  Oldart.no. 136525  - Enhanced cutting power (x - No external ropes on the cu any branch Anvil cutting action for dry a - Cut capacity: Ø 32 mm.  Recommended Shaft: Teles		





see your yield. · Durable, lightweight Fiber Comp™ design.  $Recommended\,Shaft: Telescopic\,Shaft\,L, Telescopic\,Shaft\,M\,and$ 

QuikFit <sup>™</sup> Gu	tter Cleaner				Art.no.	1001414	EAN
Height: 26cm	Length: 7cm	Width: 34cm	Weight: 0,34kg	Retailbox: 6	Oldart.no.	135542	5 9055





- $\bullet \, \text{Brush and scraper combination offers a full complement of gutter} \,$ cleaning capabilities.

  Adjustable angle ensures optimal positioning of tool safely from

Recommended Shaft: Telescopic Shaft L and Telescopic Shaft M.

QuikFit <sup>™</sup> Te	Art.no.	1000666				
Height: 140 cm	Length: 4,5cm	Width: 7,5cm	Weight: 1,01kg	Retailbox: 6	Oldart.no.	136042



- · Specially designed for hard-to-reach tasks in the garden with a reach of up to 4 metres.
- Fits conveniently into most cars.
- · Dual locking system for maximum safety.
- Lightweight aluminium construction.
  Adjustable shaft length from 1400 2400 mm.

# QuikFit<sup>™</sup> Click & Reach



QuikFit <sup>™</sup> Tel	escopic Sha	ft, L	Art.no.	1000665	EA PA		
Height: 228,5 cm	Length: 4cm	Width: 9,5 cm	Weight: 1,55 kg	Retail box: 4	Oldart.no.	136032	5 905568 360328
					reach of up Dual lockir Lightweigl	0	ruction.


# QuikFit<sup>™</sup> Click & Clean



red<mark>dot</mark> design award winner 2010

QuikFit <sup>™</sup> Leaf Rake, L					Art.no.	1000642	BA BA		
Height: 41,5 cm	Length: 6cm	Width: 51cm	Weight: 0,32 kg	Retailbox: 6	Oldart.no.	135013	6 4 1 1 5 0 1 3	50138	
<u></u>					•Tines work •25 soft and bending.	k in a pull direction for	eaves and grass cuttings more comfort with less PBT plastic tines withst	effort.	

QuikFit <sup>™</sup> Leaf Rake Metal					Art.no.	1000644	A 6 4 1 1 5 0 1 3 5 2 0 1 9
Height: <b>59 cm</b>	Length: 7,5 cm	Width: 45 cm	Weight: 0,50 kg	Retailbox: 6	Oldart.no.	135201	6 411501 352019
10						ing loose moss and gr steel prongs.	ass cuttings from the lawn.





• Wide rake for gathering leaves and cutting waste from lawn areas. • Hardened carbon steel head.

Recommended Shaft: Shaft L.

Recommended Shaft: Shaft L.

QuikFit <sup>™</sup> Aer	ator Rake				Art.no.	1000655	EAN	5 9 0 5 5 6 8 5 4
leight: <b>36cm</b>	Length: 8,2cm	Width: 35,5 cm	Weight: 0,99 kg	Retailbox: 2	Old art. no.		Ä	5 905568 54



 $\bullet For \, removing \, moss \, and \, that ch \, from \, lawn \, areas.$ 

· Hardened carbon steel head.

Recommended Shaft: Shaft L.

QuikFit <sup>™</sup> Lea	f Rake, S				Art.no.	1000659	Z.	6 4 1 1 5 0 1 3 5 5	
leight: <b>41cm</b>	Length: 4,2cm	Width: 22cm	Weight: 0,17 kg	Retailbox: 6	Old art. no.	135551	/	6 4 1 1 5 0 1 3 5 5	5 5 1





 ${\boldsymbol{\cdot}} \text{Convenient small leaf rake for clearing around narrow beds and}$ borders. • Tines work in a pull direction for more comfort with less effort.

•11 soft and flexible, high-quality PBT plastic tines withstand

Recommended shaft: Shaft M and L.



red<mark>dot</mark> design award winner 2010





Durable FiberComp<sup>™</sup> frame with 7 steel tines.

•13 cm working width - ideal for nursery spaces and narrow plant

Recommended shaft: Handle S and Shaft M.





- · Easily clear space between your lawn and hard surfaces by stepping on the blade and driving it deep into the soil.

  Great for edging borders.

  Hardened boron steel head with flat top.

Recommended shaft: Shaft M and L.

QuikFit <sup>™</sup> Yard Broom						1001417	Z	5 9 0 5 5 6 8 3 5 5 3 2 4
Height: 29 cm	Length: 10 cm	Width: 26cm	Weight: 0,33kg	Retailbox: 6	Oldart.no.	135532		5 905568 355324





- $\verb|-All-purpose| yard broom. \\ \verb|-Featuring| PowerClean" soft and hard combing bristles for efficient$ sweeping.

Recommended shaft: Shaft M and L.

QuikFit <sup>™</sup> Pati	Art.no.	1001416				
Height: 31cm	Length: 9,5 cm	Width: 38cm	Weight: 0,34kg	Retailbox: 6	Oldart.no.	135533



- $\cdot \textit{For sweeping smooth surfaces like patios, wooden decks and} \\$ polished concrete floors.
- · Wide brush head and soft bristles allow for fast, efficient sweeping.

Recommended shaft: Shaft M and L.

QuikFit <sup>™</sup> Sw	Art.no.	1001415				
Height: 39,5 cm	Length: 7cm	Width: 26cm	Weight: 0,39 kg	Retailbox: 6	Oldart.no.	135534



• A modern take on the traditional sweeping broom. ·Robust construction and long bristles make it ideal for use on

 $Recommended\,shaft:\,Shaft\,M\,and\,L.$ 



red<mark>dot</mark> design award winner 2010

QuikFit <sup>™</sup> Pa	ving Brush		Art.no. <b>1000657</b>	z		
Height: 32,5cm	Length: 4,5cm	Width: 14,5 cm	Weight: 0,19 kg	Retailbox: 6	Oldart.no. <b>135522</b>	Z 5 9 0 5 5 6 8 3 5 5 2 2 5
8					O O	eeds from between paving slabs. e for stubborn moss and dirt. g paving and slabs.

·Lightweight FiberComp" construction for added durability and resistance to moisture. Recommended shaft: Shaft M and L.

QuikFit <sup>™</sup> Patio Knife						1000687	z
Height: 33,5cm	Length: 7cm	Width: 7,5 cm	Weight: 0,16 kg	Retailbox: 6	Oldart.no.	136521	5 905568 540393
					•ldealtool	for removing grass n	noss and weeds from between

- slabs, block paving, wall corners and steps. · Blade of hardened boron steel.

Recommended shaft: Shaft Mand L.

QuikFit <sup>™</sup> Stra	aight Saw				Art.no.	1000692	z	
eight: <b>62cm</b>	Length: 10 cm	Width: 10 cm	Weight: 0,20 kg	Retailbox: 6	Oldart.no.	136528	5 905568 36528	<sub>6</sub>



- $\cdot \text{For sawing tasks in the garden}.$
- ·FiberComp slider and adaptor.
- · Hardened steel blade with a length of 345 mm.

Recommended shaft: Shaft M and L.

138

coarser debris, leaves, etc..

# QuikFit<sup>™</sup> Click & Grow









•For raking, leveling or smoothing seed beds that cover a wider

•14 spikes of hardened carbon steel.

Recommended shaft: Shaft L.

QuikFit <sup>™</sup> So	Art.no.	1000654				
Height: 26,5 cm	Length: 8cm	Width: 61,4cm	Weight: 0,45 kg	Retail box: 6	Oldart.no.	135512





·16 tines of hardened carbon steel.

Recommended shaft: Shaft L.

QuikFit <sup>™</sup> Uni	Art.no.	1000643				
Height: 26cm	Length: 11cm	Width: 41cm	Weight: 0,28kg	Retailbox: 6	Oldart.no.	135051




- $\cdot \text{For raking and clearing long, loose grass, as well as leveling soil and} \\$
- sand or packing down soil while making planting beds.

  12 FiberComp" tines designed at a specific angle to help with
- ergonomic posture.

   Leveling function helps even soil beds.

Recommended shaft: Shaft L.





- $\cdot \text{Unique head shape allows you to work between plants and stems} \\$
- without causing damage.
- · Ideal for narrow bed layouts. •10 teeth of hardened boron steel.

Recommended shaft: Shaft L and M.

QuikFit <sup>™</sup> Cu	Art.no.	1000680				
Height: 40 cm	Length: 12 cm	Width: 12cm	Weight: 0,40 kg	Retailbox: 6	Oldart.no.	136511



- For cultivating, scarifying, aerating and breaking up soil.
  Suitable for seed bed preparation and maintenance.
- · Hardened carbon steel blade.

Recommended shaft: Shaft L



	QuikFit <sup>™</sup> Cultiweeder						1000681	Z	
Height 41,3cm Length 17,3cm Wildin 12,3cm Weight 0,3rkg Netailbox 6 Oldartho. 130312	Height: 41,5 cm	Length: 17,5 cm	Width: 12,5 cm	Weight: 0,51kg	Retail box: 6	Oldart.no.	136512	E	5 905568



- For cultivating, scarifying, aerating and breaking up soil.
   Suitable for seed bed preparation and maintenance.
- · Hardened carbon steel blade.

Recommended shaft: Shaft L

QuikFit <sup>™</sup> Gru	ubber				Art.no.	1000685	Z	
Height: 36,5 cm	Length: 10 cm	Width: 9cm	Weight: 0,36 kg	Retailbox: 6	Oldart.no.	136517		5 905568 365170

- · For cultivating and aerating garden flower beds.
- · Hardened carbon steel blade.

Recommended shaft: Shaft Mand L.

QuikFit <sup>™</sup> Ho	Art.no.	1000677	Z				
Height: <b>32,5cm</b>	Length: 9,5 cm	Width: <b>19,5 cm</b>	Weight: 0,27kg	Retailbox: 6	Oldart.no.	136503	E/



- $\cdot \textit{Efficient tool for removing weeds between rows of plants or}\\$
- breaking up the soil.
- · Blade of stainless steel

Recommended shaft: Shaft L

QuikFit <sup>™</sup> Pus	Art.no.	1000738	Z					
leight: <b>37,5 cm</b>	Length: 4,5 cm	Width: 15,5 cm	Weight: 0,39 kg	Retailbox: 6	Old art. no.	139970	4	<sub>5</sub>



- $\cdot \, \text{Useful for weeding as it loosens the soil simply by pushing and} \\$ pulling back and forth.

  · Hardened boron steel head.

Recommended shaft: Shaft L

QuikFit <sup>™</sup> Ho	e, 3 functions	3			Art.no.	1000682	3	
eight: <b>42cm</b>	Length: 4cm	Width: 13 cm	Weight: 0,27kg	Retailbox: 6	Old art. no.	136513	E/	5 9 0 5 5 6 8 5 4 0 4 3 0

- For working around stems and in narrow spaces.
   Blade is sharpened on 3 sides to assist cultivating at different
- · Blade of hardened boron steel.

Recommended shaft: Shaft L.



red<mark>dot</mark> design award winner 2010





 $\cdot \text{Sharp, ground weeding blade for removing weeds, breaking up} \\$ soil, creating seed rows or removing moss from patios.

· Blade of hardened boron steel.

Recommended shaft: Shaft L.


Art.no. 1000676

Oldart.no. 136502



QuikFit<sup>™</sup> Dutch Hoe

Height: 38,5cm Length: 4cm



Weight: 0,34 kg

Weight: 0,20 kg

Retailbox: 6

Retailbox: 6

Weight: 0,23kg

Retailbox: 6

Width: 12,5 cm

Width: 9cm

Width: 7,5 cm



· Used for aerating smaller, narrower plots.

- · Allows nutrients to penetrate the surface and helps seed, fertiliser,
- water, air and light to reach the roots.

1000683

· Hardened steel blades.

Recommended shaft: Shaft L.





- ${\boldsymbol{\cdot}}\, \mathsf{Tool}\, \mathsf{design}\, \mathsf{protects}\, \mathsf{plants}\, \mathsf{roots}.$
- · Carbon steel head.

Art.no. 1000734

Oldart.no. 137562

Oldart.no. **136515** 

Art.no.

Recommended shaft: Handle S and Shaft M.



QuikFit<sup>™</sup> Double Scraper Hoe

Height: 28,2cm Length: 14,7cm

- $\cdot \text{Versatile use} \, \text{on patios} \, \text{and for removing grass, moss and weeds} \,$
- from between tiles and slabs. · Can also be used to cultivate plant beds.
- · Boron steel blades with carbon steel thong.

Recommended shaft: Handle S and Shaft M.



QuikFit<sup>™</sup> Double Hoe 1000735 Art.no. Height: 28,2cm Length: 14,3cm Width: 7,5 cm Weight: 0,19 kg Retailbox: 6 Oldart.no. 137572



- · Versatile use with dual functionality.
- · For breaking up soil, cultivating plant beds and weeding.
- ·Boron steel blades with carbon steel thong.

Recommended shaft: Handle S and Shaft M.



red<mark>dot</mark> design award winner 2010

QuikFit<sup>™</sup> Trowel Art.no. 1000730 Height: 41cm Length: 5,5 cm Width: 7,5 cm Weight: 0,29 kg Retailbox: 6 Oldart.no. 137512



· For planting and transplanting.

·Boron steel head.

Recommended shaft: Handle S and Shaft M.

QuikFit <sup>™</sup> Weed Extractor						1000731	X
Height: 42,5cm	Length: 4cm	Width: 7,5 cm	Weight: 0,23 kg	Retailbox: 6	Oldart.no.	137522	5 905568



- $\cdot \text{For planting and transplanting.} \\$
- · Boron steel head.

Recommended shaft: Handle S and Shaft M.

QuikFit <sup>™</sup> Sha	Art.no.	1000661	z					
Height: 157cm	Length: 3,5 cm	Width: 7,5 cm	Weight: 0,49 kg	Retailbox: 6	Oldart.no.	136001	EA	



- Teardrop-shaped, hardened aluminium shaft with SoftGrip<sup>™</sup> for optimum comfort.
- · Hang hole for easy storage.
- · Shaft works with several heads for all-around use in the garden.

QuikFit <sup>™</sup> Sha	Art.no.	1000664				
Height: <b>87,5 cm</b>	Length: 4cm	Width: 7,5 cm	Weight: 0,31kg	Retailbox: 6	Old art. no.	136022



- $\cdot \text{Medium-length shaft can be used with nursery tools, cultivators}$ and hoes.
- Teardrop-shaped, hardened aluminium shaft with SoftGrip<sup>™</sup> for optimum comfort.
- · Hang hole for easy storage.
- · Shaft works with several heads for all-around use in the garden.

QuikFit <sup>™</sup> Ha	ndle,S		Art.no.	1000663	EAN			
eight: <b>25,5cm</b>	Length: 4,5 cm	Width: 8cm	Weight: 0,11kg	Retailbox: 6	Old art. no.	136012		5 905568 360





- · Small handle ideal for use with nursery tools.
- · Teardrop-shaped, hardened aluminium shaft with SoftGrip™ for optimum comfort.
- · Hang hole for easy storage.
- · Shaft works with several heads for all-around use in the garden.




 QuikFit™ Universal Adapter
 Art.no.
 1000617

 Height: 17,1cm
 Length: 4,3cm
 Width: 3cm
 Weight: 0,07kg
 Retailbox: 6
 Oldart.no.
 130000



For connecting a variety of interchangable heads produced by other manufacturers.





<sup>·</sup> Lightweight FiberComp "construction.

# Wood Preparation

Over 300 years of axe expertise.

In the midst of the Finnish woodlands lies the small village of Fiskars, where the timeless traditions of crafting the highest quality hand tools have been passed down through the generations since 1649.

**Axes p.148** 

WoodXpert<sup>™</sup> p.160

Yard clearing tools p.168

**Saws p.170** 

Other Tools p.173

Knives p.175




# Norden Axes

**GUARANTEE** 

With Norden axes, Fiskars returns to its deep roots. The finest hickory is used to craft a handle with the authentic and natural feel of the traditional wooden axes. Yet as with all its axes, Fiskars always insists on the highest possible performance. After thorough testing, you can be sure that the blade will always stay attached, while enjoying unparalleled performance, endurance and durability.

Fiskars Norden. Pure performance.



#### Features & benefits

- 1 Safest, undetachable axe head and shaft connections
- 2 Virtually unbreakable, FiberComp™ overstrike protection for lightweight, break- and shock-proof use
- 3 Hooked handle for secure grip & control

Ultra stay-sharp blades are double-hardened to optimise strength in demanding situations.

Precision-ground cutting edge with low-friction coating.

- Optimal weight balance
- Optimally designed blades for chopping & splitting

#### High quality, durable materials

- 7 High-quality, hickory wood handle made from sustainably managed forests
- Carbon steel blades



reddot award 2019 best of the best

Made in **Finland** 

#### **Norden Axes**

MADEIN







FENNIAprize 20

FENNIAPRIZE 20



Width: 10 cm

For easy splitting of small sized logs up to Ø 20 cm Its 50 cm shaft size makes it a perfect size also for 2 handed use.

Product: 3.2 x 49.5 x 15.2 cm.

reddot award 2019 Art.no. 1057531

Weight: 0,04 kg Retailbox: 6 Oldart.no. -



Height: 18,8 cm

Premium Axe Blade Cover, XS

Length: 2,5 cm

- · Premium axe blade cover for safe storage & carrying.
- · Made of recyled leather 100% natural materials
- Snap closure ensures that blade cover stays in place
- High quality leather with reinforced edge for sheath durability.
- · Water resistant for axe protection against rust.
- · Suitable axe blade cover for Fiskars axe models N7, X5, X7, A5 & A6.

Premium A	Art.no.	1057532	Z				
Height: 20,5 cm	Length: 3cm	Width: 10 cm	Weight: 0,04 kg	Retailbox: 6	Oldart.no.		EA





- Premium axe blade cover for safe storage & carrying.
- Made of recyled leather 100% natural materials.
- Snap closure ensures that blade cover stays in place
- · High quality leather with reinforced edge for sheath durability.
- · Water resistant for axe protection against rust.
- · Suitable axe blade cover for Fiskars axe models N10, N12, X10, X11,

## Norden knives & sharpener



Retailbox: 4

Art.no. 1071897



· Made of natural, highest-quality materials and crafted to last generations. Stainless steel blade is easy to sharpen & maintain, resists rust.

Natural birch wood handle is comfortable and secure in your hand and is waxed for long-lasting durability. FSC° certified. · Included recycled leather sheath is lined for reliable safety and blade protection.

·Blade length: 78mm; total length: 196mm.

Oldart.no. -

Art.no. 1072090

Oldart.no. -









 Beautiful and functional Outdoor knife excels at a range of tasks from whittling and woodwork to camping, fishing and hunting. ·Made of natural, highest-quality materials and crafted to last

- Stainless steel blade is easy to sharpen & maintain, resists rust. · Natural birch wood handle is comfortable and secure in your hand. Wood handle is FSC® certified (FSC C108780) and is waxed for
- ·Included recycled leather sheath is lined for reliable safety and blade protection.
- · Blade length: 98mm; total length: 215mm

#### Norden axe and knife sharpener

Length: 20,6cm Width: 5,9cm

Weight: 0,13 kg

Retailbox: 4

Art.no. 1071898 Oldart.no. -

long-lasting durability







- Fiskars Norden Axe and knife sharpener optimises regular mainte nance of axes and knives, guaranteeing cutting-edge sharpness.
- · Sharpening slot ensures tool stays in place for safe sharpening. Ceramic grindstone efficiently sharpens in both directions
- Ceramic finishing stone for fine-grinding. · Authentic, natural birch wood body is FSC® certified (FSC
- C108780) and is comfortable in your hand.
- Recycled leather hanging loop for easy storage
- Portable size is easy to take along on outdoor activities.



WOOD PREPARATION WOOD PREPARATION

# X-series Axes





#### **NEW DESIGN**

New improved splitting blade design for improved spitting performance Wider cutting edge & wider splitting wedge improves splitting power & make the blades easier to remove

#### New ultra light hiking axe, masterfully designed for the outdoors


Light, sized for easy carrying, stowaway and comfortable single-handed use. It's orange handle is durable and easy-to-spot. Includes sheath for safety when driving tent stakes into the ground. With belt loop and reliable locking mechanism.

#### New ergonomically curved handle on small universal axes

provides a natural, comfortable wrist position during use.









Fiskars next-generation universal axes serve all manners of woodwork, chopping, carpentry and pruning. The range delivers a wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand. The Universal Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.



#### Splitting axes

Fiskars next-generation splitting axes are a true evolution of craftsmanship -purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.


The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.





WOOD PREPARATION WOOD PREPARATION

## **NEW! X-series**<sup>™</sup> Chopping Axes



 ${\color{red} \bullet} \, \text{New improved forged steel blade design ensures clean, easy cuts.}$ 

Art.no. 1069104

Oldart.no. -

Retailbox: 4

- · Proprietary blade-grinding provides a sharp edge, double-hardened to maintain its sharp edge longer.
- · Low-friction blade coating for easy glide through & rust protection. Ultralight & durable Fiber Comp "shaft construction is virtually
- unbreakable & offers superior overstrike protection.
- · Ergonomic handle provides a neutral, comfortable wrist position
- during use, with textured SoftGrip for a comfortable, secure hold.


Height: 63,5 cm	Length: 3,5cm	Width: 20,7cm	Weight: 1,59 kg
New			250
No		_	
	DE IN		
FIN	LAND		

MADE IN

X24 Chopping axe M blade

- · Ideal for felling trees and all-purpose chopping.
- · New improved forged steel blade design ensures clean, easy cuts.
- · Proprietary blade-grinding provides a sharp edge, double-hardened to maintain its sharp edge longer.
- ·Low-friction blade coating for easy glide through & rust protection. · Safest, undetachable axe head and shaft connection.
- · Ultralight & durable FiberComp™ shaft construction is virtually
- unbreakable & offers superior overstrike protection.
- · Perfected weight balance for more power at impact.
- Oversized, textured SoftGrip arip zone for comfort and control.

# **NEW! X-series**<sup>™</sup> Splitting Axes



MADEIN

X36 Splitting axe L blade

- ened to maintain its sharp edge longer. · Low-friction blade coating for easy glide through & rust protection.
- · Ultralight & durable Fiber Comp shaft construction is virtually
- unbreakable & offers superior overstrike protection.

1069109

Art.no.

- Perfected weight balance for more power at impact.
   Oversized, textured SoftGrip" grip zone for comfort and control.



- Oldart.no. -
- · Ideal for splitting large logs, more than 30 cm diameter New improved forged steel blade design adds power and makes the blade easier to remove from wood.
- · Proprietary blade-grinding provides a sharp edge, double-hardened to maintain its sharp edge longer.
- · Low-friction blade coating for easy glide through & rust protection. Ultralight & durable FiberComp<sup>™</sup> shaft construction is virtually
- unbreakable & offers superior overstrike protection.
- Perfected weight balance for more power at impact
- · Oversized, textured SoftGrip grip zone for comfort and control.

# X-series<sup>™</sup> Axes

GUARANTEE 25
YEARS'

Fiskars next-generation splitting axes are a true evolution of craftsmanship, purposefully designed for one-strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.


#### **KEY BENEFITS**

- √ 35 degree convex cutting bevel angle for splitting axes - the convex shape strengthens the edge to make it less sensitive to fracture
- ✓ Perfect balance between head and shaft for the most safe, comfortable and efficient swing
- ✓ Ultralight and durable FiberComp<sup>™</sup> shaft minimizes fatigue and makes the axe virtually unbreakable
- ✓ Optimal anti-shock surface structure ensures a comfortable, firm grip
- ✓ Hooked end of the handle prevents the axe from slipping out of the hand
- Comes with a plastic sheath for easy carrying and storage





#### CHOPPING AXES SPLITTING AXES



# Chopping vs. splitting

#### Chopping axe

Fiskars next-generation chopping axes serve all manners of woodwork, chopping, carpentry and pruning. The range delivers a wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand.

The Universal Chopping Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood. like spruce or pine.


#### Splitting axes

Fiskars next-generation splitting axes are a true evolution of craftsmanship – purpose-designed for one strike splits of even the thickest logs. The special blade geometry and finish is complemented by a light sturdy shaft and perfect balance. Pick your size according to the task at hand.

The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.

WOOD PREPARATION WOOD PREPARATION

# X-series<sup>™</sup> Splitting Axes







- For medium size logs 20 30 cm.
- New 3D grip for increased safety and swing speed.
- · New extended 25 yrs warranty via web registration.
- · Product: 36 x 709 x 165 mm.



Oldart.no. **122473** 

X-series <sup>™</sup> Sp	Art.no.	1015643				
Height: <b>77,5 cm</b>	Length: 4,6cm	Width: 23,5cm	Weight: 2,43kg	Retailbox: 2	Oldart.no.	122483






- For large logs > 30 cm.
- $\boldsymbol{\cdot} \text{New 3D grip for increased safety and swing speed.}$
- New extended 25 years warranty via web registration.
- · Product: 40 x 725 x 191 mm.

X-series S	Splitting Axe,	XXL, X21			А
Height: <b>96cm</b>	Length: 4,6cm	Width: 23,5 cm	Weight: 2,56 kg	Retailbox: 2	Ole
4					۰Fo
					- N
					٠N
			_		• N • P
	DE IN	VPA		GUARANTEE 25	٠N

- 1015644 ldart.no. 122503
- or extra large logs > 30 cm.
- lew 3D grip for increased safety and swing speed. lew extended 25 years warranty via web registration.

# X-series<sup>™</sup> Chopping Axes











- · For carpentry and small wood work.
- · Redesigned blade cover for easy transportability.
- New extended 25 years warranty via web registration. Product: 33 x 445 x 152 mm.

Xsharp <sup>™</sup> Ax	e and Knife S	Sharpener			Art.no.	1000601	z	6 4 1 1 5 0 1 2 0 7 4 0 1
Height: 23,5cm	Length: 4cm	Width: 9cm	Weight: 0,09 kg	Retailbox: 4	Old art. no.	120740	<u> </u>	6 4 1 1 5 0 1 2 0 7 4 0 1










- $\hbox{-} 2\,sharpeners\,in\,1 for\,regular\,main tenace\,of\,your\,Fiskars\,axes\,and$
- · Ceramic grind stone has clearly indicated cutting grooves for either axes or knives.
- · Easy-to-use, optimised sharpening angle for Fiskars blades.
- · Convenient portability.




# WoodXpert\* Felling Levers

Fiskars WoodXpert<sup>™</sup> felling levers facilitate the felling down of a tree, safely and ergonomically, and also assist in sectioning logs and transportation.

# Features & benefits


- Sturdy, forged, hardened steel head
- Optimised lever tip steers trees safely while felling
- 3 Attachable/detachable WoodXpert\*log hook
- 4 Non-slip SoftGrip<sup>™</sup> ergonomic handle
- 6 Robust, yet lightweight construction
- 6 Easy & fast lock interface





















# **WoodXpert**<sup>™</sup> **Felling Levers**

VoodXper	t <sup>™</sup> Felling Leve	er, M	Art.no.	1015438	6 4 1 1 5 0 1 2 6 0 5 1 2		
leight: <b>70 cm</b>	Length: 8,6cm	Width: 23cm	Weight: 1,80 kg	Retail box: 4	Oldart.no.		6"411501"260512
				Ø)	•For steerir	ig medium-sized tree	s when felling.





reddot design awar

- · Additionally functions as support for sawing and carrying logs.
- · Forged, hardened steel blade.
- Sturdy, yet lightweight, special steel shaft.
   Fast lock interface for log hook and tongs interoperation.

WoodXper	t <sup>™</sup> Felling Lev	er, L			Art.no.	1015439	Z	6 4 1 1 5 0 1 2 6 0 5 2 9
Height: 115 cm	Length: 8,6cm	Width: 23cm	Weight: 2,70 kg	Retail box: 2	Oldart.no.	126052	E/	6 4 1 1 5 0 1 2 6 0 5 2 9





- · For steering large-sized trees when felling.
- · Additionally functions as support for sawing and carrying logs.
- Forged, hardened steel blade.
- $\cdot \, \mathsf{Sturdy}, \mathsf{yet} \, \mathsf{lightweight}, \mathsf{special} \, \mathsf{steel} \, \mathsf{shaft}.$
- Fast lock interface for log hook and tongs interoperation.


WOOD PREPARATION WOOD PREPARATION


# WoodXpert\*Brush Hooks

Fiskars WoodXpert<sup>™</sup> brush hooks are a great choice for outdoor enthusiasts with a lot of clearing to do. Featuring precision-ground steel blades ith a rustresistant, low-friction coating, these hooks rip through underbrush and wood with speed and ease

# Features & benefits

- 1 Deep curved blade design is ideal for pullcuts and lifting branches off the ground
- Ultra-light and durable Fiber Comp shaft minimises fatigue and makes the shaft virtually unbreakable.
- 3 Hooked handle with SoftGrip<sup>™</sup> for comfortable, non-slip grip
- 4 Made in Finland















# **WoodXpert**<sup>™</sup> Brush Hooks

WoodXpert <sup>™</sup> Brush Hook (XA3)						1003609	Z	6 4 1 1 5 0 1 2 6 0 0 4 8
Height: 55cm	Length: 2,7cm	Width: 14,5cm	Weight: 0,51kg	Retailbox: 4	Oldart.no.	126004	Ä	6 4 1 1 5 0 1 2 6 0 0 4 8





- · For cutting smaller branches from trees.
- · For clearing weeds and brush in gardens and forests.
- · For stripping bark from logs.







- · For cutting larger branches from trees / logs.
- · For clearing saplings and brush in gardens and forests.
- $\cdot For light chopping and splitting of firewood.\\$



operation while lifting and turning logs.

# Features & benefits

- Lightweight boron steel Wiregate clip for safe hook with a toothed inlay grips logs with ease
- Ergonomic handle with SoftGrip". Engages all the fingers of the hand comfortably.
- storage on a belt loop
- Comes with a sturdy holster for easy storage and transport on a











# **WoodXpert**<sup>™</sup>**Log Tools**

WoodXpert	<sup>™</sup> Log Hook				Art.no.	1003624	AG 6 4 1 1 5 0 1 2 6 0 2 1 5
Height: 31cm	Length: 4cm	Width: 21cm	Weight: 0,41kg	Retailbox: 4	Oldart.no.		6 4 1 1 5 0 1 2 6 0 2 1 5







- · Ideal for lifting, transporting, handling and arranging logs, as well as assisting during tree felling.
- · Includes plastic sheath for easy transport on a tool belt.

VoodXpert	<sup>™</sup> Log Tongs				Art.no.	1003625	Z	6"411501"260314
eight: <b>38,3cm</b>	Length: 4cm	Width: 18 cm	Weight: 0,69 kg	Retailbox: 4	Oldart.no.	126031	Ē	6 411501 260314







· Includes plastic sheath for easy transport on a tool belt.

WoodXpert	<sup>™</sup> Tool Belt				Art.no.	1003626	Z	6"411501" 260093"
Height: <b>57 cm</b>	Length: 4,5 cm	Width: 9cm	Weight: 0,24 kg	Retailbox: 4	Oldart.no.	126009		6 4 1 1 5 0 1 2 6 0 0 9 3



- · Tool belt for attaching log hooks and tongs.
- · Ergonomic support for the back.
- Firm double tightening.




# benefits

- Hooked steel beak with a toothed inlay ensures solid grip
- Ultralight and durable FiberComp shaft minimises fatique and makes the shaft virtually unbreakable
- 3 Hooked handle with SoftGrip<sup>™</sup> for comfortable, non-slip grip













WoodXper	2)	Art.no.	1003622	EAN				
Height: 36,7cm	Length: 3,2 cm	Width: 17,4cm	Weight: 0,24kg	Retailbox: 4	Oldart.no.		Щ	6 4 1 1 5 0 1 2 6 0 0 6 2
			VPA (	23.	Eoropravia	a and lifting smaller la	000	





- · For handling and arranging wood piles.
- · For turning of small logs.

WoodXper	t <sup>™</sup> Sappie (XA	22)			Art.no.	1003623	Z	6411501 260079
Height: 77,5 cm	Length: 3,5 cm	Width: 23 cm	Weight: 0,80 kg	Retailbox: 2	Oldart.no.	126007	Ä	6 4 1 1 5 0 1 2 6 0 0 7 9





- · For lifting and transporting larger logs.
  - For handling and arranging wood piles.For turning of large logs.

# Yard clearing Tools


# Features & benefits

- Blade curve offers pull cutting for re-moving suckers and clearing vines
- 2 Hardened steel blade holds its sharp edge
- Coarse saw edge cuts fibrous plants or woody branches
- Finger guard for safety during use
- **⑤** Textured SoftGrip<sup>™</sup> handles fits the natural shape of your hand









# **Solid**<sup>™</sup> **Yard Clearing Tools**

Solid <sup>™</sup> Billho	ok Saw				Art.no.	1051233	z	
Height: <b>54cm</b>	Length: 18,8cm	Width: 4,5cm	Weight: 0,68 kg	Retailbox: 4	Oldart.no.	-	E E	6 4 1 1 5 0 1 7 0 2 1 4 2



- Designed for fast, powerful clearing of thick vegetation.
- · Blade is curved for quick pull cuts.
- •One-handed use leaves other hand free to grab and pile cuttings.
- ${\boldsymbol{\cdot}} \mathsf{Textured}\,\mathsf{SoftGrip}^{\scriptscriptstyle{\mathsf{T}}}\mathsf{handle}\,\mathsf{helps}\,\mathsf{prevent}\,\mathsf{blisters}.$

Solid <sup>™</sup> Mach		Art.no.	1051235	z				
Height: 70 cm	Length: 18,8cm	Width: 4,5cm	Weight: 0,89 kg	Retailbox: 4	Oldart.no.	-	Ē	6 411501 702166
			_		·Clear large	e areas of brush, cut th	nick	branches and power through



- fibrous stems.
- · Curved blade profile prevents blade from sticking.
- •One-handed use leaves other hand free to grab and pile cuttings. • Textured SoftGrip™ handle helps prevent blisters.

Solid <sup>™</sup> Mach	ete Axe				Art.no.	1051236	z	
eight: <b>80,5cm</b>	Length: 18,8cm	Width: 4,5 cm	Weight: 1,08 kg	Retailbox: 4	Oldart.no.	-	EA	6 4 1 1 5 0 1 7



- $\hbox{\bf \cdot} {\it Clear thick brush, chop roots, cut branches and more.}$
- · Axe-like blade head provides powerful, controlled chopping and
- ·Blade is curved for quick pull cuts.
- ·One-handed use leaves other hand free to grab and pile cuttings.
- Textured SoftGrip™ handle helps prevent blisters.






# Saws

To make sawing as easy as possible, you need a reliable saw that is up to the task. We have a variety of saws ranging from saws that cut stems and thicker branches to saws with curved noses for cutting in hard-to-reach or difficult positions.

#### Xtract™ Saws

Fiskars Xtract<sup>™</sup> saws feature a unique. retractable mechanism and include an integrated belt clip for safe and easy transport and storage. Hardened steel blades ensure a long lifetime of sharpness, while a SoftGrip™ handle with finger guard ensures a safe grip.



Fiskars Plus<sup>™</sup> folding saws feature three cutting positions to allow you to approach every cut from the best angle. Power Tooth<sup>™</sup> blades have razor-sharp, triple-ground teeth for quick and clean cutting, and a secure locking mechanism also holds the blade closed for safe storage and transport.

#### Fixed blade saws

Fiskars fixed blade saws feature a highly efficient tooth profile for fast, accurate sawing. Impulse-hardened blades stay sharper longer, while a SoftGrip<sup>™</sup> ergonomic curved handle with finger guard ensures a safe and comfortable grip.

#### **Bow Saws**

Fiskars bow saws are excellent for sawing stems and thicker branches. A curved nose enables cutting in hard-toreach or difficult positions. Bow saws also cut on both the push and pull stroke for efficient sawing.



#### Saws

Fiskars saws have teeth designed especially for wood. They allow you to prune branches and clear foliage in difficult positions safely with a lightweight saw. Fiskars Xtract™ range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store.



See high reach telescopic saws on page 52 (Tree pruners) & page 135 (QuikFit Curved saw)

#### Xtract<sup>™</sup> Saws

Xtract <sup>™</sup> Ga	rden Saw, L	Art.no.	1000614	Z			
Height: 39cm	Length: 4cm	Width: 9cm	Weight: 0,23 kg	Retailbox: 4	Oldart.no.	123880	Щ
	_		VPA 🖛		• Efficiently	saws fresh wood	





- ·Blade length 255 mm. · Large cut capacity up to 220 mm.

Xtract <sup>™</sup> Gard	den Saw, S (S	SW73)			Art.no.	1000613	Z	
Height: 27,5 cm	Length: 3,5 cm	Width: 9cm	Weight: 0,12 kg	Retailbox: 4	Oldart.no.	123870	Ä	6 4115





- · Efficiently saws fresh wood. ·Blade length 160 mm.
- Xtract<sup>™</sup> Builder's Saw (SW72) Art.no. 1000612 Weight: 0,12 kg Retailbox: 4 Oldart.no. **123860** Height: 27,5 cm Length: 3,5 cm Width: 9cm





- · Fine teeth for dry wood, boards and wood strips.
- ·Cut capacity 120 mm.

WOOD PREPARATION WOOD PREPARATION

# Folding & Fixed Blade Saws







· Ideal for quick, clean cuts through thick stems and branches. ·3 cutting positions: undercut for clean starting cuts, straight for general cuts and pistol-grip for added leverage. ·Blade length: 200 mm

Plus Folding Saw SW68						1067552	z	
Height: 26,9 cm	Length: 2,8cm	Width: 12cm	Weight: 0,25 kg	Retailbox: 4	Oldart.no.	-	T M	6"411501"201331"





· Ideal for quick, clean cuts through thick stems and branches. 3 cutting positions: undercut for clean starting cuts, straight for general cuts and pistol-grip for added leverage.

·Blade length: 150 mm

Professional Pruning Saw (SW-330)         Art.no.         1020199           deight: 59 cm         Length: 4,9 cm         Width: 16,4 cm         Weight: 0,23 kg         Retailbox: 4         Oldart.no.         123330	Professiona	al Pruning Sa	w (SW-330)			Art.no.	1020199	z		
	leight: <b>59 cm</b>	Length: 4,9cm	Width: 16,4 cm	Weight: 0,23kg	Retailbox: 4	Oldart.no.	123330	E A	6 411501 23330	     1





- · Lightweight 230 g. · Professional quality carbon steel blades, SK5.
- ·Blades for every task.
- · Balanced weight distribution Hollow grinded blade.
- $\cdot \, \text{Integrated sawdust removal teeth}.$
- · Easy maintainability, all parts are replaceable.

Professional Pruning Saw (SW-240)					Art.no. <b>1020200</b>			
Height: <b>59cm</b>	Length: 4,9cm	Width: 16,4 cm	Weight: 0,20 kg	Retail box: 4	Oldart.no.	123240	6 411501 232403	
_				VPA Social Section of	Blades for Balanced Hollow grin Integrated	nal quality carbon s	n. teeth.	


Fixed Blad	le Saw (SW84	Art.no. <b>1001620</b>	Z				
Height: 50cm	Length: 2,5cm	Width: 9,5 cm	Weight: 0,34kg	Retailbox: 4	Oldart.no. <b>123840</b>	6 4	1 1 1 1
-	-	-			Blade length 320 mm.     Cut capacity 150 mm.		





• Excellent for sawing 10-20 cm stems and branches.

24" Bow Sa	w (SW31)				Art.no.	1000615	Z
Height: 70 cm	Length: 1,9 cm	Width: 21,5 cm	Weight: 0,60 kg	Retailbox: 4	Oldart.no.	124810	5 702264 141011




•Excellent for sawing >20 cm stems and thicker branches.



Replacement parts available for professional pruning saws & bow saws. See pages 268 - 270.

# Splitting Tools, Sledge Hammers & Wedges





- $\bullet \textit{Greater resistance} \, \text{and comfort due to fiberglass core} \, \text{and elasto-}$ meric, anti-slip, anti-vibration handle.

WOOD PREPARATION WOOD PREPARATION

#### Sledge Hammer, XXL 1001618 Art.no. Height: 90 cm Length: 7cm Width: **16,5 cm** Weight: 5,8 kg Retailbox: 2 Oldart.no. 120028



Width: 6,5 cm

- Delayed burring and less risk of chipping due to rounded edges on the striking surface.
- Less jarring from mis-hits due to rubber mis-hit guard.
   Greater resistance and comfort due to fiberglass core and elastomeric, anti-slip, anti-vibration handle.

Helicoidal Splitting Wedge SAFE-T						1001615	Z	6'41501'200211
leight: <b>26cm</b>	Length: 6,5 cm	Width: 6,5 cm	Weight: 2,15 kg	Retailbox: 4	Oldart.no.	120021	Ē	6 4 1 1 5 0 1 2 0 0 2 1 1
				<i>9</i>	· Helicoidal:	shape makes the woo	nd bu	urst more easily, eliminating the

Retailbox: 1



Weight: 0,30 kg



• Replaceable striking surface for Helicoidal Splitting Wedge SAFE-T (article No 1001615).

·Highly-resistant, polyamide striking surface and metal ring. • Reduced risk of flying particles also eliminates the need to maintain





· For splitting difficult logs.

need to use several wedges.

Oldart.no. **122151** 

the striking surface to remove burring.

- ·Forged steel.
- ·Lightweight.

Splitting We	edge Helicoid	dal			Art.no.	1000600	2
Height: <b>21cm</b>	Length: 6cm	Width: 4,5 cm	Weight: 2,20 kg	Retail box: 4	Oldart.no.	120020	
					· Helicoidal	shane makes the	wood

- he wood burst more easily, eliminating the
- need to use several wedges.
- · Rounded head helps eliminate material fragmentation.
- · Anti-return slot.
- · Forged steel.

#### **Knives**

Fiskars designs knives for a range of smaller gardening applications. Their hard-wearing blades are made from stainless steel to ensure years of trouble-free operation.

Utility Knife (K40)  Height: 22,2cm					Art.no.	1001622	z
Height: 22,2cm	Length: 3,3 cm	Width: 9cm	Weight: 0,07kg	Retailbox: 4	Oldart.no.	125860	6 4 1 1 5 0 2 8 7 0 6 2 8
	Lipino -		No	sign Zentrum rdrhein Westfalen sign-Innovation	• Ergonomic	urpose knife with plastically designed plastic h teel blade, length 100 r	nandle with finger guard.

Hooked Gra	afting Knife (l	<b>K62</b> )			Art.no.	1001623	EAN	8 008220 020473
Height: 17 cm	Length: 1,2cm	Width: 2,3cm	Weight: 0,05 kg	Retailbox: 4	Oldart.no.	125880	Ē	8 008220 020473



- $\cdot \textit{For taking cuttings}, \textit{picking flowers and vegetables} \, \textit{and cutting} \,$
- · Handle of recycled plastic attached with a brass rivet.
- · Stainless steel blade.

Grafting Pe	en Knife (K60	)			Art.no.	1001625	EAN	
Height: 16,8 cm	Length: 1,2cm	Width: 2,3cm	Weight: 0,05 kg	Retailbox: 4	Old art. no.	125900	73	8 008220 020497



- $\cdot \, \mathsf{Ideal} \, \mathsf{for} \, \mathsf{grafting} \, \mathsf{and} \, \mathsf{making} \, \mathsf{wooden} \, \mathsf{canes} \, \mathsf{for} \, \mathsf{holding} \, \mathsf{small} \,$ plants and bushes.
- Handle of recycled plastic attached with a brass rivet.
- · Stainless steel blade.

Mineral Wo	ool Knife (K20	))			Art.no.	1001626	EAN
Height: 42cm	Length: 1,8 cm	Width: 3,8cm	Weight: 0,14 kg	Retailbox: 4	Old art. no.	125870	6 411502 879027

- For cutting mineral wool.
- Ergonomically designed handle with finger guard.
- · Stainless steel blade.

Height: 6,5 cm

Length: 4,5 cm

# Make watering a joy

Waterwheels p.168

Hoses p.172

Sprinklers p.178

Spray Nozzles p.182

Connectors p.190

Accessories p.202





### **Choose the** right product for your watering

needs


See the packaging symbols for garden size suggestions











### Waterwheels

X-series <sup>™</sup> W	/aterwheel X	L, automatic	with wheels		Art.no. <b>1067548</b>	z
Height: 60,0 cm	Length: 26,5 cm	Width: 50,0 cm	Weight: 11,50 kg	Retailbox: 1	Oldart.no. <b>1025066</b>	6 411501 512598
	D.	reddot award 2019 best of the best	Universal fit. Fits with other brands.	XL	, 0	













- · Automatic reel-in hose.
- · Horizontal design prevents reel from tipping.
- · Can be wall mounted (wall mount sold separately).

# Waterwheel Manual XL with wheels, all-in Height: 60,2cm Length: 43,1cm Width: 49,3cm Weight: 6,95kg





21.5 360°

· The Waterwheel XL Manual Reel is ready to use - with all parts  $\cdot$  Included 13mm (1/2") outlet hose is 20m, connectors, hose nozzle.

Oldart.no. -

Oldart.no. -

- Free-standing placement and 360° rotation offer extra-wide watering area, while horizontal in-use design prevents tipping.
- ·Oscillator evenly allocates hose while reeling in. · Durable construction for long-lasting use.
- · Universal fit Fits with other brands

#### Waterwheel Manual XL with wheels, empty

reddot winner 2022

Height: 60,2cm Length: 43,1cm Width: 49,3cm Weight: 4,05kg

Retailbox: 2

Art.no. 1062257







- Reel has maximum hose capacity of 19mm (3/4") 30m, 15mm (5/8") - 40 m and 13mm (1/2") - 50m.
- Free-standing placement and 360° rotation offer extra-wide watering area, while horizontal in-use design prevents tipping.
- · Oscillator evenly allocates hose while reeling in.
- · Durable construction for long-lasting use. Universal fit – Fits with other brands.

#### Comfort Waterwheel L, with 30 m hose

Height: 56,6 cm Length: 25 cm

Width: 39,8cm Weight: 6,75kg

reddot winner 2022

360°;

31.5

Retailbox: 1











- · Ready-to-go set with handy accessory storage locker.
- $\cdot \text{Freestanding placement and 360} ^\circ \text{rotation for an extra-wide}$ watering area.
- · Total reach up to 31,5 m.

Art.no. 1071670

Oldart.no. 1025065

- · Durable 13 mm (1/2") hose.
- · Convenient reel cart for easy movement.
- · Easy to roll-out and recoil the hose.
- · Easy to operate due to horizontal reel setting.

#### Comfort Waterwheel M, with 20 m hose

Height: 56,6 cm Length: 25 cm

Width: 39,8cm

Weight: 5,60 kg Retail box: 1 Oldart.no. 1025935









- · Ready-to-go set with handy accessory storage locker.
- Freestanding placement and 360° rotation for an extra-wide watering area.
- · Total reach up to 21,5 m.

Art.no. 1071639

- · Durable 13 mm (1/2") hose.
- · Convenient reel cart for easy movement.
- · Easy to roll-out and recoil the hose.
- Fasy to operate due to horizontal reel setting.

#### Comfort Waterwheel S, with 15m hose

Height: 44,4cm Length: 16,1cm Width: 39,0cm

Weight: 3,02kg

reddot award 2016

FENNIAPRIZE 17 HONOURABLE MENTION

15 360°

· Ready-to-go set with handy accessory storage locker

- Free horizontal placement and 360° rotation.
- •Total reach up to 15 m.
- ·Durable 9 mm (3/8") hose.

Art.no. **1071660** 

Oldart.no. 1025934

- Lightweight design.
- Fasy to roll-out and coil-in the hose · Easy to operate due to horizontal reel setting.
- ·Can be wall mounted (wall mount sold separately).

#### Solid<sup>™</sup> Waterwheel L, with 30 m hose Art.no. **1057237** Height: 47,8 cm Length: 24,7 cm Width: 47,8 cm Weight: 6,05 kg Retailbox: 1 Oldart.no. -

Retailbox: 4







extra-wide watering area.

- · Value-priced set contains 13 mm (1/2") hose, reel and accessories. •Free-standing horizontal placement and 360° rotation offer
- Total reach up to 31.5 m.
- · Compact size for easy movement


#### Solid Waterwheel M, with 20 m hose Art.no. 1057238 Height: 47,8cm Length: 24,7cm Width: 47,8cm Weight: 4,95 kg Retailbox: 1 Oldart.no. -







- ·Value-priced set contains 13 mm (1/2") hose, reel and accessories. •Free-standing horizontal placement and 360° rotation offer
- extra-wide watering area. Total reach up to 21.5 m.



#### Easy to select

#### Choose the right quality hose for your garden

High quality 3-layer hose with cross enforcement. High pressure tested, twist- & UV-resistant.









Q4
Twist resistancy level

★★★☆


















#### Universal fi


Already own watering products from other brands? No problem. Our watering products are designed to fit with other brands.

#### Hoses

Fiskars offers a range of high-quality watering hoses for garden sizes ranging from small to extra large. Our hoses are twist- and UV-resistant for added durability.


Hose length and diameter can be found by the hose name.


Packaging measurements included in the table.






















#### Watering Hose, 19mm (3/4"), 25 m Q3 Art.no. **1027100** Oldart.no. -Height: 39,5cm Length: 39,5cm Width: 12,0cm Weight: 4,96kg Retailbox: 2 · Easy-to-handle, twist-resistant hose. $\star\star\star \Delta \Delta$ Twist resistancy level 3. ·UV protected.

















 $\boldsymbol{\cdot} \textbf{Colour coded for easy matching between hose and connector.}$ 

- · Twist resistancy level 4.
- $\cdot \, \text{UV protected}.$ · Phthalate free.

· Phthalate free.

 $\cdot \hbox{Colour coded for easy matching between hose and connector.}$ 

Hose Set Pr	emium, 9mn	m (3/8") 15 m	Q4			Art.no.	1027101	z	
Height: <b>26,0 cm</b>	Length: 25,5 cm	Width: 10,5 cm	Weight: 1,46kg	Retailbox: 2		Oldart.no.	-	6	41150
ARTER .	1000	****	- <del>-</del>		٦.	· High-qualit	y, easy-to-handle	9 mm (3/8	8") cross-ent









- Two quick hose connectors 9 mm (3/8") with colour coding and one extension connector.
- Twist resistancy level 4.
- UV protected.
- · Phthalate free.
- · Colour coded for easy matching between hose and connector.

Hose Hang	er Set, with h	ose 13mm (1	l/2"), 15 m Q4		Art.no. <b>1027678</b>	z
Height: 39,5 cm	Length: 39,0 cm	Width: 6,5 cm	Weight: 2,05kg	Retail box: 2	Oldart.no	6"411501"511393
(			★ ★ ★ ☆ ☆  15mm (5/8")	Universal fit. Fits with other brands.	Increase reach of Waterwh watering. Durable wall-mounting unit Fasteners included for wall Hose twist resistancy level UV protected. Phthalate free hose.	-mounting.

Hose Set, 13	3mm (1/2"), 1.	8mQ4			Art.no. <b>1057621</b>	z
Height: 29,5 cm	Length: 26,5 cm	Width: 4,2cm	Weight: 0,41kg	Retail box: 6	Oldart.no	6 411501 511959
300			<b>★★★★☆</b>	- <u>,</u>	Connecting hose for reel, mi     Hose 13mm-15mm /1/2-5/8**	cro drip system to watering source.










 ${\boldsymbol{\cdot}} \operatorname{Colour} \operatorname{coded} \operatorname{for} \operatorname{easy} \operatorname{matching} \operatorname{between} \operatorname{hose} \operatorname{and} \operatorname{connector}.$ 


- Hose 13mm-15mm (1/2-5/8") 18 m Q4.
  Quick hose connector, 13mm-15mm (1/2-5/8") STOP.
  Quick hose connector, 13mm-15mm (1/2-5/8") FLOW.
- Tab connector Multi with Ø21 mm (G 1/2"), Ø265 mm (G 3/4") and Ø333mm (G1") threads.












- 15 m hose length.
  Can be cut to right length using scissors.
- $\cdot \mbox{Flow control valve for adjusting water flow \& pressure}.$  $\bullet \, \text{Pack includes} \, 5 \, \text{metal clamps for effortless mounting}.$
- ·UV protected.





# **Sprinklers**

Fiskars sprinklers are easy to use and cover garden sizes from small to extra large, with a wide variety of easily adjustable spray areas.













- adjust coverage to avoid watering sidewalks, walls and more.
- Intuitive, non-slip controls adjust width, distance and direction.
   Infinite flow for full coverage control.
- · Easy, compact storage thanks to pivoting leg, easy cleaning. ·Coverage max. 16m - 21m (340m2).

X-series <sup>™</sup> Os	scillating spri	nkler S-M			Art.no.	1070832	6"411501" 512734"
Height: <b>59,0 cm</b>	Length: 6,0 cm	Width: 9,8cm	Weight: 0,62kg	Retailbox: 6	Oldart.no.	-	6 411501 512734
			7				






- Provides the highest level of adjustability for optimal water usage adjust coverage to avoid watering sidewalks, walls and more.
- · Intuitive, non-slip controls adjust width, distance and direction. Infinite flow for full coverage control.
- · Easy, compact storage thanks to pivoting leg, easy cleaning.
- · Coverage max. 15m 20m (300m²)
- · Universal quick connector, works with other brands.

Comfort Os	scillating sprii	nkler S-L			Art.no.	1070833	- AB 6 4 1 1 5 0 1 5 1 2 7 4	
Height: 53,4cm	Length: 6,0 cm	Width: 9,8 cm	Weight: 0,51kg	Retailbox: 6	Oldart.no.	-	6 411501 51274	1









· Easy, compact storage thanks to pivoting leg, easy cleaning. · Coverage max. 17m - 19m (325m2)

· Universal quick connector, works with other brands.

Comfort Oscillating sprinkler S-M						Art.no.	1070834	EAN
Height: 49,6cm	Length: 6,0 cm	Width: 9,8 cm	Weight: 0,48kg	Retailbox:	6	Oldart.no.		









- · Provides adjustability to optimize water coverage. · Intuitive, non-slip controls adjust distance and direction.
- Infinite flow for full coverage control.
- · Easy, compact storage thanks to pivoting leg, easy cleaning. Coverage max. 15m - 19m (285m²).
- · Universal guick connector, works with other brands.

#### Solid<sup>™</sup> Oscillating sprinkler M

Height: 45,6cm Length: 5,3cm

Width: 8,3cm

Weight: 0,31kg

Art.no. 1070835 Oldart.no. -

Art.no. 1027050





Retailbox: 6



- · Ideal for even watering of M-sized gardens and lawns.
- · Intuitive controls adjust distance and direction. · Easy, compact storage thanks to pivoting leg, easy cleaning.
- · Coverage max. 15m 19m (285m2).
- $\hbox{-} Universal\,quick\,connector, works\,with\,other\,brands.}$

#### Pulsating Sprinkler, tripod base, On/Off

Height: 23,7cm Length: 9,2cm

Width: 24,5 cm

Weight: 0,60 kg

Retailbox: 4 Oldart.no. -







- · Innovative on/off valve stops water flow, allowing you to stay dry while making adjustments.
- · Durable metal head has easy-to-adjust distance control, spray pattern control and rotation control to accurately water any area of your garden.
- · Adjust coverage diameter up to Ø 26 m.
- · Durable tripod base is ideal for hard soil and includes hanging loop for storage.
- · Universal fit Fits with other brands.

#### Pulsating Sprinkler, spike base, On/Off

Height: 35,5 cm Length: 11,2 cm Width: 18,5 cm

Weight: 0,48kg

Retailbox: 4 Oldart.no. -







- · Innovative on/off valve stops water flow, allowing you to stay dry while making adjustments.
- · Durable metal head has easy-to-adjust distance control, spray pattern control and rotation control to accurately water any area of your garden.
- Adjust watering area up to Ø 26 m.
- Durable metal spiked base offers added stability.
- Universal fit Fits with other brands.

#### Impulse Sprinkler, metal with wheels

Height: 23,5 cm Length: 8,0 cm

Width: 25,5 cm

Weight: 0,94 kg

Retailbox: 6

Art.no. 1023656 Oldart.no. -





- · Durable metal sprinkler has easy-to-adjust distance control, pattern control and rotation control to accurately water any area.
- Pattern adjusts from heavy stream to rain.
- · Adjust spray distance up to Ø 26 m.
- · Metal triangular base adds stability and wheels allow for easy movement around the garden.
- · Universal fit Fits with other brands

#### Impulse Sprinkler, metal

Height: 36,0 cm Length: 6,6 cm

Width: 19,5 cm

Weight: 0,47kg

Retailbox: 6

Oldart.no. -









- · Durable metal sprinkler has easy-to-adjust distance control, pattern control and rotation control to accurately water any area.
- · Pattern adjusts from heavy stream to rain.
- · Adjust spray distance up to Ø 26 m.
- · Metal spike base.


Art.no. 1023658

Universal fit – Fits with other brands













# **Comfort Spray Nozzles**





## **NEW! Comfort Spray Nozzles - Thumb control**



· Features an ergonomic thumb control handle with infinitely adjust-

- Rotate the exchangeable SoftGrip™nozzle head to select a mist,
- shower, flat, rinse or jet pattern
  Resists damage due to frost and stays warmer than metal nozzles

<ul> <li>Universal fit – fits with other brands</li> </ul>

# Watering Wands & Nozzles


Watering wand adjustable, Front control




in cold temperatures

or shower spray pattern • Resists damage due to frost and stays warmer than metal nozzles

· Universal fit - fits with other brands











- $\cdot \text{Features} \, \text{an ergonomic thumb control handle with infinitely adjust-} \\$
- · Rotate the exchangeable SoftGrip\* nozzle head to select a jet or rinse spray pattern
- Resists damage due to frost and stays warmer than metal nozzles in cold temperatures
- Universal fit fits with other brands






- Features an ergonomic front control handle which offers infinitely adjustable flow and locks for extended use
- Durable integrated aluminium shaft · Rotate the exchangeable SoftGrip" nozzle head to select a jet or
- rinse spray pattern
- Resists damage due to frost and stays warmer than metal nozzles in cold temperatures
- · Universal fit fits with other brands



WATERING

# Watering Wands & Nozzles







		_					
Hose Nozz	de		Art.no.	1027088	EAN		
Height: 15,8 cm	Length: 6,8cm	Width: 3,6cm	Weight: 0,06kg	Retailbox: 8	Oldart.no.	-	6 411501 51113
	-		I W	Universal fit. Fits with other brands.	<ul> <li>Rotate the</li> <li>Resists da</li> <li>in cold tem</li> </ul>	amage due to fr	zle to select jet or rinse spray pattern. rost and stays warmer than metal nozzl

# Solid<sup>™</sup> Spray Nozzles







- Lightweight handle with front flow control which locks for comfortable extended use.
- Rotate the non-slip nozzle head to adjust from jet-shower to rinse spray pattern.
- Frost resistant when drained and handle stays warmer than metal handles in cold temperatures.
- Universal fit fits with other brands.


#### **Nozzle Sets**

Comfort Precision Watering starter set









#### Mix & Match








 Adjustable SoftGrip<sup>™</sup> nozzle head with jet or rinse spray pattern • Fits with Fiskars nozzles and wands 1065484, 1065483, 1065482, 1065487, 1065486, 1065485, 1065489, 1065488, 1065490, 1065491, 1067193, 1067194, 1067195, 1067196.



# All you need from tap to plant




#### Universal fit

Already own watering products from other brands? No problem. Our watering products are designed to fit with other brands.




#### **NEW! Connectors**



Comfort 3-way tap connector, On/Off						1070578	z	
Height: 20,5cm	Length: 5,1cm	Width: 22,2cm	Weight: 0,31kg	Retailbox: 4	Oldart.no.	-	THE STATE OF	6 411501 512697
New	h				flow contro • The quick possibility ( • Fits 3 tap t mm (G 1").	I valves. connector ends car e.g. timers).	nbes m(G1	onnections with independent crewed off for ¾" connection /2"), Ø 26.5 mm (G 3/4"), Ø 33.3

Comfort Pr	Comfort Precision Watering adapter set								
Height: 13,2cm	Length: 4,2cm	Width: 6,8cm	Weight: 0,05 kg	Retailbox: 8	Oldart.no				

- Ideal for precise watering of flower beds, grass patches, saplings and any other task that requires very targeted watering.
- 2-piece set connects watering tools to sprinkler stands, creating precise stationary sprinklers.
- Includes universal quick connector adapter with ½" thread that connects to spray guns and most standard sprinkler stands, including spike and sled models
- Also includes Fiskars special adapter to attach to Fiskars nozzles, wands or pivot connectors.




#### Connectors-FLOW











SoftGrip\* touchpoints ensure secure handling, even when wet.
 Comfortable grip, even in cold weather, compared to metal watering parts.

• Colour coded for easy connecting to Fiskars hoses.


· Universal fit - Fits with other brands.

Colour coded for easy connecting to Fiskars hoses.
 Universal fit – Fits with other brands.

FiberComp<sup>™</sup> Quick Connector, 19mm (3/4") FLOW

Art.no. 1054787

Height: 11,6 cm Length: 6,8 cm Width: 4,6 cm Weight: 0,04 kg Retailbox: 8 Oldart.no. -






- Lightweight FiberComp<sup>™</sup> construction, featuring 2x more durable material.
- · Frost resistant for all-weather durability.
- $\bullet$  Comfortable grip, even in cold weather, compared to metal watering parts.
- Colour coded for easy connecting to Fiskars hoses.
   Universal fit Fits with other brands.









SortGrip touchpoints ensure secure nandling, even when we
 Comfortable grip, even in cold weather, compared to metal




Universal fit – Fits with other brands.

















#### **Connectors-STOP**

# Height: 11,6 cm Length: 6,8cm

#### FiberComp<sup>®</sup> Quick Connector, 13-15mm (1/2-5/8") STOP

Width: 3,9 cm

Weight: 0,03 kg Retailbox: 8

1054789 Art.no. Oldart.no. -






Length: 6,8 cm Width: 3,9 cm



- · Internal stop mechanism stops water flow for exchange of water nozzles, wands, sprinklers and other hose ends.
- ·Lightweight FiberComp" construction, featuring 2x more durable material.
- · Frost resistant for all-weather durability.
- · Comfortable grip, even in cold weather, compared to metal watering parts.
- nded for easy connecting to Fiskars hoses.

· Colour coded for	easy connecting to
. I Iniversal fit - Fits	with other brands





Height: 11,6 cm















- · Internal stop mechanism stops water flow for exchange of water nozzles, wands, sprinklers and other hose ends. · SoftGrip" touchpoints ensure secure handling, even when wet.
- · Comfortable grip, even in cold weather, compared to metal watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

#### FiberComp<sup>™</sup> Quick Connector, 19mm (3/4") STOP 1054790 Art.no. Height: 11,6 cm Length: 6,8 cm Width: 4,6 cm Weight: 0,04 kg Retail box: 8 Oldart.no. -







5











- Internal stop mechanism stops water flow for exchange of water nozzles, wands, sprinklers and other hose ends. · Lightweight FiberComp™ construction, featuring 2x more durable
- · Frost resistant for all-weather durability.
- · Comfortable grip, even in cold weather, compared to metal watering parts.
- Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

1027081

Art.no.

Oldart.no. -

### Quick Connector, 19mm (3/4") STOP

Height: 11,6 cm

Length: 6,8 cm

Width: 4,6cm

Weight: 0,04 kg

Retailbox: 8











- · Internal stop mechanism stops water flow for exchange of water nozzles, wands, sprinklers and other hose ends.
- · SoftGrip" touchpoints ensure secure handling, even when wet. · Comfortable grip, even in cold weather, compared to metal watering parts.
- Colour coded for easy connecting to Fiskars hoses · Universal fit – Fits with other brands.

#### Quick Connector, 9mm (3/8") STOP

Height: 11.6 cm

Length: 6,8cm Width: 3,9cm

Weight: 0,03 kg

Retailbox: 8

reddot award 2019

Oldart.no. -

Art.no.















- · Internal stop mechanism stops water flow for exchange of water nozzles, wands, sprinklers and other hose ends.
- · SoftGrip "touchpoints ensure secure handling, even when wet. · Comfortable grip, even in cold weather, compared to metal watering parts.
- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

1027078

#### Hose Connectors - On/Off

#### Hose Connector, On/Off 13-15mm (1/2-5/8") Art.no. **1027086** Width: 4,4cm Weight: 0,07 kg Retailbox: 8 Height: 15,8cm Length: 6,8cm Oldart.no. - On/off valve cuts water flow for exchange of water nozzles, wands. sprinklers and other hose ends. · SoftGrip™ touchpoints ensure secure handling, even when wet.

reddot award 2019









- ·On/off valve cuts water flow for exchange of water nozzles, wands sprinklers and other hose ends.
  - · SoftGrip" touchpoints ensure secure handling, even when wet. · Comfortable grip, even in cold weather, compared to metal watering parts.

· Comfortable grip, even in cold weather, compared to metal

· Colour coded for easy connecting to Fiskars hoses.

· Colour coded for easy connecting to Fiskars hoses.

· Universal fit - Fits with other brands.

· Universal fit - Fits with other brands.

watering parts.

- · Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

## **Hose Repairers**

Height: 11,6 cm

Length: 6,8 cm Width: 3,6 cm

FiberComp<sup>™</sup> Hose Repairer, 13-15mm (1/2-5/8")

Weight: 0,02kg Retailbox: 10









- · Lightweight FiberComp™ construction, featuring 2x more durable
- · Frost resistant for all-weather durability. · Comfortable grip, even in cold weather, compared to metal
- · Colour coded for easy connecting to Fiskars hoses.
- Universal fit Fits with other brands.

1027064

1054784

Hose Repai	rer, 13-15mm	(1/2-5/8")	

FiberComp<sup>™</sup> Repairer, 19mm (3/4")

Length: 6,8cm Width: 4,5cm

Height: 11,6 cm Length: 6,8 cm

Width: 3,6 cm Weight: 0,02kg















Art.no.


Art.no.

Oldart.no. -

· Universal fit - Fits with other brands.











Height: 11,6 cm



Weight: 0,03kg









- Lightweight FiberComp<sup>™</sup> construction, featuring 2x more durable
- · Frost resistant for all-weather durability.

1027066

- · Comfortable grip, even in cold weather, compared to metal watering parts.
- · Colour coded for easy connecting to Fiskars hoses. Universal fit - Fits with other brands.

#### Hose Repairer, 19mm (3/4")

Length: 6,8 cm

Width: 4,5 cm

Weight: 0,03kg





 SoftGrip touchpoints ensure secure handling, even when wet. · Comfortable grip, even in cold weather compared to metal watering parts.





 Colour coded for easy connecting to Fiskars hoses. · Universal fit - Fits with other brands.

Hose Repairer, 9mm (3/8") 1027063 Art.no. Weight: 0,02kg Retailbox: 12 Oldart.no. -Height: 11.6 cm Length: 6.8 cm Width: 2.9 cm





206





· Comfortable grip, even in cold weather, compared to metal watering parts.




#### reddot award 2019

# SoftGrip™ touchpoints ensure secure handling, even when wet.

- Colour coded for easy connecting to Fiskars hoses.
- · Universal fit Fits with other brands.

# **Tap Connectors**





Oldart.no. -



Height: 11,6 cm

Tap Connector, multi

Length: 6,8cm

Width: 4,2cm



Retailbox: 8

· Tap connector provides secure seal from hose to water source. ·Includes three thread sizes to fit most common faucets, Ø 21 mm (G 1/2"), Ø 265 mm (G 3/4") and Ø 333 mm (G 1").

Includes three thread sizes to fit most common faucets, Ø 21 mm (G

1/2"), Ø 265 mm (G 3/4") and Ø 333 mm (G 1").

· Easy-to-handle, ergonomic design.

 Easy-to-twist design. ·Universal fit - Fits with other brands

iberComp <sup>™</sup> Tap Connector G1/2" (21mm)						1027053	z	6"411501"51078
eight: <b>11,6 cm</b>	Length: 6,8cm	Width: 3,0 cm	Weight: 0,01kg	Retailbox: 12	Oldart.no.	-	7	6 411501 51078












Weight: 0,02kg



- · Tap connector provides water-tight seal from water source to •FiberComp" is 2x more durable than standard plastic connectors
- ·Fits Ø 21mm (G 1/2") faucets.
- · Easy-to-handle, ergonomic design. Universal fit – Fits with other brands.



FiberComp	<sup>™</sup> Tap Conne	ctor G1" (33.3	Art.no.	1027055	N N N N N N N N N N N N N N N N N N N		
Height: 11,6cm Length: 6,8cm Width: 4,2cm Weight: 0,01kg Retailbox: 8				Old art. no.		6 411501 510808	
					·Tan conne	ctor provides water-tic	aht seal from water source to





WARRANTY 5 YEARS







- FiberComp™ is 2x more durable than standard plastic connectors. ·Fits Ø 333 mm (G 1") faucets.

- · Easy-to-handle, ergonomic design
- · Universal fit Fits with other brands

# Connectors in shelf ready boxes







- · Tap connector provides secure seal from two hoses to water
- · Individual flow control valves allow you turn water pressure on or offindependently.
- Includes three thread sizes to fit most common faucets. Ø 21mm (G 1/2"), Ø 265 mm (G 3/4") and Ø 333 mm (G 1").
- ·Easy-to-twist design.
- · Universal fit Fits with other brands.

p Connector, indoor M22x1/M24x1						1027062	z	6"411501"510877
ight: <b>13,6 cm</b>	Length: 6,8 cm	Width: 4,0 cm	Weight: 0,05kg	Retailbox: 8	Oldart.no.	-		6 4 1 1 5 0 1 5 1 0 8 7 7





- · Durable locking system provides a secure connection from hose to indoor faucet.
- · Quick release allows you disconnect the hose by pressing two buttons
- Includes M22 female and M24 male thread metal adaptors.
- · Easy to install.
- · Universal fit Fits with other brands.

Tap Connec	ap Connector, male thread G1/2" (21mm)						z	6 4 1 1 5 0 1 8 1 0 8 5 3
leight: <b>11,6 cm</b>	Length: 6,8 cm	Width: 2,1cm	Weight: 0,01kg	Retailbox: 10	Oldart.no.	-	Į.	6 4 1 1 5 0 1 5 1 0 8 5 3





- $\cdot \, \text{Durable for everyday use to connect any} \, \varnothing \, 21 \text{mm} \, (\text{G 1/2"}) \, \text{female}$ thread
- ·Suited for the garden or indoors.
- · Universal fit Fits with other brands.

Extension C	Art.no.	1027068				
Height: 11,6 cm	Length: 6,8cm	Width: 3,2cm	Weight: 0,02 kg	Retail box: 10	Oldart.no.	-







- · For connecting hoses of differing diameters. Works with all types and sizes of Quick Hose Connectors.
- · Universal fit Fits with other brands.

3-way Connector						1027070
Height: 11,6cm	Length: 6,8 cm	Width: 2,0 cm	Weight: 0,02 kg	Retailbox: 12	Oldart.no.	-







- Directs one watering supply to 2 separate hoses. · Works with all types and sizes of Quick Hose Connectors.
- Universal fit Fits with other brands.

Height: 6,4cm



Length: 4,6 cm Width: 3,9 cm












Quick Connector, 13-15mm (1/2-5/8") LB (min 30) Art.no. 1027073 Width: 3,9 cm Height: 6,4cm Retailbox: 30 Oldart.no. -Length: 3,9 cm Weight: 0,03kg Comes in loose box of 1027072 Quick hose connector, 13-15mm (1/2-5/8") FLOW 30 pc without product card, but with EAN sticker · Universal fit - Fits with other brands. Please note! The black retail box must be ordered separately shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386. reddot award 2019







- · Comes in loose box of 30 pc without product card, but with EAN sticker.
- Universal fit Fits with other brands.
- Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.

Quick Conr	Art.no.	1027075	z				
Height: 6,8cm	Length: 4,6 cm	Width: 4,6cm	Weight: 0,04kg	Retailbox: 30	Oldart.no.	-	<u> </u>









reddot award 2019

- · Comes in loose box of 1027074 Quick hose connector, 19mm (3/4") FLOW 30 pc without product card, but with EAN sticker.
- · Universal fit Fits with other brands.
- Please note! The black retail box must be ordered separately, shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.








- - ${\color{red} \boldsymbol{\cdot}} \textbf{Quick exchange of watering nozzles, wands, sprinklers and other}$ hose ends.
  - For hoses with Ø 19 mm (3/4").
  - · Comes in loose box of 30 pc without product card, but with EAN
  - $\cdot \, \text{Universal fit} \text{Fits with other brands}.$
  - Please note! The black retail box must be ordered separately shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN code: 6411501511386.
- Quick Connector, 13-15mm (1/2-5/8") STOP LB (min 30) 1027080 Art.no. Weight: 0,03 kg Retailbox: 30 Oldart.no. -



shipped as a set of 4 pcs (flatpacked), Product code: 1027677, EAN

code: 6411501511386



#### **Accessories**

Complement your watering set with our easy-to-use accessories for added convenience in storing and spraying.

Timer, dual outlet						1054792	EAN
Height: 22,2 cm	Length: 8,3 cm	Width: 15,0 cm	Weight: 0,58kg	Retailbox: 4	Oldart.no.	-	6 411501 511782
ė			(# <u>//</u> #)	G1/2, 3/4 & 1"  Universal fit. Fits with Fits with	ously.  • Watering  • Rain delay  • Easy-to-p duration.	duration from 1-36 y up to 7 days. orogram watering s	o hoses independently or simultane- 60 minutes. start and stop times, frequency and e threads to fit most common faucet

Timer, single	Art.no.	1054791				
Height: 20,0 cm	Length: 8,3cm	Width: 15,0 cm	Weight: 0,38 kg	Retailbox: 4	Oldart.no.	-





• Operates with 2xAA batteries (not included), stops watering in

· Watering duration from 1-360 minutes.

case of low battery - low-battery safeguard.

sizes.

- ·Rain delay up to 7 days. · Multi tap connector includes three threads to fit most common faucet sizes.
- Stops watering in case of low battery low-battery safeguard.
- · Operates with 2xAA batteries (not included).
- Universal fit Fits with other brands.

Pressure Sp	Art.no.	1025934				
Height: 49,5 cm	Length: 18,5 cm	Width: 18,5 cm	Weight: 1,30 kg	Retailbox: 4	Oldart.no.	-



- · Light pressure sprayer is ideal for water-based plant treatments
- and gentle watering of new seedlings.
- · Adjustable spray pattern from jet to soft mist.
- Shoulder strap for convenient carrying.
   5 L net capacity (58 L maximum capacity).
   Not suited for spray solvents, aggressive chemicals, petroleum.
- by-products or food products.

Pressure Sp	Art.no.	1027379				
Height: 31,0 cm	Length: 12,5 cm	Width: 22,0cm	Weight: 0,30 kg	Retailbox: 9	Oldart.no.	-



- ${\color{red} \boldsymbol{\cdot}} \textit{Light pressure sprayer is ideal for water-based plant treatments}$
- and gentle watering of new seedlings.
- Adjustable spray pattern from jet to soft mist.
   Easy-to-use features include thumb control with lock, safety valve. for pressure stability, and graduated scale on container.
- ·18 L net capacity (2 L maximum capacity).
- · Not suited for spray solvents, aggressive chemicals, petroleum by-products or food products.

Wallmount f	for Waterwhe	eelXL			Art.no.	1027095	Z	6"411501" 511201
Height: 27,5 cm	Length: 13,0 cm	Width: 19,5cm	Weight: 1,45kg	Retailbox: 4	Oldart.no.	-		6 4 1 1 5 0 1 5 1 1 2 0 1



- · Optional wall mount for the Waterwheel XL (1025932).
- · Durable FiberComp™ body and metal construction.
- · Includes wall-mounting fasteners and easy-to-follow instructions.

Wallmount for Waterwheel S					Art.no.	1020448	Z	6"411501" 510129
Height: 25,0 cm	Length: 9,5cm	Width: 3,0 cm	Weight: 0,60 kg	Retailbox: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 5 1 0 1 2 9



- · Optional wall mount for the Waterwheel S (1020436).
- $\cdot \ \, \text{Includes wall-mounting fasteners and easy-to-follow instructions}.$

Vallmount for Solid Waterwheel						1059235	Z	6"411501"51198
eight: <b>53,4 cm</b>	Length: 5,0 cm	Width: 7,3cm	Weight: 0,34kg	Retailbox: 3	Oldart.no.	-	The state of the s	6 4 1 1 5 0 1 5 1 1 9 8



- $\cdot \, \text{Optional wall mount for Solid Water wheel M (1057238)} \, \text{and} \, \text{L}$
- · Durable construction.
- •Includes wall-mounting fasteners and easy-to-follow instructions.

prinkler Ad	dapter				Art.no.	1027089	z	6 4 1 1 5 0 1
eight: <b>11,4 cm</b>	Length: 3,8cm	Width: 7,4cm	Weight: 0,02kg	Retailbox: 6	Old art. no.	-	Ε¢	6 411501



- · Replacement part for all Fiskars sprinklers.
- Universal fit Fits with other brands.

O-rings for sprinklers, 4 pcs						1024091	z	6 4 1 1 5 0 1 5 1 0 4 7 1
Height: 11,4 cm	Length: 1,6 cm	Width: 7,4 cm	Weight: 0,01kg	Retailbox: 6	Oldart.no.	-		6 4 1 1 5 0 1 5 1 0 4 7 1



·Includes 4 O-rings.

• Replacement part for all Fiskars sprinklers.





·Includes 4 O-rings.

•Replacement part for all Fiskars sprinklers, nozzles, wands and extension connectors.

Filter for spr	Art.no.	1024092				
Height: 11,5 cm	Length: 1,6 cm	Width: 7,4 cm	Weight: 0,02kg	Retailbox: 6	Oldart.no.	-



- $\cdot \text{Includes}\, 2\, \text{filters}.$
- •Replacement part for all Fiskars sprinklers.


Oscillating S	Art.no.	1072123				
Height: 14,0 cm	Length: 2,4 cm	Width: 10,8cm	Weight: 0,01kg	Retailbox: 4	Oldart.no.	-





- Includes a nozzle cleaning tool and a tube filter.
   For use with the following Fiskars oscillating sprinklers: X-Series L (1070831) X-Series M (1070832), Comfort L (1070833), Comfort M (1070834).
- Nozzle cleaning tool removes dirt, scale and debris from clogged nozzles, stores in end cap of sprinkler tube.


  Rust-resistant filter prevents dirt from entering sprinkler tube from



**CAR TOOLS** CAR TOOLS

#### Car & Camping Tools











- $\bullet \textbf{Easily foldable spade} \ and \ hoe, ideal for camping, sports, etc.$
- · Canvas sheath for safe storage and protection. · Hardened boron steel, aluminium and plastic spade.
- · Unfolded the spade is 590 mm in length.

Snow Light	Car Shovel				Art.no.	1000740
Height: <b>71cm</b>	Length: 12 cm	Width: 25cm	Weight: 0,63 kg	Retail box: 3	Oldart.no.	141020
MEDICAL STATE				VPA (		shaft with ergon



- jonomic plastic coating.
- · Ergonomically designed handle.

Safety Cam	Art.no.	1001574				
Height: 70 cm	Length: 13cm	Width: 20,4cm	Weight: 0,48kg	Retailbox: 6	Oldart.no.	131520







- · Lightweight spade which floats in water for camping and garden-
- · Plastic (PP) handle resists low temperatures.
- $\cdot \text{Durable aluminium scoop for rigidity and high tensile strength}.$
- · Hexagonal shaft for extra grip.

Solid <sup>™</sup> Car S	hovel				Art.no.	1019353	z	6 4 1 1 5 0 1 4 3 0 7 3 1
Height: 63cm	Length: 10,5cm	Width: 22 cm	Weight: 0,50 kg	Retailbox: 6	Oldart.no.	143073	Ä	6 4 1 1 5 0 1 4 3 0 7 3 1
-						I tool for removing sn		

Solid <sup>™</sup> Ice So	raper				Art.no.	1019354	Z	6 4 1 1 5 0 1 4 3 0 6 3 2
Height: 21,5 cm	Length: 5,8cm	Width: 9,5cm	Weight: 0,07 kg	Retailbox: 8	Oldart.no.	143063	12	6 4 1 1 5 0 1 4 3 0 6 3 2

- $\cdot \text{Functional tool for removing ice from the car windows}.$ ·Sturdy and durable structure.

· Durable structure.

216 217

### Snow Tools





#### X-series<sup>™</sup> Snow Tools

Exceptional performance.

Our top-of-the-line range of snow tool products combines the best of our technologies and ergonomics with the ultimate in durability, offering a best-in-class option that truly improves the perception - and experience - of the activity itself.







- · Reinforced blade edge lasts 3x longer.
- · Lightweight tool with an aluminium shaft. · Large handle, sized for use with winter gloves.
- Textured non-slip grip for better control and insulation against
- · Low-friction scoop helps snow glide off.
- · Withstands up to -30°C.

X-series <sup>™</sup> Sr	now pusher				Art.no.	1057178	z	
Height: 153,5 cm	Length: 19 cm	Width: 53cm	Weight: 1,58kg	Retailbox: 3	Oldart.no.	-		6 411501 410276
Name .			VPA _	Reinforced		for easy pushing of		





- - · Lightweight tool with an aluminium shaft.
  - Large D-handle with non-slip SoftGrip™ is sized for use with winter
  - Textured non-slip grip for better control and insulation against
  - · Low-friction scoop helps snow glide off.
  - Withstands up to -30°C.

-series <sup>™</sup> Sr	now roller				Art.no.	1057179
eight: <b>173 cm</b>	Length: 11,5 cm	Width: 53cm	Weight: 1,52 kg	Retailbox: 3	Oldart.no.	-








- · Scoop designed for clearing lighter layers of show by pushing forward in a rolling wave.
- · Reinforced blade edge lasts 3x longer. · Lightweight tool with an aluminium shaft.
- · Large handle, sized for use with winter gloves.
- Textured non-slip grip for better control and insulation against
- Low-friction scoop helps snow glide off.Withstands up to -30°C.

X-series <sup>™</sup> Ca	ar snow shov	rel .			Art.no.	1057393
Height: 98.5cm	Length: 10cm	Width: 29cm	Weight: 1kg	Retailbox: 4	Oldart.no.	_







- For efficient clearing of snow around the car
- Deep scoop moves large quantities of snow fast & efficiently. · Reinforced blade edge lasts 3x longer.
- · Compact size for easy storage.
- · Lightweight tool with an aluminium shaft. · Large handle, sized for use with winter gloves.
- Withstands up to -30°C.

SNOW TOOLS SNOW TOOLS

#### X-series<sup>™</sup> Snow Pusher, Curved 1057186 Art.no.

Height: 153 cm Width: 53,2cm Weight: 1,57kg Length: 11,5 cm Retailbox: 3 Oldart.no. -



- · Wide head for easy pushing of large amounts of snow.
- · Reinforced blade edge lasts 3x longer.
- · Curved shaft helps the user keep the back straight. · Lightweight tool with an aluminium shaft.
- $\cdot \text{Large D-} \bar{\text{h}} \text{andle with non-slip SoftGrip} "is sized for use with winter$
- Textured non-slip grip for better control and insulation against cold.
- · Withstands up to -30°C.

X-series <sup>™</sup> Ca	r Snow Shov	vel, Telescop	ic		Art.no.	1057187	z	
Height: <b>79,5cm</b>	Length: 15,4 cm	Width: 29cm	Weight: 1,14 kg	Retailbox: 4	Oldart.no.	-		6 411501 41036







DURABLE

- · For efficient clearing of snow around the car.
- Deep scoop moves large quantities of snow fast & efficiently.
- $\boldsymbol{\cdot} \, \mathsf{Reinforced} \, \mathsf{blade} \, \mathsf{edge} \, \mathsf{lasts} \, \mathsf{3x} \, \mathsf{longer}.$
- $\hbox{\bf \cdot} \, {\sf Telescopic} \, {\sf handle} \, {\sf adjustable} \, {\sf to} \, {\sf a} \, {\sf compact} \, {\sf size} \, {\sf for} \, {\sf easy} \, {\sf storage}.$
- · Lightweight tool with an aluminium shaft.
- · Large handle, sized for use with winter gloves.
- · Withstands up to -30°C.

X-series <sup>™</sup> Sn	Art.no.	1057188				
Height: 120 cm	Length: 19,4 cm	Width: 36,2cm	Weight: 1,59 kg	Retailbox: 3	Oldart.no.	-





- · Deep scoop for easy shovelling of large amounts of snow.
- $\boldsymbol{\cdot} \, \mathsf{Reinforced} \, \mathsf{blade} \, \mathsf{edge} \, \mathsf{lasts} \, \mathsf{3x} \, \mathsf{longer}.$
- $\cdot \text{Adjustable telescopic handle guarantees optimal user ergonom-}$
- · Lightweight tool with an aluminium shaft.
- · Large handle, sized for use with winter gloves.
- Textured non-slip grip for better control and insulation against cold.
- $\hbox{\bf \cdot} \ With stands up to \hbox{\bf -30} \hbox{\it ^\circ C}.$

Height: 143,4 cm Length: 9 cm Width: 53,2 cm Weight: 1,79 kg Retail box: 3 Oldart.no	X-series <sup>™</sup> Sr	ow Pusher, 7	Telescopic			Art.no.	1057189
	Height: 143,4 cm	Length: 9cm	Width: 53,2cm	Weight: 1,79 kg	Retailbox: 3	Oldart.no.	-





- $\cdot \text{The reinforced blade with a stainless steel core makes the tool up} \\$ to 3x more durable.
- · Telescopic shaft with adjustment between 143-163 cm.
- · Lightweight tool with an aluminium shaft.
- Non-slip grip on both handle and shaft.
- ·Resistant up to -30° C.

#### **Other Snow Tools**

SnowXper	t <sup>™</sup> Sledge				Art.no.	1003470	z	
Height: 149 cm	Length: 27,5 cm	Width: 75 cm	Weight: 4,30 kg	Retailbox: 1	Oldart.no.	143021	EAN	6 4 1 1 5 0 1 4 3 0 2 1 2
					parking are •Long, sture •Injection m	ea. dy, tubular steel l	handle for or high stal	bility and lightness.

Weight: 7,20 kg



Professional Snow Sledge



Retailbox: 6

Oldart.no. 143040

Art.no. 1001631

- · Tubular steel handle. · Tough zinc-coated steel edge.
- · Safety reflectors on handles.
- ${\boldsymbol{\cdot}} \, {\text{Orange reflector for visibility in the dark}.$

Ice Iron					Art.no.	1001639	N N N N N N N N N N N N N N N N N N N
Height: 147,5 cm	Length: 4cm	Width: 17,5 cm	Weight: 1,40 kg	Retailbox: 4	Oldart.no.	140000	6"411503" 239905



- · Designed for breaking, chipping and clearing ice.
- $\cdot \, \mathsf{Solid}, \mathsf{painted} \, \mathsf{blade} \, \mathsf{made} \, \mathsf{of} \, \mathsf{hardened} \, \mathsf{boron} \, \mathsf{steel}.$
- · Wooden shaft.
- ·FSC® certified wood.

Snow and Grain Shovel					Art.no.	1001637	ş	
Height: 127cm	Length: 20cm	Width: 31cm	Weight: 1,40 kg	Retailbox: 4	Old art.no.	142000	4	6 4 1 1 5 0 3 2 3 5 2 8 0







- Polypropylene grip.High-quality aluminium blade.
- ·FSC° certified wood.

Snow Light Snow Pusher - Aluminium				Art.no.	1001636	EAN	
Height: 162,2 cm	Length: 12,5 cm	Width: 53,2cm	Weight: 1,60 kg	Retailbox: 4	Old art. no.	143060	5"905568"800435"
			[VD		A lumainium	a ab aft with plactic as	acting







- Aluminium shaft with plastic coating.
   Ergonomically designed handle.
  - · Hardened aluminium blade.

222 223



#### **Accessories**

Axe and To	ool Gloves Siz	ze8				Art.no.	1071129	z
Height: 33cm	Length: 2,5cm	Width: 10,5 cm	Weight: 0,07kg	Retail box:	10	Oldart.no.	-	6 411501 600424
New	•					from injurie using garde · Ideal for ha cutters whi and repair, · Gloves are breathabilit · Additional	s that can occur, espe en tools or hand actua andling axes, garden le performing wood p and home improvem e made of artificial lea cy and all-day comfor	power tools and hand actuated oreparation, general maintenance ent projects. ther with backhand mesh for t. een thumb and index finger, and
Axe and To	ool Gloves Siz	ze 10				Art.no.	1071150	Z
Height: <b>34cm</b>	Length: 2,5cm	Width: 11,5cm	Weight: 0,08kg	Retail box:	10	Oldart.no.	-	6 4 1 1 5 0 1 6 0 0 4 3 1
Man						from injurie using garde · Ideal for ha cutters whi and repair, · Gloves are breathabilit · Additional	s that can occur, espe en tools or hand actua andling axes, garden le performing wood p and home improvema e made of artificial lea cy and all-day comfor	power tools and hand actuated preparation, general maintenance ent projects. ther with backhand mesh for t. een thumb and index finger, and
Axe and To	ool Gloves Siz	ze 12				Art.no.	1071151	Z
Height: 36 cm	Length: 2,5 cm	Width: <b>12,5cm</b>	Weight: 0,09 kg	Retail box:	10	Oldart.no.	-	6 4 1 1 5 0 1 6 0 0 4 4 8
Wew						from injurie using garde · Ideal for ha cutters whi and repair, · Gloves are breathabilit · Additional	s that can occur, espe en tools or hand actua andling axes, garden i le performing wood p and home improvema e made of artificial lea cy and all-day comfor	power tools and hand actuated oreparation, general maintenance ent projects. ther with backhand mesh for t. een thumb and index finger, and
Shrub Care	e Gloves Size	8				Art.no.	1071152	z
Height: 39 cm	Length: 2,5cm	Width: 10,5 cm	Weight: 0,08 kg	Retail box:	10	Oldart.no.	-	6 411501 600455
Waw	1					coverage to holly or ber • Ideal for ha working wi • Gloves are	o prevent injury or dar ry bushes. andling garden tools a th prickly shrubs. e made of artificial lea	vide the needed hand and wrist mage, especially while working wi and hand actuated cutters while ther with added reinforcement ; and palm area for enhanced
Shrub Care	e Gloves Size	10				Art.no.	1071153	z
Height: 39,5 cm	Length: 2,5 cm	Width: 11,5 cm	Weight: 0,10 kg	Retail box:	10	Oldart.no.	-	6 411501 600462




- Fiskars® Shrub Care gloves provide the needed hand and wrist coverage to prevent injury or damage, especially while working with holly or berry bushes.
- Ideal for handling garden tools and hand actuated cutters while working with prickly shrubs.
   Gloves are made of artificial leather with added reinforcement
- between thumb and index finger, and palm area for enhanced durability.

#### Garden Work Gloves Size 10

Height: 25cm Length: 1,5 cm Width: 12cm Weight: 0,07kg Retailbox: 10 Oldart.no. **160004** 






Art.no. **1003477** 



Garden Work Gloves Size 8						1003478
Height: 24cm	Length: 1,5 cm	Width: 11,5 cm	Weight: 0,06 kg	Retailbox: 10	Oldart.no.	160005



Non-slip grip with axes and stick tools.
 Reinforced for rough manual work.





Winter Gloves						1015447
Height: <b>25cm</b>	Length: 2cm	Width: 12cm	Weight: 0,08kg	Retailbox: -	Oldart.no.	160007



- Non-slip grip with axes and stick tools.
  Reinforced for rough manual work.
  Soft shell polyuretane resists moisture and ensures a good grip.





### Fiskars Pro Hardware Tools

Hardware saws p.234

CarbonMax<sup>™</sup> knives p.240

Hardware knives p.248

PowerGear<sup>™</sup> Aviation Snips p.252

PowerArc<sup>™</sup> Scissors p.256

PowerGear<sup>™</sup> Bolt Cutters p.260

IsoCore<sup>™</sup> Tools p.262

**Striking Tools p.263** 

Hammers p.267

**Demolition Tools p.269** 

Iron bars p.270






#### Fiskars Pro Tools

### Hardware tools intro



















#### Content

#### 231 Hardware Tools

#### 234 Hardware Saws

- 236 Handsaws
- 237 Other saws
- 238 Replacement blades

#### 240 CarbonMax<sup>™</sup> Knives

Introducing blades that stay sharp 24x longer than the competition

- 243 Utility Knives
- 244 Snap-off utility knives
- 245 Replacement blades

#### 248 Hardware Knives

#### 252 PowerGear<sup>™</sup> Aviation Snips

Make tough jobs dramatically easier with leverage-enhancing tools.

#### 256 PowerArc<sup>™</sup> Scissors

Make cutting easier, especially at the end of the cut where more force is required

- 258 Amplify<sup>™</sup> Scissors
- 259 Classic Hardware Scissors

#### 260 PowerGear<sup>™</sup> Bolt Cutters

Make cutting hardened rods up to 30 % easier, especially in the beginning of the cut where more force is required

#### 262 IsoCore<sup>™</sup> Tools

Shock control system absorbs strike shock and vibration to reduce the punishment your body takes, transferring up to 70 % less shock and vibration than wood handles

- 263 Striking Tools
- 267 Hammers
- 269 Demolition Tools
- 270 Iron bars

Please note! All the measurements portrayed in the catalogue are products in packaging measurements.



### Hardware tools

#### CarbonMax<sup>™</sup> Knives

Introducing blades that stay sharp 24x longer than the competition.

#### **PowerGear**™ Aviation Snips

Make tough jobs dramatically easier with leverage-enhancing tools.

#### PowerGear<sup>™</sup> Bolt Cutters

Make cutting hardened rod up to 30 % easier, especially at the beginning of the cut where more force is required.

#### PowerArc<sup>™</sup> Heavy Duty Scissors

Make cutting easier, especially at the end of the cut where more force is required.

#### **IsoCore**<sup>™</sup> Demolition Tools

Take on extreme projects with the industry's best shock control system.

#### PowerTooth<sup>™</sup> Saws

Cut faster, straighter, closer & safer.



### Pro tool technologies














### POS materials

The Fiskars® Pro assortment is supported by a wide range of POS materials, from category-specific top signs and posters, to popups and wobblers, to informative shelf-dividers with detailed information about technologies and products.

We also offer a modular display which is easily stacked with our shelf-ready retail packaging.













Shelf-dividers (200 x 1000 mm)



Wobblers (110 x 200 mm)




Wobblers (110 x 110 mm)



Universal displays (790 x 298 mm)







Retail boxes

Utility knives, claw hammers, aviation snips & heavy duty scissors come in shelf-ready retail packaging.

# PowerTooth<sup>™</sup> Universal handsaws

#### Sharper.

Razor-sharp PowerTooth<sup>™</sup> blade cuts faster & stays sharp longer.

#### Tougher

Full-body metal construction, tested to withstand drops and impacts.

#### More Comfortable.

Power support to

rip through rough

materials.

Ergonomic design supports multiple grips for whatever the job demands.

### Saws

#### Hacksaw

Blade tensioning mechanism that clicks into place for optimal tensioning every time. A secondary grip feature for two-handed power, precision and control. Blade secures in out-front position for cutting in small spaces.



#### Estalia a a all a acces

Folding mechanism to protect fine delicate teeth and protect user from abrasions with a quick, accessible lock that clicks to communicate a securely locked blade. Hex bolt for intuitive and secure blade replacement.



#### Compact folding saw

Accepts standard reciprocating saw blades and opens with the flick of the wrist. Intuitive, fast front-loading blade change that fits standard reciprocating saw blades. Ergonomic control positioning for comfort in tight situations.

### t fits des. TRIPLEGRINDING FOR RAZOR-SHARE TEETH

### Foldable blade







#### **PowerTooth**<sup>™</sup>

technology offering precise triple-grinding for razor-sharp teeth.

Fine teeth for a controlled easy

cut start.

INDUCTION-HARDENED

TRIPLE-GRINDING
FOR RAZOR-SHARP
TEET-

#### Included sheath

securely locks onto blade for safe storage and transport and includes a built-in carpenter pencil holder.

PEKAPET PE



noisture, prevents blisters and provides a slip-free hold.

#### Jab saw with sheath

Ultra-sharp, sturdy fixed blade with rugged sheath for ultimate safety. PowerTooth "technology offering precise triple-grinding for razor-sharp teeth and a rasp for smoothing out rough cuts. The reinforced metal pommel end provides reliable resistance against pounding and drops.













SAWS SAWS

#### Hardware Saws | Handsaws

#### PowerTooth<sup>™</sup> Handsaw, 380mm 9tpi

Height: 49,85cm Length: 4,06cm Width: 17,78cm

Weight: 0,51kg





Retailbox: 3

Triple-ground saw blade for fast, powerful cuts.

Art.no. 1062930

Oldart.no. -

- RapidStart<sup>™</sup> blade technology offers greater control with virtually no binding for quicker, cleaner cut starts.
- · Middle and heel of blade feature 9 TPI for forceful, smooth cuts
- through all types of wood, laminate, PVC and more.
- · Oversized handle fits gloved hands, and innovative texturing on SoftGrip™ handle provides a slip-free hold.
- Includes blade protector with built-in pencil holder.

Height: 62,55cm Length: 4,06cm

Width: 17,78 cm

Weight: 0,57kg

Retailbox: 3

Oldart.no. -

Art.no. 1062919







- · Triple-ground saw blade for fast, powerful cuts.
- · RapidStart" blade technology offers greater control with virtually no binding for quicker, cleaner cut starts.
- · Middle and heel of blade feature 9 TPI for forceful, smooth cuts through all types of wood, laminate, PVC and more.
- · Oversized handle fits gloved hands, and innovative texturing on
- SoftGrip™handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.

PowerTooth	Art.no.	1062916				
Height: 67,31cm	Length: 4,06cm	Width: <b>17,78cm</b>	Weight: 0,58 kg	Retailbox: 3	Oldart.no.	-





Retailbox: 3

- · Triple-ground saw blade for fast, powerful cuts.
- RapidStart<sup>™</sup> blade technology offers greater control with virtually no binding for quicker, cleaner cut starts. · Middle and heel of blade features 7 TPI for forceful cuts through all
- types of wood, laminate, PVC and more. · Oversized handle fits gloved hands, and innovative texturing on
- SoftGrip handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.
- PowerTooth™ Handsaw, 550mm 9tpi Art.no. 1062917

Weight: 0,58 kg





Height: 67,31cm | Length: 4,06cm | Width: 17,78cm

· Triple-ground saw blade for fast, powerful cuts.

Oldart.no. -

- $\bullet \textbf{RapidStart} ``blade\ technology\ offers\ greater\ control\ with\ virtually$ no binding for quicker, cleaner cut starts. • Middle and heel of blade feature 9 TPI for forceful, smooth cuts
- through all types of wood, laminate, PVC and more.
- · Oversized handle fits gloved hands, and innovative texturing on SoftGrip handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder
- PowerTooth<sup>™</sup> Handsaw, 550mm 11tpi Art.no. 1062918 Height: 67,31cm | Length: 4,06cm | Width: 17,78cm Weight: 0,58 kg Retailbox: 3 Oldart.no. -





- · Triple-ground saw blade for fast, powerful cuts.
- $\boldsymbol{\cdot} \textbf{RapidStart} \texttt{``blade\,technology\,offers\,greater\,control\,with\,virtually}$ no binding for quicker, cleaner cut starts.
- · Middle and heel of blade feature 11 TPI for smooth, clean cuts
- · Oversized handle fits gloved hands, and innovative texturing on SoftGrip™handle provides a slip-free hold.
- · Includes blade protector with built-in pencil holder.

#### **Other Saws**

TrueTension <sup>™</sup> Hacksaw, 300mm 24tpi					Art.no. <b>1062931</b>
Height: 41,27cm	Length: 1,52cm	Width: 18,42 cm	Weight: 0,83kg	Retailbox: 3	Oldart.no 6 411501 201140
-	7	•			<ul> <li>Intuitive tensioning mechanism 'clicks' when optimal tensioning is achieved.</li> <li>TrueTension" provides confidence in tensioning for frustration-free blade tightening.</li> <li>Quick, clean cuts on metal, plastic, PVC, conduit, copper pipe, bolts, nails and more.</li> <li>Blade changes are faster and easier with no loose parts and visible easily accessible on-tool blade storage.</li> <li>Innovative texturing on SoftCrip" handle provides a slip-free hold.</li> <li>Includes one long-lasting, bimetal blade (24 TPI). Replacement blades available (item #1062941).</li> </ul>
PowerToot	h <sup>™</sup> Detail Pull	saw, 150mm	19tpi		Art.no. <b>1062932</b>
Height: 40,96cm	Length: 2,79 cm	Width: 12,7cm	Weight: 0,20 kg	Retailbox: 6	Oldart.no 6 4 1 1 5 0 1 2 0 1 1 5 7





- · Secure folding and locking mechanism protects exposed teeth
- and prevents accidental deployment.
- · Fine-finish, 19 TPI blade offers excellent accuracy and control for detailed, clean cuts.
- Flexible for quick, easy and clean flush cuts.
- Compact size allows for easy access and is ideal for precise cuts.
- · Ideal for use on softer woods.

Art.no. 1062933

- SoftGrip" touchpoints feature innovative texturing that displaces moisture, prevents blisters and provides a slip-free hold.
- ·Replacement blades available (item #1062942).

owerTooth <sup>™</sup> Folding Pull saw, 250mm 13tpi	
--	--

Height: 60,96 cm Length: 2,79 cm Width: 15,24 cm Weight: 0,32kg

Retailbox: 3







- and prevents accidental deployment.
- · Optimized 13 TPI blade offers excellent precision and control on softer woods, while allowing for general cuts on 2x4s, PVC and
- Flexible for easy, clean flush cuts.
- · Hooked end provides a secure hold for pulling motion.
- · SoftGrip" touchpoints feature innovative texturing that displaces moisture, prevents blisters and provides a slip-free hold.
- Replacement blades available (item #1062943).

Compact Folding Toolbox Saw, 2 blades						1062934
Height: <b>33,65cm</b>	Length: 2,79 cm	Width: 12,7cm	Weight: 0,19 kg	Retailbox: 6	Old art. no.	-







- · Easily stores in your toolbelt.
- $\cdot \mbox{One-handed, flip-open design allows for fast blade deployment}$ with just the flick of a wrist.
- · Quick, easy, front-loading blade changes.
- · Optimal for most 15 cm reciprocating saw blades.
- SoftGrip™ touchpoints feature innovative texturing that displaces moisture, prevents blisters and provides a slip-free hold.
- Includes two saw blades with induction-hardened teeth: One 13 TPI Power Tooth blade for wood and plastic and one 24 TPI
- bi-metal blade for metal

PowerTooth	PowerTooth <sup>™</sup> Jab Saw with Sheath 8tpi					1062935
Height: 38,74 cm	Length: 3,81cm	Width: <b>15,24cm</b>	Weight: 0,18 kg	Retailbox: 6	Old art. no.	





- . Jab saw snaps into sheath for a secure fit. Sheath features a belt clip and hang hole for storage.
- · Triple-ground blade cuts with speed and efficiency with ul-
- tra-sharp tip for piercing quick starts through plasterboards.
- · Rasp on non-sawing side of blade smooths out rough cuts.  $\cdot \, \text{Handle} \, \text{is sized} \, \text{and shaped for optimized comfort and control with} \,$ textured SoftGrip for a slip-free hold.
- Reinforced metal end protects against pounding and drops
- · Low-friction blade coating resists rust and dust buildup.

238 239

#### Other Saws | Replacement blades







- · Blade can be safely stored inside the handle when not in use.
- · Features a handy belt clip for easy carrying.
- SoftGrip<sup>™</sup> handle ensures a safe grip during operations.
- $\cdot \text{Finger guard protects fingers from sliding to the blade part}.$

Replaceme	nt Blade Hac	Art.no.	1062941	2			
leight: <b>0,64cm</b>	Length: 5,08cm	Width: <b>36,83 cm</b>	Weight: 0,05kg	Retailbox: 12	Oldart.no.	-	

- · Bi-metal constructed for long-lasting sharpness.
- · Ideal for clean cuts through metal, plastic, PVC and more.
- ·Fits Fiskars® Pro TrueTension® hacksaw (item #1062931) with ontool blade storage.


Replacement Blade Pull Saw 150mm 19tpi					Art.no.	1062942	Z	
Height: 0,64cm	Length: 12,7cm	Width: 25,4cm	Weight: 0,09 kg	Retailbox: 12	Oldart.no.	-		6 411501 201256
400					·Ideal for ac ·Thin kerf a ·Induction- ·Low-friction ·Fits Fiskar	on coating prolongs	cuts or uick, o vide lo blade pull sa	n softer woods. clean flush cuts. ong-lasting sharpness. el life and resists rust. aw (item #1062932), which has

Replaceme	Art.no.	1062943				
Height: 0,64cm	Length: 12,7cm	Width: <b>35,56cm</b>	Weight: 0,14 kg	Retailbox: 12	Oldart.no.	-
					Division of	

- · Bind-resistant profile with 13 TPI for a fine finish.
- · Ideal for controlled cuts on softer woods as well as general cuts on 2x4s, PVC and more.
- Thin kerf allows flexibility for quick, clean flush cuts.
- ·Induction-hardened teeth provide long-lasting sharpness.
- · Low-friction coating prolongs blade life and resists rust.
- ·Fits Fiskars® Pro Folding pull saw (item #1062933), which has an intuitive hex-bolt blade replacement mechanism.

## Cut faster, straighter, closer & safer.





### **CarbonMax**<sup>™</sup>

#### Sharper.

CarbonMax<sup>™</sup> blades stay sharp longer than the competition – even carbide.

#### ougher.

Full-body metal construction, tested to withstand drops and impacts.

#### More comfortable.

Ergonomic design supports multiple grips for whatever the job demands.



Carbide


CarbonMax<sup>™</sup>

Standard


Laboratory tested and verified.

UTILITY KNIVES | CHANGEABLE BLADES UTILITY KNIVES | CHANGEABLE BLADES

### **Utility Knives**



#### **CarbonMax**<sup>™</sup> Knives








- · Auto-retracting blade for safety.
- · Intuitive, one-handed blade deployment.
- · Safety lock prevent accidental blade release
- · Knife easily hinges open for tool-free blade changes. · Reinforced metal end for sturdy, reliable resistance against pound-

CarbonMax <sup>**</sup> Fixed Utility Knife					Art.no.	1027222	z	
Height: 25,9 cm	Length: 3cm	Width: <b>10,9 cm</b>	Weight: 0,20 kg	Retailbox: 6	Oldart.no.	-	EA	6"411501"701404
Sile	-			Retail pack	ient, easy pr • Reinforced ing and dro	rotection. d metal end prov ps.	vides relia	e push of a button for conven- ble resistance against pound- ange with no loose parts.









· Side blade actuation helps prevent accidental blade retraction when you're in the middle of a job. · Knife easily hinges open with no loose parts to keep track of during

 Includes one CarbonMax<sup>™</sup> utility blade. Accommodates five standard-sized utility blades.

- blade change. Reinforced metal end provides sturdy, reliable resistance against
- pounding and drops. Includes one CarbonMax "utility blade.
- Accommodates five standard-sized utility blades.











- · Easy, one-handed, flip-open design means knife opens with the
- Ergonomic design, including deep grooves and contouring allows
- Reinforced metal end provides sturdy, reliable resistance against pounding and drops.

UTILITY KNIVES | CHANGEABLE BLADES UTILITY KNIVES | CHANGEABLE BLADES

#### CarbonMax<sup>™</sup> Painters Utility Knife Art.no. 1027225



·Paint bucket opener allows you to easily open stubborn 18 L paint

Oldart.no. -

Art.no. 1027226

Oldart.no. -

- $\cdot \text{Includes \#1} \text{size flathead screwdriver bit, perfect for outlet covers}$ and opening paint cans.
- · Reinforced metal end provides sturdy, reliable resistance against drops and pounding.
- Knife easily flips open for one-handed deployment.
- · Push & slide blade change with magnet for blade security.
- · Accommodates two standard-sized utility blades.

CarbonMax <sup>®</sup>	Drywaller l	Jtility Knife

Height: 26cm Width: 10,9 cm Retailbox: 6



Weight: 0,21kg









- ·2-in-1 tool with a standard blade + jab saw that punches through drywall for electrical boxes & more.
- · Reinforced metal end to knock out drywall pieces, and to finish sinking screws and nails.
- ·Both blades deploy from the same end for ease and safety.
- · Push & slide blade change includes magnet that secures blade.
- · Top retraction button avoids accidental retraction.
- Knife hinges open for easy access and cleaning.
- Accommodates two standard-sized utility blades

#### Snap-off Knives | Changeable Blades





246 247

#### CarbonMax<sup>™</sup> Utility Knife Blades, 5 pack

Art.no. 1027229 Width: 7,6 cm Weight: 0,02kg Retailbox: 6 Oldart.no. -





Height: 16,5 cm Length: 1cm



- Replacement blades for any CarbonMax<sup>™</sup> utility knives.
- · Blade features Fiskars' proprietary, edge-retention coating.
- · Stays sharp up to 24x longer than standard utility blades.
- · Laboratory tested and verified.
- Blades fit non-Fiskars knives as well.
- · Pack includes 5 blades.

Art.no. 1027232

#### CarbonMax<sup>™</sup> Snap-off Blades, 18mm, 5 pack

Length: 0,5cm Width: 4,8cm

Weight: 0,02kg

Retailbox: 6 Oldart.no. -





- Replacement blades for CarbonMax<sup>™</sup> 18 mm snap-off utility knives.
- · Blade features Fiskars' proprietary, edge-retention coating.
- $\cdot \, \text{Stays} \, \text{sharp} \, \text{up to} \, 24 x \, \text{longer} \, \text{than} \, \text{standard} \, \text{utility} \, \text{blades}.$
- · Laboratory tested and verified.
- · Blade snaps off cleanly for a new sharp tip.
- · Pack includes 5 x 18 mm blades.

Art.no. 1027233

Width: 7,6 cm

Weight: 0,09 kg Retailbox: 6

Oldart.no. -







- · Replacement blades for CarbonMax "25 mm snap-off utility
- ${\bf \cdot} \, {\sf Blade \, features \, Fiskars' \, proprietary, \, edge-retention \, coating.}$
- $\cdot \, \text{Stays sharp up to 24x longer than standard utility blades}.$ · Laboratory tested and verified.
- ·Blade snaps off cleanly for a new sharp tip.
- · Pack includes 5 x 25 mm blades.




### Hardware Knives

For effective cuts, it's important to keep your knife as sharp as possible. That's why we've integrated a high-quality sharpener into every sheath. This sheath is available for all knives within this range so you'll always have it with you.

The handle has great ergonomics, while innovation in the sheath allows for both left- and right-handed use. The range consists of 5 different colour-coded knives for all your building tasks.



#### Hardware Knives | Fixed Blades





Length: 3,6cm

- · High quality blade that lasts longer
- · Built-in, easy-to-use sharpener.

·Sheath reversable for right- or left-handed use.

Universal Knife with Sharpener (orange) 1023618

Retailbox: 8

Weight: 0,13 kg



- Oldart.no. -
- · High quality blade for general use.
- · Built-in, easy-to-use sharpener. · Sheath reversable for right- or left-handed use.
- 3-component ergonomic handle (patented).

Heavy duty Knife with Sharpener (green)					Art.no.	1023619	z	6"411501"560186"
Height: 28cm	Length: 3,6cm	Width: 8cm	Weight: 0,15 kg	Retailbox: 8	Oldart.no.	-		6 4 1 1 5 0 1 5 6 0 1 8 6



- · Stronger and thicker blade for heavy use.
- Works also as deburring file.
- ·Built-in, easy-to-use sharpener.
- ·Sheath reversable for right- or left-handed use. · 3-component ergonomic handle (patented).
- Craftsman's Knife with Sharpener (red) Art.no. 1023620 Weight: 0,12kg Retailbox: 8 Height: 28 cm Length: 3,6 cm Width: 8cm



- Oldart.no. -
- ·Shorter blade for more precision ·Built-in, easy-to-use sharpener.
- ·Sheath reversable for right- or left-handed use.
- ·3-component ergonomic handle (patented).

Carpenter's	Art.no. <b>1023621</b>				
Height: 28 cm	Length: 3,6cm	Width: 8cm	Weight: 0,15 kg	Retailbox: 8	Oldart.no



- · High quality chisel blade.
- ·Built-in, easy-to-use sharpener.
- · Sheath reversable for right- or left-handed use.
- ·3-component ergonomic handle (patented).

#### Other Knives | Fixed Blades

Height: 42cm Length: 1,80	m Width: 3,8cm	Weight: 0,14 kg	Retailbox: 4	Oldart.no.	-	E A N	6"411502"879027




oldeal for cutting insulating materials such as mineral wool or polystyrene.






#### A tool for every task



Offset aviation snips allow you to keep your hand on top of the sheet for cuts through the center of the sheet. These tools cut at a sharper angle, distancing your hands from sharp, jagged work surfaces.



Ideal for cutting a range of heavy-duty materials.



Shorter cut length increases cutting capacity.



40%
MORE
POWER

#### **Aviation Snips**


Fiskars Pro PowerGear™ aviation snips are ideal for cutting a range of heavy-duty materials, including sheet metal, ductwork, drywall corners, metal studs, siding, soffit, fascia, drip edge, gutters and more.

Equipped with PowerGear<sup>™</sup> patented technology, these tools feature leverage -enhancing gears that give you over 40 % more power, especially during the toughest part of the cut.

PowerGear <sup>™</sup> Aviation Snips (straight cut)					Art.no.	1027207	z	6"411501" 701251
Height: 29,5 cm	Length: 2,5cm	Width: 10,2 cm	Weight: 0,43 kg	Retailbox: 8	Oldart.no.	-	7	6 4 1 1 5 0 1 7 0 1 2 5 1







 EasyAction handle with optimized span truly fits your grip, for more power without sacrificing cut length.

 Ergonomic, spring-assisted, SoftGrip handle reduces hand fatigue and enhances dexterity.

 Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1mm.

PowerGear <sup>™</sup> Aviation Snips (right cut)					Art.no.	1027208	z	6 4 1 1 5 0 1 7 0 1 2 6 8
Height: 29 cm	Length: 2,5 cm	Width: 10,2cm	Weight: 0,44 kg	Retailbox: 8	Oldart.no.	-	Ä	6 4 1 1 5 0 1 7 0 1 2 6 8









 -EasyAction andle with optimized span truly fits your grip, for more power without sacrificing cut length.

 $\cdot \text{Ergonomic, spring-assisted, $\widehat{S}$ of tGrip$^{\tilde{u}}$ handle reduces hand fatigue and enhances dexterity.}$ 

 $\cdot$  Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1 mm.

PowerGear	Art.no.	1027209				
leight: 29 cm	Length: 2,3cm	Width: <b>10,5 cm</b>	Weight: 0,45kg	Retailbox: 8	Oldart.no.	-











• EasyAction" handle with optimized span truly fits your grip, for more power without sacrificing cut length.

• Ergonomic, spring-assisted, SoftGrip handle reduces hand fatioue and enhances dexterity.

fatigue and enhances dexterity.
• Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1 mm.

PowerGear	<sup>™</sup> Aviation Sn	ips (offset rig	jht cut)		Art.no.	1027210
Height: 29,5cm	Length: 3,5 cm	Width: <b>10,5 cm</b>	Weight: 0,49kg	Retailbox: 6	Oldart.no.	_











• EasyAction" handle with optimized span truly fits your grip, for more power without sacrificing cut length.

• Ergonomic, spring-assisted, SoftGrip "handle reduces hand fatigue and enhances dexterity.

-Cut capacity: 18-gauge cold-rolled steel, 22-gauge stainless steel; cut length: 38.1 mm.



	Reta pac
The state of the s	Jac

PowerGear Aviation Snips (bulldog)





while a shorter cut length increases cutting capacity. • EasyAction" handle with optimized span truly fits your grip, for more power without sacrificing cut length.

1027212

Art.no.

· Ergonomic, spring-assisted, SoftGrip" handle reduces hand

· Cut capacity: 16-gauge cold-rolled steel, 18-gauge stainless steel;







#### **Heavy-duty Scissors**

Fiskars Pro heavy-duty scissors feature power-enhanging technologies, such as PowerArc™ for up to 30% more power, and Amplify™ that cuts up to 2x thicker materials. This makes them ideal for cutting a variety of materials including insulation, duct tape, cardboard, cork, board rope, tar paper, Tyvek, hoses and more. Heavyduty stainless steel blades power through thick materials without separation, while durable construction and high-quality materials guarantee long life.











- Heavy-duty coined stainless steel blades power through thick materials without separation and won't rust
- · Serrated blade and extended blade tang improve strength and

• Ergonomic handle with SoftGrip™ and strategic texturing enhances

• Ergonomic handle with SoftGrip" and strategic texturing enhances

PowerArc <sup>™</sup> l	Art.no.	1027206				
Height: 26,4cm	Length: 12 cm	Width: 26cm	Weight: 0,21kg	Retailbox: 6	Oldart.no.	









- Offset Easy Action<sup>™</sup> handle opens automatically, cuts from above or below and keeps your hand away from the materials you're
- · Heavy-duty stainless steel blades power through thick materials without separation and won't rust.
- $\bullet \, \text{Serrated edge grips slippery materials for better control.}$
- Handle features SoftGrip™ for enhanced dexterity and comfort
- Fasy-open lock protects the blades during transport and storage

Amplify <sup>™</sup> Sc	Art.no.	1020224				
Height: 22 cm	Length: 2cm	Width: 8cm	Weight: 0,11kg	Retailbox: 5	Oldart.no.	-






- · Ideal for cuts through thick, heavy materials like leather, burlap, carpet, canvas, upholstery and more.
- · Amplify" technology senses blade separation when cutting thick materials, forcing them back together for crisp, clean cuts every
- · Floating blade tang transfers energy to the torsion bar, which
- adjusts the blade to its optimal angle.
- · Soft-grip handle for comfort and control.
- · High quality stainless steel blades hold their sharp edge longer

HARDWARE SCISSORS HARDWARE SCISSORS

#### Amplify<sup>™</sup> Scissors, 24 cm 1020223 Art.no. Height: 25 cm Width: 9cm Weight: 0,17kg Retailbox: 5 Length: 2cm Oldart.no. -· Ideal for cuts through thick, heavy materials like leather, burlap, carpet, canvas, upholstery and much more. • Premium-grade, stainless steel blades with a precisely-honed edge stay sharp and cut cleanly, all the way to the tip. $\bullet \, \text{Thumb and finger loops with ergonomic sculpting for exceptional} \\$ comfort and control. ·Soft-grip handle for comfort and control. · High quality stainless steel blades hold their sharp edge longer. · For right-handed. Hardware Scissors, 25 cm Art.no. 1020478 Height: 32cm Length: 2cm Width: 9cm Weight: 0,13 kg Retailbox: 6 Oldart.no. -· Long high-quality stainless steel blades with wire cutting notch. MADE IN · Large ergonomic handle. • Ergonomic and durable design. • Made in Finland · For right-handed.




#### **Classic Hardware Scissors**

Width: 8,6cm



Weight: 0,09 kg



Length: 2cm

Height: 28 cm



MADE IN

Retailbox: 5

Oldart.no. -

· Ideal for all kinds of fixing cutting tasks such as cutting cardboard,

wallpaper and packaging

Superior comfort and performance.

· Handles made from impact-resistant PBT.

Adjustable blade tension.

· Made in Finland with premium and durable materials, tested by

•For right-handed.

·For left-handed.



Small unive	rsal purpose	Art.no. <b>1024881</b>	z			
Height: 24,7cm	Length: 1,5 cm	Width: 8,5cm	Weight: 0,05 kg	Retailbox: 10	Old art.no	3 359900 398
		)		GUARANTEE	One billion scissors sold. Ideal for all kinds of cutting task Superior comfort and performs	





MADE IN FINLAND


· Made in Finland with premium and durable materials, tested by

 $\cdot \text{For right- and left-handed}.$ 

### PowerGear<sup>™</sup> Bolt Cutters

Cut a range of heavy-duty materials including padlocks, chains, rebar, metal rods, threaded rods and more.









jaw alignment to maintain cut performance

PowerGear<sup>®</sup>

**POWER** 

#### **Bolt Cutters**

Ideal for cutting a range of heavy-duty materials including paddle locks, chains, rebar, metal rod, threaded rod and more, Fiskars Pro Bolt cutters feature PowerGear™ patented technology - leverage-enhancing gears that give you over 40% more power, especially during the toughest part of the cut. Adjustable eccentric bolts allow you to optimize jaw alignment for optimal cut performance over time.

PowerGea	Art.no.	1027216				
Height: 92cm	Length: 5,5 cm	Width: 32cm	Weight: 5,5 kg	Retailbox: 1	Oldart.no.	-
				VPA (	0.11	











- Cutting capacity: Cuts soft materials up to 11,1 mm (7/16") (<19 HRC) and hard materials up to 7,9 mm (5/16") (<40 HRC).

PowerGear <sup>™</sup> Bolt Cutter, 61 cm						1027214	Z	
Height: 61,5 cm	Length: 4,5cm	Width: 21cm	Weight: 3,06 kg	Retailbox: 2	Oldart.no.	-	Ερ	6 4 1 1








- Cutting capacity: Cuts soft materials up to 9,5 mm (3/8") (<19 HRC) and hard materials up to 6,35 mm (1/4") (<40 HRC).

PowerGear <sup>™</sup> Bolt Cutter, 36 cm						1027213	z	
Height: <b>35,5cm</b>	Length: 4cm	Width: 14,5 cm	Weight: 1,08 kg	Retailbox: 2	Oldart.no.	-	EAN 6 4	 







- Cutting capacity: Cuts soft materials up to 7,9 mm (5/16") (<19 HRC) and hard materials up to 4,76mm (3/16") (<40 HRC).

### **IsoCore**

Reduce punishment on your body
Patented technology reduces strike shock and vibration up to 70 %, reducing muscle fatigue and joint pain.

#### **Built to last longer**

Forged, heat-treated steel head, finished with a rust-resistant coating.

#### Maximum strike control

Ergonomically contoured grip and perfectly balanced shaft to give the ultimate strike feel.

**IsoCore**<sup>™</sup>

SHOCK




### Sledge Hammers

Patented IsoCore™ Shock Control System transfers 2x less shock and vibration than wood handles, reducing the punishment your body takes

than competition.


5x more destructive Induction-hardened, wedge-shaped demolition head concentrates force for maximum destruction, directing debris to the sides and away from the user

Stainless steel riveted head with steel-reinforced core gives our product unmatched head retention and durability



SHOCK


#### **Striking Tools**





STRIKING TOOLS HAMMERS

#### **Striking Tools**



Isocore <sup>™</sup> SN	Art.no.	1062936				
Height: <b>35,89 cm</b>	Length: 5,08cm	Width: <b>14,30 cm</b>	Weight: 1,36 kg	Retail box: 2	Oldart.no.	-



- · Ideal for splitting small logs and kindling.
- Transfers less shock and vibration than wood-handled mauls,
- reducing punsishment on your body.
- swinging with maximum force.
- · Forged, heat-treated steel with rust-resistant coating.

• Forged, heat-treated steel with rust-resistant coating.

 $\cdot \, \text{Handle texturing improves grip and prevents blisters}.$ 

• Sculpted SoftGrip" tandle for enhanced comfort and control.

#### **Hammers**

IsoCore <sup>™</sup> M Finishing Hammer						1020213	
Height: 34,3 cm	Length: 3,8cm	Width: 13,3 cm	- EAN	6 4 1 1 5 0 1 5 6 0 0 0 1			
	-	,	Retail pack	reddot award 2016 winner	the surroun Sculpted S while impro	ding area.	ily.
lsoCore <sup>™</sup> M	Finishing Ha	mmer, Curv	ed Claw		Art.no.	1027202	





Oldart.no. -



IsoCore<sup>™</sup> L General Use Hammer

Height: 34,3 cm Length: 3,8 cm

Width: **14,6 cm** 



Weight: 0,91kg



reddot award 2016

Retailbox: 4



· Ideal for driving small nails into visible surfaces without damaging the surrounding area.

 ${\boldsymbol{\cdot}} \text{Curved claw optimised to make removing nails faster and easier.}$ 

Insulation sleeve captures initial strike shock.

- $\boldsymbol{\cdot} \, \mathsf{Sculpted} \, \mathsf{Soft} \bar{\mathsf{G}} \mathsf{rip}^{\scriptscriptstyle{\mathsf{T}}} \, \mathsf{handle} \, \mathsf{with} \, \mathsf{texturing} \, \mathsf{helps} \, \mathsf{prevent} \, \mathsf{blisters}$
- while improving comfort and control.

  Magnetic nail-starter groove allows you to start nails with one hand in hard places.
- · Rip claw pulls nails quickly and easily.
- · Insulation sleeve captures initial strike shock.

soCore <sup>™</sup> L(	Art.no.	1027203				
Height: <b>34cm</b>	Length: 3,2cm	Width: 13,4 cm	Weight: 0,78kg	Retailbox: 6	Oldart.no.	-
2				D)		iving nails during







reddot award 2016



- ng a wide variety of common tasks on the job site or around the house.
- · Sculpted SoftGrip™ handle with texturing helps prevent blisters while improving comfort and control.
- · Curved claw optimised to make removing nails faster and easier. · Insulation sleeve captures initial strike shock.
- IsoCore<sup>™</sup> XL General Use Hammer 1020215 Art.no. Weight: 0,86 kg Height: 39,4cm Length: 3,8cm Width: **14,6 cm** Retailbox: 4 Oldart.no. -







reddot award 2016


- · Ideal for driving small nails into visible surfaces without damaging the surrounding area.
- Sculpted SoftGrip handle with texturing helps prevent blisters while improving comfort and control.
- · Magnetic nail-starter groove allows you to start nails with one hand • Rip claw pulls nails quickly and easily.
- · Insulation sleeve captures initial strike shock

268

HAMMERS DEMOLITION TOOLS


#### IsoCore™XXL Milled-faced Framing Hammer Art.no. 1020216 Height: 40,6cm Length: 3,8cm Width: **14,6 cm** Weight: 1,02kg Retailbox: 4 Oldart.no. - Head optimized for balance, weight and superior durability. · Handle flare keeps the tool firmly in hand when swinging. · Sculpted SoftGrip handle with texturing helps prevent blisters while improving comfort and control. reddot award 2016 · Milled face grips nail head to help prevent hammer from sliding off the nail when striking. · Magnetic nail-starter groove allows you to start nails with one hand in hard places. · Rip claw pulls nails quickly and easily. · Forged, heat-treated steel with rust-resistant coating. • Extended grip lets you choke up for added control when making precision strikes.


Insulation sleeve captures initial strike shock.



#### **Demolition Tools**

Fiskars Pro demolition tools are great for a variety of demolishing tasks and feature patented IsoCore<sup>™</sup> shock control technology to reduce shock and vibration by up to 70%.





#### **Iron bars**

 Iron Bar, 5 kg

 Height:
 120 cm
 Length:
 2,9 cm
 Width:
 2,9 cm
 Weight:
 4,97 kg
 Retailbox:
 1
 Oldart.no.

- · For levering, moving loads, dislodging stones & digging.
- · Octagonal cross-section for better grip.
- · Made of high quality & durable carbon steel.
- Hardened ends to ensure user safety when using the bar to strike.

Iron Bar, 6 kg	9				Art.no.	1027235	6"411501"7015
Height: 135 cm	Length: 3cm	Width: 3cm	Weight: 5,97kg	Retailbox: 1	Oldart.no.		6 411501 7015

- · For levering, moving loads, dislodging stones & digging.
- · Octagonal cross-section for better grip.
- · Made of high quality & durable carbon steel.
- $\cdot \text{Hardened ends to ensure user safety when using the bar to strike}.$

Iron Bar, 7 kg	Art.no.	1027236				
Height: 150 cm	Length: 3,1cm	Width: 3,1cm	Weight: 7,01kg	Retailbox: 1	Oldart.no.	-



- · For levering, moving loads, dislodging stones & digging.
- ·Octagonal cross-section for better grip.
- · Made of high quality & durable carbon steel.
- Hardened ends to ensure user safety when using the bar to strike.



#### Maintenance | Spare Parts

Maintenance Kit Art.no. 1001640 Height: 19,7 cm Length: 3,3cm Width: 10,5 cm Weight: 0,15 kg Retailbox: 4 Oldart.no. 110990



- · For regular maintenance on Fiskars garden tools.
- ·Includes a maintenance guidebook, diamond file and oil. • Detailed instructions using pictures and symbols for sharpening,

oiling,	washing,	storage	and	more.	







- ·For quick, clean cuts on thick stems and branches.
- •7 TPI blade for fast cutting.
- · Blade lenght: 15 cm

Spare Blade	e For Folding	Saw SW69			Art.no.	1067555	z	6 4 1 1 5 0 1 2 0 1 3 6 2
Height: 29,4cm	Length: 0,4 cm	Width: 8cm	Weight: 0,08kg	Retailbox: 4	Oldart.no.	-	Ä	6 4 1 1 5 0 1 2 0 1 3 6 2



- ·SW-69 (1067553)
- $\cdot \text{For quick, clean cuts on thick stems and branches}.$
- •7TPI blade for fast cutting.
- ·Blade lenght: 20 cm

Handle Kit f	or Pruning S	aw (SW240 8	& SW330)		Art.no.	1020202	z	
Height: 22cm	Length: 2,2 cm	Width: 11cm	Weight: 0,16 kg	Retailbox: 4	Oldart.no.	123332	Ë	6 4 1 1 5 0 1 2 3 3 3 2 5
	-	3				or use with: rticle No 1020199).		



- ·Sturdy grip with SoftGrip".
- ·Screw and nut.

Scabbard K	(it for Pruning	g Saw (SW24	0 & SW330)		Art.no.	1020201	z	
Height: <b>42 cm</b>	Length: 5,5 cm	Width: 9cm	Weight: 0,18 kg	Retailbox: 4	Oldart.no.	123331	7	6 4 1 1 5 0 1 2 3 3 3 1



- Scabbard kit for use with:
- •SW-330 (article No 1020199). • SW-240 (article No 1020200).
- ·Scabbard with left- and right-side mounting.
- · Usable with WoodXpert" tool belt (Article No 1003626).

Curved Replacement Blade (CC33) 1020193 Art.no. Height: 43,4 cm Length: 0,3 cm Weight: 0,10 kg Retailbox: 4 Oldart.no. **123336** Replacement blade for use with: ·SW-330 (article No 1020199). · SW-240 (article No 1020200).  $\cdot \text{General cutting, fast pruning with fewer strokes.} \\$ 

· Pitch of teeth 4 mm.

Straight Re	placement E	Blade (SC33)	)		Art.no.	1020195	Z	
Height: 43,4 cm	Length: 0,3cm	Width: <b>7,1cm</b>	Weight: 0,08 kg	Retail box: 4	Oldart.no.	123337	7	6 411501 233370
583			=		•SW-330 (a			

Straight Re	placement E	Blade (SF33)			Art.no.	1020197	6 411501 233387
Height: 43,4 cm	Length: 0,3cm	Width: <b>7,1cm</b>	Weight: 0,09 kg	Retailbox: 4	Oldart.no.		6 4 1 1 5 0 1 2 3 3 3 8 7
					Renlaceme	ent blade for use with:	

•SW-330 (article No 1020199). • SW-240 (article No 1020200). · Fruit trees and trees with loose bark. · Pitch of teeth 2,5 mm.

Curved Replacement Blade (CC24)         Art.no.         1020194           Height: 34cm         Length: 0,3cm         Width: 5,3cm         Weight: 0,06kg         Retailbox: 4         Oldart.no.         123246	Curved Rep	olacement Bl	lade (CC24)			Art.no.	1020194	EAN
	Height: 34cm	Length: 0,3 cm	Width: 5,3cm	Weight: 0,06 kg	Retailbox: 4	Old art. no.	123246	6 411501 232

Replacement blade for use with: SW-330 (article No 1020199). SW-240 (article No 1020200). · General cutting. ·Pitch of teeth 4 mm.

Straight Rep	placement Bl	ade (SC24)			Art.no.	1020196	Z	
Height: <b>34cm</b>	Length: 0,3cm	Width: 5,3cm	Weight: 0,06 kg	Retailbox: 4	Old art. no.	123247		6 4 1 1 5 0 1 2 3 2 4 7 2



- Replacement blade for use with: • SW-330 (article No 1020199).
- •SW-240 (article No 1020200).
- ·Root cuts.
- Pitch of teeth 4 mm.

274 275

### Straight Replacement Blade (SF24) Art.no. 1020198 Height: 34cm Length: 0,3cm Width: 5,3cm Weight: 0,07kg Retailbox: 4 Oldart.no. 123248

Replacement blade for use with: • SW-330 (article No 1020199).

SW-330 (article No 1020199).
 SW-240 (article No 1020200).

• Fruit trees and trees with loose bark.

• Pitch of teeth 2,5 mm.

Height: 63cm Length: 0,1cm Width: 4cm Weight: 0,05kg Retailbox: 5 Oldart.no. 124807	Spare Blade	e for Bow Sav	w (SW30)			Art.no.	1001706	WB 0 4 6
	Height: 63cm	Length: <b>0,1cm</b>	Width: 4cm	Weight: 0,05kg	Retailbox: 5	Oldart.no.	124807	0 0 4 6

Replacement blade for use with: •21" Bow Saw SW30 (article No 1001621).

Spare Blad	Spare Blade for Bow Saw (SW31)									
Height: 67,1cm	Length: 0,1cm	Width: 4cm	Weight: 0,05kg	Retailbox: 5	Oldart.no.	124817				

dart.no. **124817** 

Replacement blade for use with: •24" Bow Saw SW31 (article No 1000615).

Blade, sprin	Art.no.	1064258				
Height: 27cm	Length: 3,5 cm	Width: 17 cm	Weight: 0,07kg	Retailbox: 4	Oldart.no.	-



Blade, spring, screw for use with:


•X-series Pruner bypass L P961 (article No 1057175).

Blade, sprin	Art.no.	1064259				
Height: 27 cm	Length: 3,5 cm	Width: 17 cm	Weight: 0,06 kg	Retailbox: 4	Oldart.no.	-



Blade, spring, screw for use with:

· X-series Pruner anvil L P941 (article No 1057174).





Blade, spring, screw for use with:

• X-series Pruner bypass M P921 (article No 1057173).

Blade, Spring, Screw (PX92)						1026275	z	6"424002"008491
Height: 27cm	Length: 3,5cm	Width: 17cm	Weight: 0,06 kg	Retailbox: 4	Oldart.no.	-		6 4 2 4 0 0 2 0 0 8 4 9 1



Blade, spring, screw for use with:
• PGX Pruner bypass MPX92 (article No 1023630).

Blade, Spring, Screw (PX93)						1026276	z	6 4
Height: 27cm	Length: 3,5 cm	Width: 17cm	Weight: 0,06kg	Retailbox: 4	Oldart.no.	-	EA	6 <sup>  </sup> 4





Blade, spring, screw for use with:
• PGX Pruner anvil L PX93 (article No 1023629).

Blade, Spring, Screw (PX94)						1026277	Z.	6 424002
Height: 27cm	Length: 3,5 cm	Width: 17cm	Weight: 0,07kg	Retailbox: 4	Old art. no.	-	Ш	6 424002





Blade, spring, screw for use with:
• PGX Pruner bypass L PX94 (article No 1023628).

Blade, Spring, Bolt, Screw (P90)						1026278	Z	6 4 2 4
Height: 27cm	Length: 3,5 cm	Width: 17cm	Weight: 0,10 kg	Retailbox: 4	Old art.no.	-	É	6 424





Blade, spring, bolt, screw for use with:
• Pro Pruner P90 (article No 1001530).

#### Blade, Spring, Screw (P100) Art.no. 1026279 Length: 2,5 cm Width: 17 cm Weight: 0,05 kg Retailbox: 4 Oldart.no. -Height: 27cm



Blade, spring, screw for use with: • Quantum Pruner bypass P100 (article No 1001434).

Blade, Lock	Art.no.	1026280				
Height: 27cm	Length: 2cm	Width: 17 cm	Weight: 0,12 kg	Retailbox: 4	Oldart.no.	-





Blade, lock, screw kit for use with: • Pro Tools Pruner PB8 M (article No 1020204).

• Pro Tools Pruner PB8 L (article No 1020203).

Blade Kit P	Art.no. <b>1026281</b>				
Height: 27cm	Length: 1,2 cm	Width: 17cm	Weight: 0,04kg	Retailbox: 4	Oldart.no





Pro Tools Pruner PB8 M (article No 1020204).


Pro Tools Pruner PB8 L (article No 1020203).

Handle Kit, I	Art.no.	1026282				
Height: 27cm	Length: 2,2cm	Width: 17cm	Weight: 0,08kg	Retailbox: 4	Oldart.no.	-



Handle kit for use with:

• Pro Tools Pruner PB8 M (article No 1020204).



Handle Kit, L (PB8)						1026283
Height: 27cm	Length: 2,5 cm	Width: 17cm	Weight: 0,09 kg	Retailbox: 4	Oldart.no.	-



Handle kit for use with:

• Pro Tools Pruner PB8 L (article No 1020203).





Blade, screws for use with:

· Quantum Lopper bypass Scissor S L102 (article No 1001436).

· PowerGear Lopper bypass Scissor S L72 (article No 1001555).

·PowerGear Lopper bypass Scissor M L76 (article No 1001553).

Blade, Scre	ws (L104, L10	08,LX94,LX9	Art.no. <b>1026285</b>	- Karaman and a second a second and a second a second and		
Height: 27cm	Length: 2,6cm	Width: 17cm	Weight: 0,29 kg	Retailbox: 4	Oldart.no	6 424002 00859
					Plada carawa farusa with:	



• Quantum Lopper bypass M L104 (article No 1001438) and bypass L L108 (article No 1001435).

- PGX Lopper bypass M L X94 (article No 1020187) and bypass L L X98 (article No 1020188).

• PowerGear Lopper bypass Hook L L78 (article No 1000584). · PowerGear Steel Lopper bypass M L94 (article No 1001549) and

bypass L L98 (article No 1001548).

Blades Anvil, Screw (L109, LX99, L93, L99)					Art.no.	1026286	Z	6 4 2 4 0 0 2 0 0 8 6 0 6
Height: 27cm	Length: 2,2cm	Width: 17cm	Weight: 0,25kg	Retailbox: 4	Oldart.no.	-		6 424002 008606



Blades anvil, screw for use with:

• Quantum Lopper anvil L L109 (article No 1001437).

PGX Lopper anvil LLX99 (article No 1020189).
PowerGear Steel Lopper Anvil ML93 (article No 1001550).
PowerGear Steel Lopper Anvil LL99 (article No 1001547).

Blade, Screw (L70, L74, L90, L92, LX92)						1026288	Z	6 424002 008620
Height: <b>27cm</b>	Length: 2cm	Width: 17cm	Weight: 0,14kg	Retailbox: 4	Old art.no.	-	Ä	6 4 2 4 0 0 2 0 0 8 6 2 0



Blade, screw for use with:

PowerGear Lopper bypass Hook Head SL70 (article No 1002104).
 PowerGear Lopper bypass Hook ML74 (article No 1000582).

· PowerGear Steel Steel Lopper bypass XS L90 (article No 1001552). PowerGear Steel Lopper bypass SL92 (article No 1001551).

•PGX Lopper bypass S LX92 (article No 1020186).

Blades, Anvil, Screw (L71) 1026290 Art.no. Weight: 0,18 kg Retailbox: 4 Length: 2,5cm Width: 17cm Oldart.no. -Height: 27cm





Blades, anvil, screw for use with:
- PowerGear Lopper anvil S L71 (article No 1001556).





Blades, anvil, screw for use with: · PowerGear Lopper anvil L L77 (article No 1000583).

Blade, Spring, Chain link for Tree pruners						1026293	EAN
Height: 27cm	Length: 2,2cm	Width: 17cm	Weight: 0,07kg	Retailbox: 4	Oldart.no.		Ä





Blade, spring, chain link for use with: -PowerGear Tree pruners UP82 (article No 1001558) / UP84 (article No 1001557) / UP86 (article No 1000598/1073084). •PowerGear™X Tree pruners UPX82 (article No 1023625) / UPX86 (article No 1023624).

Spare Cuttin	Art.no.	1026295				
Height: 24 cm	Length: 8,2 cm	Width: 10cm	Weight: 0,44kg	Retail box: 4	Oldart.no.	-




- PGX Tree pruner UPX82 (article No 1023625).
  PGX Telescopic Tree pruner UPX86 (article No 1023624).

Internal Rope & Roll Cord (UP86)						1027526
Height: 27cm	Length: 2,6cm	Width: 17cm	Weight: 0,12kg	Retail box: 4	Oldart.no.	-



For use with Universal Cutters Tree Pruner Bypass Telescopic UP86 (article No 1000598/1073084).



Internal Rop	Art.no.	1027525				
Height: 27cm	Length: 2,6cm	Width: 17cm	Weight: 0,09 kg	Retail box: 4	Oldart.no.	-



For use with Universal Cutters Tree Pruner Bypass UP82 (article No 1001558).

Handle and Rope Set (UPX86) Art.no. 1026296 Height: 24 cm Length: 8,2 cm Width: 10 cm Weight: 0,19 kg Retailbox: 4 Oldart.no. -



Handle and rope set for use with: •PGX Telescopic tree pruner UPX86 (article No 1023624).

Handle and Rope Set (UPX82)						Art.no. <b>1026297</b>		6" 4 2 4 0 0 2" 0 0 8 7 1 2"
Height: 24cm	Length: 8,2cm	Width: 10 cm	Weight: 0,16 kg	Retailbox: 4	Oldart.no.	-	THE STATE OF THE S	6 4 2 4 0 0 2 0 0 8 7 1 2



Handle and rope set for use with: • PGX Tree pruner UPX82 (article No 1023625).

QuikDrill" Pl	uikDrill <sup>™</sup> Plus <sup>™</sup> Part,S				Art.no. <b>1000637</b>		z	905568
Height: 14,5 cm	Length: 2cm	Width: 10 cm	Weight: 0,14kg	Retailbox: 2	Oldart.no.	134717	EA	



Spare blades for use with:
• QuikDrill" Garden Drill S (article No 1000636).
• Working diameter 100 mm.

QuikDrill <sup>™</sup> Plus <sup>™</sup> Part, L					Art.no.	1000641	Z	5 9055
Height: 22 cm	Length: 2cm	Width: 15cm	Weight: 0,55kg	Retailbox: 2	Old art. no.	134737	Ш	5 9055 5 9055




Spare blades for use with:
• QuikDrill" Garden Drill L (article No 1000640).
• Working diameter 200 mm.

281



The right tool for each task



GARDENING - GENERAL / MATERIALS / MAINTENANCE GARDENING - PLANT CARE / YARD CARE / SNOW TOOLS

#### Gardening – general



Made in Finland

From S-M

Pocket



Weather

From S-L

Locking



Frost

Double

locking



Frost resistant

Cutting



From M-L



Ømm

Left-& right-



Right-

handed



Product

#### Gardening - general materials & technologies

 Image: Control of the control of the



SoftGrip™



TruGrip<sup>™</sup>



Non-slip



Lightweight









Steel (Newicon)



Comp<sup>™</sup> (2x more

Aluminium

Power





Aluminium

Stainless



Dura

Power

frame®

Boron



Steel











Cotton





Power

#### **Plant Care**



FO C

Bypass blades-**Promotes** growth

Optimised

cutting





Optimised

cutting

Anvil blades-Stunts

Optimised

powertip













FingerLoop



CrMov blade material



Ultrablade® coating



TruEdge™ blade



PTFE coating

Serrated

lower blade



blade, general Blade

toothing

& Sawing

direction

Coated



Hollow grind blade (branch







For



Telescopic length



Telescopic max.reach



PowerReel mechanism

#### **Yard Care**



Power

Car & Snow Tools



Power Clean<sup>™</sup>





Power

#### Gardening - plant care maintenance



Maintenance: Wash with water & brush

Maintenance:

Oiling connections




Wipe with cloth



Maintenance:

Sharpening direction &

Fiskars sharpening tool



#### Spare parts



Spare parts symbol







Reflectors (sledge)



Double bladed (ice scraper)



Floating (camping & car spade)



Telescopic/





Zinc coated steeledge (sledge)

scoop (sledge)











GARDENING - LAWN CARE / SOIL CARE GARDENING - WOOD PREP

#### **Lawn Care**



180° angle (grass

Weedpuller

Pressinto

usage:

ground



360° cutting angle (Ggrass

Weed puller

usage:



Anti-jamming (grass





Telescopic



Pop-up bags



Tearresistant (Pop-up



Waterresistant (Pop-up

#### Soil Care



Hardness 52HRC (hay fork)

QuikDrill M,



Hardness 52HRC (manure

QuikDrill L,



QuikDrillS,

QuikDrill L,

Boron steel

(shovels)





QuikDrill M,



Flexible prongs







Boron steel (rounded spades)



Step board



Spade

Drop







Aerator

Boron steel

(pointed

spades)











Universal

Universal adapter, universal connection



Telescopic

#### **Wood Preparation**



Sharp blade

Splitting log

Sharp

Belt clip

Grafting

Sappie XA22

steel blade



XY

Chopping

Blade

Dishwasher

Grafting



XY



Product

Finger guard

Universal

Log size (log

Chopping

axe for



Push&pull (axe & knife sharpener)

(brush

Woodcarv-

ing (knives)

Logthongs

Felling



Splitting axe

Reinforced (Wood Xpert)













mmm

Mainte-

nance

saws: Oiling



Fruits

Sliding

blade

guard, D-handle

Mainte-

nance

saws: Wipe

with cloth

Felling lever





Push&

(bow saw)

bull blade









Maria Pull blade (saws)

Sappie XA2







Pull blade,

usage



Helicoidal (splitting







adapter, connection







Safety

Safe area









Safety instructions



WATERING - GENERAL / HOSES / SPRINKLERS / WATERWHEELS WATERING - SPRAY GUNS & NOZZLES / CONNECTORS PRESSURE SPRAYERS & TIMERS

#### Watering - general



Fits with other brands.

Hose connection diameter 9 mm



Universalfit.

other brands.

**Fitswith** 





Garden size recommendation



Frost





Pressure





Rotation capability



Time saving

**Product** 

Time saving



70% LESS WATER



Pressure





70%less



Can be cut



Flow



control



Twist resistancy, level3



Twist resistancy, level4



Twist resistancy, level 5

#### Sprinklers



Watering areaS, round



Watering areaS, square



Watering areaM



Watering



Watering area XL



20% water saving



Adjustable

width

On/Off



Adjustable distance and rotation



Adjustable



Adjustable length

Adjustable width



Easy wall-



Easy wall-



Auto On/Off



#### Spray Guns & Nozzles



Easy to use/ connect



Ergonomic grip pattern



Front

control




Thumb

control



Water flow,



3-function,

hard jet

Spray

pattern,

Multi, bub-

ble spray





Spray pattern, 3-function, mist

Spray

Multi,

pattern,

flatspray








hard jet













Spray pattern, 3-function



Spray pattern, 4-function

#### Connectors



Tap connector connection size in inch & mm



Twintap, hose



Watering

#### **Pressure Sprayers & Timers**



Upto5L

Instant



every6h& upto7days

Safety

Watering

frequency



Timing duration

Dual



Auto Off function



Single outlet

#### Waterwheels



reel-in function

Automatic















Fiskars has championed the ageless principles of high quality, intuitive and sustainable design since 1649. We empower every enthusiast to follow their passions and create the life they want. We believe that making our daily activities enjoyable, inspiring and sustainable builds happiness and wellbeing that extends beyond our homes – to our families, our friends, our communities, and our planet.

COOKING | GARDENING | CRAFTING

